

Technical Report for

Providence Engineering

Valero-CAMS, Baton Rouge, LA

Proj#712-001

SGS Accutest Job Number: JC35117

Sampling Date: 01/06/17

Report to:

Providence Engineering

kevincalhoun@providenceeng.com

ATTN: Kevin Calhoun

Total number of pages in report: 10



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

Nancy Cole
Laboratory Director

Client Service contact: Victoria Pushkova 732-329-0200

Certifications: NJ(12129), NY(10983), CA, CT, FL, IL, IN, KS, KY, LA, MA, MD, ME, MN, NC, OH VAP (CL0056), AK (UST-103), AZ (AZ0786), PA, RI, SC, TX, UT, VA, WV, DoD ELAP (L-A-B L2248)

This report shall not be reproduced, except in its entirety, without the written approval of SGS Accutest.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Sample Results	4
2.1: JC35117-1: CAMS 328	5
Section 3: Misc. Forms	7
3.1: Chain of Custody	8
3.2: Summa Canister and Flow Controller Log	10

1

2

3



Sample Summary

Providence Engineering

Job No: JC35117

Valero-CAMS, Baton Rouge, LA
Project No: Proj#712-001

Sample Number	Collected		Received	Matrix		Client Sample ID
	Date	Time By		Code	Type	
JC35117-1	01/06/17	13:00 KH	01/10/17	AIR	Ambient Air Grab	CAMS 328

Sample Results

Report of Analysis

Report of Analysis

Client Sample ID: CAMS 328		Date Sampled: 01/06/17
Lab Sample ID: JC35117-1		Date Received: 01/10/17
Matrix: AIR - Ambient Air Grab	Summa ID: A255	Percent Solids: n/a
Method: TO-15		
Project: Valero-CAMS, Baton Rouge, LA		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #2	W58046.D	1	01/12/17	DFT	n/a	n/a	VW2325

Run #1	Initial Volume
Run #2	400 ml

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone	4.2	0.20	0.036	ppbv		10	0.48	0.086	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	0.20	0.028	ppbv		ND	0.44	0.062	ug/m3
71-43-2	78.11	Benzene	0.22	0.20	0.031	ppbv		0.70	0.64	0.099	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	0.20	0.039	ppbv		ND	1.3	0.26	ug/m3
75-25-2	252.8	Bromoform	ND	0.20	0.016	ppbv		ND	2.1	0.17	ug/m3
74-83-9	94.94	Bromomethane	ND	0.20	0.018	ppbv		ND	0.78	0.070	ug/m3
593-60-2	106.9	Bromoethene	ND	0.20	0.018	ppbv		ND	0.87	0.079	ug/m3
100-44-7	126	Benzyl Chloride	ND	0.20	0.027	ppbv		ND	1.0	0.14	ug/m3
75-15-0	76.14	Carbon disulfide	ND	0.20	0.031	ppbv		ND	0.62	0.097	ug/m3
108-90-7	112.6	Chlorobenzene	ND	0.20	0.056	ppbv		ND	0.92	0.26	ug/m3
75-00-3	64.52	Chloroethane	ND	0.20	0.036	ppbv		ND	0.53	0.095	ug/m3
67-66-3	119.4	Chloroform	ND	0.20	0.017	ppbv		ND	0.98	0.083	ug/m3
74-87-3	50.49	Chloromethane	0.59	0.20	0.052	ppbv		1.2	0.41	0.11	ug/m3
107-05-1	76.53	3-Chloropropene	0.16	0.20	0.027	ppbv	J	0.50	0.63	0.085	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	0.20	0.017	ppbv		ND	1.0	0.088	ug/m3
56-23-5	153.8	Carbon tetrachloride	0.082	0.20	0.031	ppbv	J	0.52	1.3	0.20	ug/m3
110-82-7	84.16	Cyclohexane	0.28	0.20	0.016	ppbv		0.96	0.69	0.055	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.20	0.015	ppbv		ND	0.81	0.061	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	ND	0.20	0.021	ppbv		ND	0.79	0.083	ug/m3
106-93-4	187.9	1,2-Dibromoethane	ND	0.20	0.042	ppbv		ND	1.5	0.32	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	0.20	0.018	ppbv		ND	0.81	0.073	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	0.20	0.022	ppbv		ND	0.92	0.10	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	0.20	0.045	ppbv		ND	0.72	0.16	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	0.44	0.20	0.019	ppbv		2.2	0.99	0.094	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	0.20	0.053	ppbv		ND	1.7	0.45	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.20	0.028	ppbv		ND	0.79	0.11	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	ND	0.20	0.021	ppbv		ND	0.79	0.083	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.20	0.015	ppbv		ND	0.91	0.068	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	0.20	0.020	ppbv		ND	1.2	0.12	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.20	0.016	ppbv		ND	1.2	0.096	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	0.20	0.027	ppbv		ND	1.2	0.16	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.20	0.018	ppbv		ND	0.91	0.082	ug/m3

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: CAMS 328		
Lab Sample ID: JC35117-1		Date Sampled: 01/06/17
Matrix: AIR - Ambient Air Grab	Summa ID: A255	Date Received: 01/10/17
Method: TO-15		Percent Solids: n/a
Project: Valero-CAMS, Baton Rouge, LA		

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	1.9	0.50	0.075	ppbv		3.6	0.94	0.14	ug/m3
100-41-4	106.2	Ethylbenzene	0.17	0.20	0.042	ppbv	J	0.74	0.87	0.18	ug/m3
141-78-6	88	Ethyl Acetate	0.82	0.20	0.075	ppbv		3.0	0.72	0.27	ug/m3
622-96-8	120.2	4-Ethyltoluene	ND	0.20	0.017	ppbv		ND	0.98	0.084	ug/m3
76-13-1	187.4	Freon 113	ND	0.20	0.021	ppbv		ND	1.5	0.16	ug/m3
76-14-2	170.9	Freon 114	ND	0.20	0.031	ppbv		ND	1.4	0.22	ug/m3
142-82-5	100.2	Heptane	0.39	0.20	0.020	ppbv		1.6	0.82	0.082	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.20	0.020	ppbv		ND	2.1	0.21	ug/m3
110-54-3	86.17	Hexane	0.57	0.20	0.023	ppbv		2.0	0.70	0.081	ug/m3
591-78-6	100	2-Hexanone	0.29	0.20	0.045	ppbv		1.2	0.82	0.18	ug/m3
67-63-0	60.1	Isopropyl Alcohol	0.74	0.20	0.16	ppbv		1.8	0.49	0.39	ug/m3
75-09-2	84.94	Methylene chloride	0.29	0.20	0.025	ppbv		1.0	0.69	0.087	ug/m3
78-93-3	72.11	Methyl ethyl ketone	0.73	0.20	0.048	ppbv		2.2	0.59	0.14	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	ND	0.20	0.055	ppbv		ND	0.82	0.23	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.20	0.020	ppbv		ND	0.72	0.072	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.20	0.040	ppbv		ND	0.82	0.16	ug/m3
115-07-1	42	Propylene	1.2	0.50	0.032	ppbv		2.1	0.86	0.055	ug/m3
100-42-5	104.1	Styrene	ND	0.20	0.015	ppbv		ND	0.85	0.064	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.20	0.024	ppbv		ND	1.1	0.13	ug/m3
79-34-5	167.9	1,1,2,2-Tetrachloroethane	ND	0.20	0.016	ppbv		ND	1.4	0.11	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.20	0.039	ppbv		ND	1.1	0.21	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.20	0.056	ppbv		ND	1.5	0.42	ug/m3
95-63-6	120.2	1,2,4-Trimethylbenzene	ND	0.20	0.015	ppbv		ND	0.98	0.074	ug/m3
108-67-8	120.2	1,3,5-Trimethylbenzene	ND	0.20	0.045	ppbv		ND	0.98	0.22	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	0.85	0.20	0.023	ppbv		4.0	0.93	0.11	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	0.13	0.20	0.053	ppbv	J	0.39	0.61	0.16	ug/m3
127-18-4	165.8	Tetrachloroethylene	ND	0.040	0.023	ppbv		ND	0.27	0.16	ug/m3
109-99-9	72.11	Tetrahydrofuran	0.12	0.20	0.045	ppbv	J	0.35	0.59	0.13	ug/m3
108-88-3	92.14	Toluene	0.95	0.20	0.012	ppbv		3.6	0.75	0.045	ug/m3
79-01-6	131.4	Trichloroethylene	ND	0.040	0.019	ppbv		ND	0.21	0.10	ug/m3
75-69-4	137.4	Trichlorofluoromethane	0.25	0.20	0.022	ppbv		1.4	1.1	0.12	ug/m3
75-01-4	62.5	Vinyl chloride	ND	0.20	0.021	ppbv		ND	0.51	0.054	ug/m3
108-05-4	86	Vinyl Acetate	ND	0.20	0.054	ppbv		ND	0.70	0.19	ug/m3
	106.2	m,p-Xylene	0.52	0.20	0.068	ppbv		2.3	0.87	0.30	ug/m3
95-47-6	106.2	o-Xylene	0.18	0.20	0.051	ppbv	J	0.78	0.87	0.22	ug/m3
1330-20-7	106.2	Xylenes (total)	0.70	0.20	0.051	ppbv		3.0	0.87	0.22	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	86%		65-128%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Misc. Forms**Custody Documents and Other Forms**

Includes the following where applicable:

- Chain of Custody
- Summa Canister and Flow Controller Log



CHAIN OF CUSTODY

Air Sampling Field Data Sheet

Fed-Ex Tracking # 678047395487
 Bottle Order Control #
 Lab Job # 7235117

PAGE 1 OF 1

Client / Reporting Information						Weather Parameters					Requested Analysis					
Company Name: <i>Providence Engr</i>			Project Name: <i>Valero Refining</i>			Temperature (Fahrenheit)					Standard TO-15 Reporting List					
Address: <i>1201 Main St</i>			Street:			Start:		Maximum:								
City: <i>Bir</i> State: <i>LA</i> Zip: <i>70802</i>			City: <i>Meroux</i> State: <i>LA</i>			Stop:		Minimum:								
Project Contact: <i>Paul Hollis @ providenceeng.com</i>			Project #: <i>712-001</i>			Atmospheric Pressure (inches of Hg)										
Phone #: <i>225-766-7400</i> Fax #: <i>-7440</i>			Client Purchase Order #:			Start:		Maximum:								
Sampler(s) Name(s): <i>K Anderson</i>						Stop:					Minimum:					
						Other weather comment:										
Lab Sample #	Field ID / Point of Collection	Air Type		Sampling Equipment Info			Start Sampling Information					Stop Sampling Information				
		Indoor(I) Soil Vap(SV) Ambient(A)	Canister Serial #	Canister Size 6L or 1L	Flow Controller Serial #	Date	Time (24hr clock)	Canister Pressure (Hg)	Interior Temp (F)	Sampler Init.	Date	Time (24hr clock)	Canister Pressure (Hg)	Interior Temp (F)	Sampler Init.	
<i>-1</i>	<i>Cams 328</i>	<i>A</i>	<i>A255</i>	<i>6L</i>		<i>1-5</i>	<i>1300</i>	<i>30</i>	<i>75</i>	<i>KH</i>	<i>1-6</i>	<i>1300</i>	<i>5</i>	<i>75</i>	<i>KH</i>	<input checked="" type="checkbox"/>
						/										
											INITIAL ASSESSMENT: <i>[Signature]</i>					
											LABEL VERIFICATION: <i>[Signature]</i>					
Turnaround Time (Business days)						Data Deliverable Information					Comments / Remarks					
Standard - 15 Days <input checked="" type="checkbox"/> 10 Day 5 Day 3 Day 2 Day 1 Day Other						Approved By: _____ Date: _____ All NJDEP TO-15 is mandatory Full T1 Comm A Comm B Reduced T2 Full T1 Other:					<i>COC seal</i> <i>Fed ex</i>					
Sample Custody must be documented below each time samples change possession, including courier delivery.																
Relinquished by Laboratory:		Date/Time:		Received By:			Relinquished By:		Date/Time:		Received By:					
<i>1</i>		<i>1/10/17</i>		<i>[Signature]</i>			<i>2</i>		<i>[Signature]</i>		<i>Fedex</i>					
Relinquished by:		Date/Time:		Received By:			Relinquished By:		Date/Time:		Received By:					
<i>3</i>		<i>940</i>		<i>[Signature]</i>			<i>4</i>		<i>[Signature]</i>		<i>[Signature]</i>					
Relinquished by:		Date/Time:		Received By:			Custody Seal #		Date/Time:		Received By:					
<i>5</i>		<i>940</i>		<i>[Signature]</i>			<i>530</i>		<i>[Signature]</i>		<i>[Signature]</i>					

31
3

JC35117: Chain of Custody

Page 1 of 2

SGS Accutest Sample Receipt Summary

Job Number: JC35117

Client: _____

Project: _____

Date / Time Received: 1/10/2017 9:40:00 AM

Delivery Method: _____

Airbill #'s: _____

Cooler Temps (Raw Measured) °C:

Cooler Temps (Corrected) °C:

Cooler Security

Y or N

Y or N

- | | | | | | |
|---------------------------|-------------------------------------|--------------------------|-----------------------|-------------------------------------|--------------------------|
| 1. Custody Seals Present: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 3. COC Present: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Custody Seals Intact: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 4. Smpl Dates/Time OK | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

Cooler Temperature

Y or N

- | | | |
|------------------------------|--------------------------|--------------------------|
| 1. Temp criteria achieved: | <input type="checkbox"/> | <input type="checkbox"/> |
| 2. Cooler temp verification: | N/A | |
| 3. Cooler media: | N/A | |
| 4. No. Coolers: | N/A | |

Quality Control Preservation

Y or N

N/A

- | | | | |
|---------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| 1. Trip Blank present / cooler: | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Trip Blank listed on COC: | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 3. Samples preserved properly: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4. VOCs headspace free: | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

Sample Integrity - Documentation

Y or N

- | | | |
|--|-------------------------------------|--------------------------|
| 1. Sample labels present on bottles: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Container labeling complete: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 3. Sample container label / COC agree: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

Sample Integrity - Condition

Y or N

- | | | |
|----------------------------------|-------------------------------------|--------------------------|
| 1. Sample recvd within HT: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. All containers accounted for: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 3. Condition of sample: | Intact | |

Sample Integrity - Instructions

Y or N N/A

- | | | | |
|---|-------------------------------------|-------------------------------------|-------------------------------------|
| 1. Analysis requested is clear: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 2. Bottles received for unspecified tests | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 3. Sufficient volume recvd for analysis: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4. Compositing instructions clear: | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 5. Filtering instructions clear: | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

Comments

SM089-02
Rev. Date 12/1/16

JC35117: Chain of Custody

Page 2 of 2

Summa Canister and Flow Controller Log

Job Number: JC35117
Account: PROVLABR Providence Engineering
Project: Valero-CAMS, Baton Rouge, LA
Received: 01/10/17

32
3

SUMMA CANISTERS													
Shipping							Receiving						
Summa ID	Vac L	Date " Hg	Date Out	By	SCC Batch	SCC FileID	Sample Number	Date In	By	Vac " Hg	Pres psig	Final psig	Dil Fact
A255	6	29.4	11/28/16	PC	CP8837	5W21268A	DJC35117-1	01/10/17	RD	5			1

SGS Accutest Bottle Order(s):
 VP-11/28/2016-897

Prep Date **Room Temp(F)** **Bar Pres "Hg**
 11/28/16 70 29.92