

Technical Report for

Providence Engineering

Valero-CAMS, Baton Rouge, LA

712-001

SGS Accutest Job Number: JC36004

Sampling Date: 01/18/17

Report to:

Providence Engineering

kevincalhoun@providenceeng.com

ATTN: Kevin Calhoun

Total number of pages in report: 10



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

Nancy Cole
Laboratory Director

Client Service contact: Victoria Pushkova 732-329-0200

Certifications: NJ(12129), NY(10983), CA, CT, FL, IL, IN, KS, KY, LA, MA, MD, ME, MN, NC, OH VAP (CL0056), AK (UST-103), AZ (AZ0786), PA, RI, SC, TX, UT, VA, WV, DoD ELAP (L-A-B L2248)

This report shall not be reproduced, except in its entirety, without the written approval of SGS Accutest.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Sample Results	4
2.1: JC36004-1: CAMS 330	5
Section 3: Misc. Forms	7
3.1: Chain of Custody	8
3.2: Summa Canister and Flow Controller Log	10

1

2

3



Sample Summary

Providence Engineering

Job No: JC36004

Valero-CAMS, Baton Rouge, LA
Project No: 712-001

Sample Number	Collected		Received	Matrix		Client Sample ID
	Date	Time By		Code	Type	
JC36004-1	01/18/17	13:00 KH	01/24/17	AIR	Ambient Air Grab	CAMS 330

Sample Results

Report of Analysis

Report of Analysis

Client Sample ID: CAMS 330		
Lab Sample ID: JC36004-1		Date Sampled: 01/18/17
Matrix: AIR - Ambient Air Grab	Summa ID: A023	Date Received: 01/24/17
Method: TO-15		Percent Solids: n/a
Project: Valero-CAMS, Baton Rouge, LA		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	5W22542.D	1.48	02/02/17	DFT	n/a	n/a	V5W894
Run #2							

Run #	Initial Volume
Run #1	592 ml
Run #2	

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone	10	0.20	0.036	ppbv		24	0.48	0.086	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	0.20	0.028	ppbv		ND	0.44	0.062	ug/m3
71-43-2	78.11	Benzene	0.18	0.20	0.031	ppbv	J	0.58	0.64	0.099	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	0.20	0.039	ppbv		ND	1.3	0.26	ug/m3
75-25-2	252.8	Bromoform	ND	0.20	0.016	ppbv		ND	2.1	0.17	ug/m3
74-83-9	94.94	Bromomethane	ND	0.20	0.018	ppbv		ND	0.78	0.070	ug/m3
593-60-2	106.9	Bromoethene	ND	0.20	0.018	ppbv		ND	0.87	0.079	ug/m3
100-44-7	126	Benzyl Chloride	ND	0.20	0.027	ppbv		ND	1.0	0.14	ug/m3
75-15-0	76.14	Carbon disulfide	ND	0.20	0.031	ppbv		ND	0.62	0.097	ug/m3
108-90-7	112.6	Chlorobenzene	ND	0.20	0.056	ppbv		ND	0.92	0.26	ug/m3
75-00-3	64.52	Chloroethane	ND	0.20	0.036	ppbv		ND	0.53	0.095	ug/m3
67-66-3	119.4	Chloroform	ND	0.20	0.017	ppbv		ND	0.98	0.083	ug/m3
74-87-3	50.49	Chloromethane	0.71	0.20	0.052	ppbv		1.5	0.41	0.11	ug/m3
107-05-1	76.53	3-Chloropropene	ND	0.20	0.027	ppbv		ND	0.63	0.085	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	0.20	0.017	ppbv		ND	1.0	0.088	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	0.20	0.031	ppbv		ND	1.3	0.20	ug/m3
110-82-7	84.16	Cyclohexane	0.41	0.20	0.016	ppbv		1.4	0.69	0.055	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.20	0.015	ppbv		ND	0.81	0.061	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	ND	0.20	0.021	ppbv		ND	0.79	0.083	ug/m3
106-93-4	187.9	1,2-Dibromoethane	ND	0.20	0.042	ppbv		ND	1.5	0.32	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	0.20	0.018	ppbv		ND	0.81	0.073	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	0.20	0.022	ppbv		ND	0.92	0.10	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	0.20	0.045	ppbv		ND	0.72	0.16	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	0.47	0.20	0.019	ppbv		2.3	0.99	0.094	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	0.20	0.053	ppbv		ND	1.7	0.45	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.20	0.028	ppbv		ND	0.79	0.11	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	ND	0.20	0.021	ppbv		ND	0.79	0.083	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.20	0.015	ppbv		ND	0.91	0.068	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	0.20	0.020	ppbv		ND	1.2	0.12	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.20	0.016	ppbv		ND	1.2	0.096	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	0.20	0.027	ppbv		ND	1.2	0.16	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.20	0.018	ppbv		ND	0.91	0.082	ug/m3

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: CAMS 330		
Lab Sample ID: JC36004-1		Date Sampled: 01/18/17
Matrix: AIR - Ambient Air Grab	Summa ID: A023	Date Received: 01/24/17
Method: TO-15		Percent Solids: n/a
Project: Valero-CAMS, Baton Rouge, LA		

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	1.6	0.50	0.075	ppbv		3.0	0.94	0.14	ug/m3
100-41-4	106.2	Ethylbenzene	0.16	0.20	0.042	ppbv	J	0.69	0.87	0.18	ug/m3
141-78-6	88	Ethyl Acetate	0.29	0.20	0.075	ppbv		1.0	0.72	0.27	ug/m3
622-96-8	120.2	4-Ethyltoluene	0.12	0.20	0.017	ppbv	J	0.59	0.98	0.084	ug/m3
76-13-1	187.4	Freon 113	ND	0.20	0.021	ppbv		ND	1.5	0.16	ug/m3
76-14-2	170.9	Freon 114	ND	0.20	0.031	ppbv		ND	1.4	0.22	ug/m3
142-82-5	100.2	Heptane	0.29	0.20	0.020	ppbv		1.2	0.82	0.082	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.20	0.020	ppbv		ND	2.1	0.21	ug/m3
110-54-3	86.17	Hexane	0.85	0.20	0.023	ppbv		3.0	0.70	0.081	ug/m3
591-78-6	100	2-Hexanone	ND	0.20	0.045	ppbv		ND	0.82	0.18	ug/m3
67-63-0	60.1	Isopropyl Alcohol	1.6	0.20	0.16	ppbv		3.9	0.49	0.39	ug/m3
75-09-2	84.94	Methylene chloride	0.25	0.20	0.025	ppbv		0.87	0.69	0.087	ug/m3
78-93-3	72.11	Methyl ethyl ketone	1.1	0.20	0.048	ppbv		3.2	0.59	0.14	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	ND	0.20	0.055	ppbv		ND	0.82	0.23	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.20	0.020	ppbv		ND	0.72	0.072	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.20	0.040	ppbv		ND	0.82	0.16	ug/m3
115-07-1	42	Propylene	ND	0.50	0.032	ppbv		ND	0.86	0.055	ug/m3
100-42-5	104.1	Styrene	0.11	0.20	0.015	ppbv	J	0.47	0.85	0.064	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.20	0.024	ppbv		ND	1.1	0.13	ug/m3
79-34-5	167.9	1,1,2,2-Tetrachloroethane	ND	0.20	0.016	ppbv		ND	1.4	0.11	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.20	0.039	ppbv		ND	1.1	0.21	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.20	0.056	ppbv		ND	1.5	0.42	ug/m3
95-63-6	120.2	1,2,4-Trimethylbenzene	0.32	0.20	0.015	ppbv		1.6	0.98	0.074	ug/m3
108-67-8	120.2	1,3,5-Trimethylbenzene	0.099	0.20	0.045	ppbv	J	0.49	0.98	0.22	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	0.32	0.20	0.023	ppbv		1.5	0.93	0.11	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	0.19	0.20	0.053	ppbv	J	0.58	0.61	0.16	ug/m3
127-18-4	165.8	Tetrachloroethylene	0.13	0.040	0.023	ppbv		0.88	0.27	0.16	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	0.20	0.045	ppbv		ND	0.59	0.13	ug/m3
108-88-3	92.14	Toluene	0.72	0.20	0.012	ppbv		2.7	0.75	0.045	ug/m3
79-01-6	131.4	Trichloroethylene	ND	0.040	0.019	ppbv		ND	0.21	0.10	ug/m3
75-69-4	137.4	Trichlorofluoromethane	0.24	0.20	0.022	ppbv		1.3	1.1	0.12	ug/m3
75-01-4	62.5	Vinyl chloride	ND	0.20	0.021	ppbv		ND	0.51	0.054	ug/m3
108-05-4	86	Vinyl Acetate	1.3	0.20	0.054	ppbv		4.6	0.70	0.19	ug/m3
	106.2	m,p-Xylene	0.69	0.20	0.068	ppbv		3.0	0.87	0.30	ug/m3
95-47-6	106.2	o-Xylene	0.38	0.20	0.051	ppbv		1.7	0.87	0.22	ug/m3
1330-20-7	106.2	Xylenes (total)	1.1	0.20	0.051	ppbv		4.7	0.87	0.22	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	98%		65-128%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody
- Summa Canister and Flow Controller Log



ACCUTEST

AIR CHAIN OF CUSTODY

SGS Accutest - Dayton
2235 Route 130, Dayton, NJ 08810
TEL: 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

FED-EX Tracking # 6780 9740 9575
Lab Quote #
Lab Job # JE 36004

PAGE 1 OF 1

Client / Reporting Information				Project Information				Weather Parameters				Requested Analysis				
Company Name Providence Engr				Project Name Valero Refining				Temperature (Fahrenheit)								
Address 1201 Main St				Street				Start: Maximum:								
City Bklyn State LA Zip 70802				City Meroux State LA				Stop: Minimum:								
Project Contact Paul Hollis E-providenceeng.com				Project # 712-001				Atmospheric Pressure (inches of Hg)								
Phone # 225 766 7400 Fax # 7440				Client Purchase Order #				Start: Maximum:				10-15				
Sampler(s) Name(s) K Anderson				Other weather comment:				Stop: Minimum:								
Lab Sample #	Field ID / Point of Collection	Air Type		Sampling Equipment Info			Start Sampling Information					Stop Sampling Information				
		Indoor(I) Soil Vap(SV) Ambient(A)	Canister Serial #	Canister Size 6L or 1L	Flow Controller Serial #	Date	Time (24hr clock)	Canister Pressure ("Hg)	Interior Temp (F)	Sampler Init.	Date	Time (24hr clock)	Canister Pressure ("Hg)	Interior Temp (F)	Sampler Init.	
7	Canvy 330	A	A0236L				1-17	1300	30	75	UH	1-18	1300	6	75	UH
Turnaround Time (Business days)		Approved By: _____				Data Deliverable Information					Comments / Remarks					
Standard - 15 Days 10 Day 5 Day 3 Day 2 Day 1 Day Other		Date: _____				All NJDEP TO-15 is mandatory Full T1 Comm A Comm B Reduced T2 Full T1 Other: DKQP reporting					CDC seal Fed ex INITIAL ASESMENT <i>Am 4A</i> LABEL VERIFICATION <i>Am</i> Sample inventory is verified upon receipt in the Laboratory					
Sample Custody must be documented below each time samples change possession, including courier delivery.																
Relinquished by Laboratory	Date/Time	Received By:	Relinquished By:	Date/Time	Received By:	Relinquished By:	Date/Time	Received By:	Relinquished By:	Date/Time	Received By:	Relinquished By:	Date/Time	Received By:	Relinquished By:	
1 <i>Greg Mauldin</i>	1/12/17 18:00	1 FedEx	2 FedEx		3 FX	4 FX	1/24/17 1000	4								
Relinquished by:	Date/Time:	Received By:	Relinquished By:	Date/Time:	Received By:	Relinquished By:	Date/Time:	Received By:	Relinquished By:	Date/Time:	Received By:	Relinquished By:	Date/Time:	Received By:	Relinquished By:	
3 <i>[Signature]</i>																
Relinquished by:	Date/Time:	Received By:	Relinquished By:	Date/Time:	Received By:	Relinquished By:	Date/Time:	Received By:	Relinquished By:	Date/Time:	Received By:	Relinquished By:	Date/Time:	Received By:	Relinquished By:	
5																

JC36004: Chain of Custody

Page 1 of 2

31
3

SGS Accutest Sample Receipt Summary

Job Number: JC36004

Client: _____

Project: _____

Date / Time Received: 1/24/2017 10:00:00 AM

Delivery Method: _____

Airbill #'s: _____

Cooler Temps (Raw Measured) °C:

Cooler Temps (Corrected) °C:

Cooler Security

Y or N

Y or N

- | | | | | | |
|---------------------------|-------------------------------------|--------------------------|-----------------------|-------------------------------------|--------------------------|
| 1. Custody Seals Present: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 3. COC Present: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Custody Seals Intact: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 4. Smpl Dates/Time OK | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

Cooler Temperature

Y or N

- | | | |
|------------------------------|--------------------------|--------------------------|
| 1. Temp criteria achieved: | <input type="checkbox"/> | <input type="checkbox"/> |
| 2. Cooler temp verification: | N/A | |
| 3. Cooler media: | N/A | |
| 4. No. Coolers: | N/A | |

Quality Control Preservation

Y or N

N/A

- | | | | |
|---------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| 1. Trip Blank present / cooler: | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Trip Blank listed on COC: | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 3. Samples preserved properly: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4. VOCs headspace free: | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

Sample Integrity - Documentation

Y or N

- | | | |
|----------------------------------------|-------------------------------------|--------------------------|
| 1. Sample labels present on bottles: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Container labeling complete: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 3. Sample container label / COC agree: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

Sample Integrity - Condition

Y or N

- | | | |
|----------------------------------|-------------------------------------|--------------------------|
| 1. Sample recvd within HT: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. All containers accounted for: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 3. Condition of sample: | Intact | |

Sample Integrity - Instructions

Y or N N/A

- | | | | |
|-------------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| 1. Analysis requested is clear: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 2. Bottles received for unspecified tests | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 3. Sufficient volume recvd for analysis: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4. Compositing instructions clear: | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 5. Filtering instructions clear: | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

Comments

SM089-02
Rev. Date 12/1/16

JC36004: Chain of Custody

Page 2 of 2

Summa Canister and Flow Controller Log

Job Number: JC36004
Account: PROVLABR Providence Engineering
Project: Valero-CAMS, Baton Rouge, LA
Received: 01/24/17

32
3

SUMMA CANISTERS													
Shipping							Receiving						
Summa ID	Vac L	Date " Hg	Date Out	By	SCC Batch	SCC FileID	Sample Number	Date In	By	Vac " Hg	Pres psig	Final psig	Dil Fact
A023	6	29.4	12/13/16	PC	CP8881	5W21600A	DJC36004-1	01/24/17	PC	5.5			1

SGS Accutest Bottle Order(s):
 VP-12/13/2016-1052

Prep Date	Room Temp(F)	Bar Pres "Hg
12/13/16	70	29.92