

The results set forth herein are provided by SGS North America Inc.

*e-Hardcopy 2.0*  
*Automated Report*

## Technical Report for

### Providence Engineering

Valero-CAMS, Baton Rouge, LA

712-001

SGS Job Number: JC59998

Sampling Date: 01/25/18

#### Report to:

Providence Engineering

kevincalhoun@providenceeng.com

ATTN: Kevin Calhoun

Total number of pages in report: 10



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

A handwritten signature in black ink that reads 'Nancy F. Cole'.

Nancy Cole  
Laboratory Director

Client Service contact: Victoria Pushkova 732-329-0200

Certifications: NJ(12129), NY(10983), CA, CT, FL, IL, IN, KS, KY, LA, MA, MD, ME, MN, NC, OH VAP (CL0056), AK (UST-103), AZ (AZ0786), PA, RI, SC, TX, UT, VA, WV, DoD ELAP (L-A-B L2248)

This report shall not be reproduced, except in its entirety, without the written approval of SGS.  
Test results relate only to samples analyzed.

# Table of Contents

-1-

<b>Section 1: Sample Summary</b> .....	<b>3</b>
<b>Section 2: Sample Results</b> .....	<b>4</b>
<b>2.1: JC59998-1: CAMS 393</b> .....	<b>5</b>
<b>Section 3: Misc. Forms</b> .....	<b>7</b>
<b>3.1: Chain of Custody</b> .....	<b>8</b>
<b>3.2: Summa Canister and Flow Controller Log</b> .....	<b>10</b>



## Sample Summary

**Providence Engineering**

**Job No: JC59998**

**Valero-CAMS, Baton Rouge, LA**  
**Project No: 712-001**

Sample Number	Collected		Received	Matrix		Client Sample ID
	Date	Time By		Code	Type	
JC59998-1	01/25/18	15:30 KH	01/31/18	AIR	Ambient Air Comp.	CAMS 393

**Sample Results**

---

**Report of Analysis**

---

## Report of Analysis

Client Sample ID:	CAMS 393	Date Sampled:	01/25/18
Lab Sample ID:	JC59998-1	Date Received:	01/31/18
Matrix:	AIR - Ambient Air Comp. Summa ID: A987	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero-CAMS, Baton Rouge, LA		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3W63750.D	1	02/14/18 04:08	TCH	n/a	n/a	V3W2427
Run #2							

Run #	Initial Volume
Run #1	400 ml
Run #2	

## VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone	4.5	0.20	0.062	ppbv	11	0.48	0.15	ug/m3	
106-99-0	54.09	1,3-Butadiene	ND	0.20	0.028	ppbv	ND	0.44	0.062	ug/m3	
71-43-2	78.11	Benzene	0.23	0.20	0.026	ppbv	0.73	0.64	0.083	ug/m3	
75-27-4	163.8	Bromodichloromethane	ND	0.20	0.029	ppbv	ND	1.3	0.19	ug/m3	
75-25-2	252.8	Bromoform	ND	0.20	0.018	ppbv	ND	2.1	0.19	ug/m3	
74-83-9	94.94	Bromomethane	ND	0.20	0.033	ppbv	ND	0.78	0.13	ug/m3	
593-60-2	106.9	Bromoethene	ND	0.20	0.016	ppbv	ND	0.87	0.070	ug/m3	
100-44-7	126	Benzyl Chloride	ND	0.20	0.021	ppbv	ND	1.0	0.11	ug/m3	
75-15-0	76.14	Carbon disulfide	ND	0.20	0.033	ppbv	ND	0.62	0.10	ug/m3	
108-90-7	112.6	Chlorobenzene	ND	0.20	0.017	ppbv	ND	0.92	0.078	ug/m3	
75-00-3	64.52	Chloroethane	ND	0.20	0.036	ppbv	ND	0.53	0.095	ug/m3	
67-66-3	119.4	Chloroform	ND	0.20	0.031	ppbv	ND	0.98	0.15	ug/m3	
74-87-3	50.49	Chloromethane	0.51	0.20	0.065	ppbv	1.1	0.41	0.13	ug/m3	
107-05-1	76.53	3-Chloropropene	ND	0.20	0.037	ppbv	ND	0.63	0.12	ug/m3	
95-49-8	126.6	2-Chlorotoluene	ND	0.20	0.036	ppbv	ND	1.0	0.19	ug/m3	
56-23-5	153.8	Carbon tetrachloride	ND	0.20	0.020	ppbv	ND	1.3	0.13	ug/m3	
110-82-7	84.16	Cyclohexane	ND	0.20	0.035	ppbv	ND	0.69	0.12	ug/m3	
75-34-3	98.96	1,1-Dichloroethane	ND	0.20	0.033	ppbv	ND	0.81	0.13	ug/m3	
75-35-4	96.94	1,1-Dichloroethylene	ND	0.20	0.033	ppbv	ND	0.79	0.13	ug/m3	
106-93-4	187.9	1,2-Dibromoethane	ND	0.20	0.022	ppbv	ND	1.5	0.17	ug/m3	
107-06-2	98.96	1,2-Dichloroethane	ND	0.20	0.026	ppbv	ND	0.81	0.11	ug/m3	
78-87-5	113	1,2-Dichloropropane	ND	0.20	0.033	ppbv	ND	0.92	0.15	ug/m3	
123-91-1	88.12	1,4-Dioxane	ND	0.20	0.047	ppbv	ND	0.72	0.17	ug/m3	
75-71-8	120.9	Dichlorodifluoromethane	0.51	0.20	0.025	ppbv	2.5	0.99	0.12	ug/m3	
124-48-1	208.3	Dibromochloromethane	ND	0.20	0.025	ppbv	ND	1.7	0.21	ug/m3	
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.20	0.026	ppbv	ND	0.79	0.10	ug/m3	
156-59-2	96.94	cis-1,2-Dichloroethylene	ND	0.20	0.034	ppbv	ND	0.79	0.13	ug/m3	
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.20	0.023	ppbv	ND	0.91	0.10	ug/m3	
541-73-1	147	m-Dichlorobenzene	ND	0.20	0.029	ppbv	ND	1.2	0.17	ug/m3	
95-50-1	147	o-Dichlorobenzene	ND	0.20	0.028	ppbv	ND	1.2	0.17	ug/m3	
106-46-7	147	p-Dichlorobenzene	ND	0.20	0.029	ppbv	ND	1.2	0.17	ug/m3	
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.20	0.029	ppbv	ND	0.91	0.13	ug/m3	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

### Report of Analysis

<b>Client Sample ID:</b>	CAMS 393	<b>Date Sampled:</b>	01/25/18
<b>Lab Sample ID:</b>	JC59998-1	<b>Date Received:</b>	01/31/18
<b>Matrix:</b>	AIR - Ambient Air Comp. Summa ID: A987	<b>Percent Solids:</b>	n/a
<b>Method:</b>	TO-15		
<b>Project:</b>	Valero-CAMS, Baton Rouge, LA		

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	5.1	0.50	0.095	ppbv		9.6	0.94	0.18	ug/m3
100-41-4	106.2	Ethylbenzene	ND	0.20	0.023	ppbv		ND	0.87	0.10	ug/m3
141-78-6	88	Ethyl Acetate	ND	0.20	0.065	ppbv		ND	0.72	0.23	ug/m3
622-96-8	120.2	4-Ethyltoluene	ND	0.20	0.028	ppbv		ND	0.98	0.14	ug/m3
76-13-1	187.4	Freon 113	ND	0.20	0.024	ppbv		ND	1.5	0.18	ug/m3
76-14-2	170.9	Freon 114	ND	0.20	0.024	ppbv		ND	1.4	0.17	ug/m3
142-82-5	100.2	Heptane	0.11	0.20	0.046	ppbv	J	0.45	0.82	0.19	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.20	0.024	ppbv		ND	2.1	0.26	ug/m3
110-54-3	86.17	Hexane	0.24	0.20	0.026	ppbv		0.85	0.70	0.092	ug/m3
591-78-6	100	2-Hexanone	ND	0.20	0.041	ppbv		ND	0.82	0.17	ug/m3
67-63-0	60.1	Isopropyl Alcohol	0.49	0.20	0.090	ppbv		1.2	0.49	0.22	ug/m3
75-09-2	84.94	Methylene chloride	0.23	0.20	0.033	ppbv		0.80	0.69	0.11	ug/m3
78-93-3	72.11	Methyl ethyl ketone	0.50	0.20	0.043	ppbv		1.5	0.59	0.13	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	ND	0.20	0.057	ppbv		ND	0.82	0.23	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.20	0.019	ppbv		ND	0.72	0.069	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.20	0.044	ppbv		ND	0.82	0.18	ug/m3
115-07-1	42	Propylene	ND	0.50	0.059	ppbv		ND	0.86	0.10	ug/m3
100-42-5	104.1	Styrene	ND	0.20	0.046	ppbv		ND	0.85	0.20	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.20	0.017	ppbv		ND	1.1	0.093	ug/m3
79-34-5	167.9	1,1,2,2-Tetrachloroethane	ND	0.20	0.036	ppbv		ND	1.4	0.25	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.20	0.022	ppbv		ND	1.1	0.12	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.20	0.038	ppbv		ND	1.5	0.28	ug/m3
95-63-6	120.2	1,2,4-Trimethylbenzene	ND	0.20	0.051	ppbv		ND	0.98	0.25	ug/m3
108-67-8	120.2	1,3,5-Trimethylbenzene	ND	0.20	0.030	ppbv		ND	0.98	0.15	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	0.10	0.20	0.026	ppbv	J	0.47	0.93	0.12	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	0.12	0.20	0.026	ppbv	J	0.36	0.61	0.079	ug/m3
127-18-4	165.8	Tetrachloroethylene	ND	0.040	0.016	ppbv		ND	0.27	0.11	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	0.20	0.045	ppbv		ND	0.59	0.13	ug/m3
108-88-3	92.14	Toluene	0.36	0.20	0.029	ppbv		1.4	0.75	0.11	ug/m3
79-01-6	131.4	Trichloroethylene	ND	0.040	0.012	ppbv		ND	0.21	0.064	ug/m3
75-69-4	137.4	Trichlorofluoromethane	0.24	0.20	0.015	ppbv		1.3	1.1	0.084	ug/m3
75-01-4	62.5	Vinyl chloride	ND	0.20	0.038	ppbv		ND	0.51	0.097	ug/m3
108-05-4	86	Vinyl Acetate	ND	0.20	0.027	ppbv		ND	0.70	0.095	ug/m3
	106.2	m,p-Xylene	0.25	0.20	0.067	ppbv		1.1	0.87	0.29	ug/m3
95-47-6	106.2	o-Xylene	0.10	0.20	0.035	ppbv	J	0.43	0.87	0.15	ug/m3
1330-20-7	106.2	Xylenes (total)	0.36	0.20	0.035	ppbv		1.6	0.87	0.15	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	90%		65-128%

ND = Not detected      MDL = Method Detection Limit      J = Indicates an estimated value  
 RL = Reporting Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound

## Misc. Forms

---

### Custody Documents and Other Forms

---

**Includes the following where applicable:**

- Chain of Custody
- Summa Canister and Flow Controller Log



ACCUTEST

# AIR CHAIN OF CUSTODY

SGS Accutest - Dayton  
2235 Route 130, Dayton, NJ 08810  
TEL: 732-329-0200 FAX: 732-329-3499/3480  
www.accutest.com

FED-EX Tracking # **40773094 8789** Bottle Order Control # **EL-121817-57**  
Lab Quote # Lab Job # **JC59998**

PAGE **1** OF **1**

Client / Reporting Information				Project Information				Weather Parameters				Requested Analysis				
Company Name <b>Providence Engr</b>				Project Name <b>Valero Refining</b>				Temperature (Fahrenheit)				Requested Analysis				
Address <b>1201 Main St</b>				Street				Start: Maximum:		Stop: Minimum:						
City <b>Bil</b> State <b>LA</b> Zip <b>70802</b>				City <b>Moravia</b> State <b>LA</b>				Atmospheric Pressure (inches of Hg)								
Project Contact <b>paul.hollis@providenceeng.com</b> E-mail				Project # <b>712-001</b>				Start: Maximum:		Stop: Minimum:		TO-15 11/13/13 210 Jelly Summary				
Phone # <b>225-766-7400</b> Fax # <b>-7440</b>				Client Purchase Order #				Other weather comment:								
Sampler(s) Name(s) <b>K Hudson</b>																
Lab Sample #	Field ID / Point of Collection	Air Type	Sampling Equipment Info			Start Sampling Information					Stop Sampling Information					
			Indoor(T) Soil Vap(SV) Ambient(A)	Canister Serial #	Canister Size 6L or 1L	Flow Controller Serial #	Date	Time (24hr clock)	Canister Pressure (H <sub>g</sub> )	Interior Temp (F)	Sampler Init.	Date	Time (24hr clock)	Canister Pressure (H <sub>g</sub> )	Interior Temp (F)	Sampler Init.
1	Cams 393	A	A1876	6L	537	1-24	3:30	30	75	24	1-25	3:30	5	74	141	✓
Turnaround Time (Business days)		Approved By: <b>[Signature]</b>		Data Deliverable Information		Comments / Remarks										
Standard - 15 Days		INITIAL ASSESSMENT		All NJDEP TO-15 is mandatory Full T1		COC seal Fedex slip 1/30										
10 Day		LABEL VERIFICATION		Comm A		Sample inventory is verified upon receipt in the Laboratory										
5 Day		Date: _____		Reduced T2												
3 Day				Full T1												
2 Day				Other: _____												
1 Day				DKQP reporting												
Other																
Sample Custody must be documented below each time samples change possession, including courier delivery.																
Relinquished by Laboratory	Date	Received By:	Relinquished By:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:	Relinquished By:	
1 <b>[Signature]</b>	12/18/17 16:30	1 FedEx	2 FedEx		3 FedEx	4 FedEx	1-31-13 9:50	5	534	INTER						

JC59998: Chain of Custody

Page 1 of 2





## SGS Sample Receipt Summary

Job Number: JC59998

Client: \_\_\_\_\_

Project: \_\_\_\_\_

Date / Time Received: 1/31/2018 9:50:00 AM

Delivery Method: \_\_\_\_\_

Airbill #'s: \_\_\_\_\_

Cooler Temps (Raw Measured) °C:

Cooler Temps (Corrected) °C:

**Cooler Security**

Y or N

Y or N

- |                           |                                     |                          |                       |                                     |                          |
|---------------------------|-------------------------------------|--------------------------|-----------------------|-------------------------------------|--------------------------|
| 1. Custody Seals Present: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 3. COC Present:       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Custody Seals Intact:  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 4. Smpl Dates/Time OK | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

**Cooler Temperature**

Y or N

- |                              |                          |                          |
|------------------------------|--------------------------|--------------------------|
| 1. Temp criteria achieved:   | <input type="checkbox"/> | <input type="checkbox"/> |
| 2. Cooler temp verification: | N/A                      |                          |
| 3. Cooler media:             | N/A                      |                          |
| 4. No. Coolers:              | N/A                      |                          |

**Quality Control Preservation**

Y or N

N/A

- |                                 |                                     |                                     |                                     |
|---------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| 1. Trip Blank present / cooler: | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| 2. Trip Blank listed on COC:    | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| 3. Samples preserved properly:  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |                                     |
| 4. VOCs headspace free:         | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |

**Sample Integrity - Documentation**

Y or N

- |  |                                     |                          |
|--|-------------------------------------|--------------------------|
| 1. Sample labels present on bottles:   | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Container labeling complete:        | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 3. Sample container label / COC agree: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

**Sample Integrity - Condition**

Y or N

- |                                  |                                     |                          |
|----------------------------------|-------------------------------------|--------------------------|
| 1. Sample recvd within HT:       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. All containers accounted for: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 3. Condition of sample:          | Intact                              |                          |

**Sample Integrity - Instructions**

Y or N

N/A

- |   |                                     |                                     |                                     |
|---|-------------------------------------|-------------------------------------|-------------------------------------|
| 1. Analysis requested is clear:           | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |                                     |
| 2. Bottles received for unspecified tests | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |                                     |
| 3. Sufficient volume recvd for analysis:  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |                                     |
| 4. Compositing instructions clear:        | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| 5. Filtering instructions clear:          | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |

Test Strip Lot #s:      pH 1-12: 216017      pH 12+: 208717      Other: (Specify) \_\_\_\_\_

Comments

SM089-03  
Rev. Date 12/7/17

JC59998: Chain of Custody

Page 2 of 2

# Summa Canister and Flow Controller Log

**Job Number:** JC59998  
**Account:** PROVLABR Providence Engineering  
**Project:** Valero-CAMS, Baton Rouge, LA  
**Received:** 01/31/18

32  
3

SUMMA CANISTERS													
Shipping							Receiving						
Summa ID	Vac L	Date " Hg	Date Out	By	SCC Batch	SCC FileID	Sample Number	Date In	By	Vac " Hg	Pres psig	Final psig	Dil Fact
A987	6	29.4	01/08/18	PC	CP9559	6W03858.D	JC59998-1	01/31/18	AO	5.5			1

**SGS Bottle Order(s):**  
 EL-01518-25

**Prep Date**      **Room Temp(F)**      **Bar Pres "Hg**  
 01/08/18          70                                  29.92