

Technical Report for

Providence Engineering

Valero-CAMS, Baton Rouge, LA

712-001

Accutest Job Number: JB87534

Sampling Date: 01/29/15

Report to:

Providence Engineering

kevincalhoun@providenceeng.com

ATTN: Kevin Calhoun

Total number of pages in report: 9



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

Nancy F. Cole

Nancy Cole
Laboratory Director

Client Service contact: Victoria Pushkova 732-329-0200

Certifications: NJ(12129), NY(10983), CA, CT, DE, FL, IL, IN, KS, KY, LA, MA, MD, MI, MT, NC, OH VAP (CL0056), AZ (AZ0786), PA, RI, SC, TN, VA, WV, DoD ELAP (L-A-B L2248)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Sample Results	4
2.1: JB87534-1: CAMS 210	5
Section 3: Misc. Forms	7
3.1: Chain of Custody	8



Sample Summary

Providence Engineering

Job No: JB87534

Valero-CAMS, Baton Rouge, LA
Project No: 712-001

Sample Number	Collected		Received	Matrix		Client Sample ID
	Date	Time By		Code	Type	
JB87534-1	01/29/15	13:00 KH	02/04/15	AIR	Ambient Air Grab	CAMS 210

Sample Results

Report of Analysis

Report of Analysis

Client Sample ID:	CAMS 210	Date Sampled:	01/29/15
Lab Sample ID:	JB87534-1	Date Received:	02/04/15
Matrix:	AIR - Ambient Air Grab	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero-CAMS, Baton Rouge, LA		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	5W9455.D	1	02/04/15	ML	n/a	n/a	V5W373
Run #2							

Run #	Initial Volume
Run #1	400 ml
Run #2	

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone	4.6	0.20	0.11	ppbv	11	0.48	0.26	ug/m3	
106-99-0	54.09	1,3-Butadiene	ND	0.20	0.034	ppbv	ND	0.44	0.075	ug/m3	
71-43-2	78.11	Benzene	0.34	0.20	0.025	ppbv	1.1	0.64	0.080	ug/m3	
75-27-4	163.8	Bromodichloromethane	ND	0.20	0.029	ppbv	ND	1.3	0.19	ug/m3	
75-25-2	252.8	Bromoform	ND	0.20	0.035	ppbv	ND	2.1	0.36	ug/m3	
74-83-9	94.94	Bromomethane	ND	0.20	0.033	ppbv	ND	0.78	0.13	ug/m3	
593-60-2	106.9	Bromoethene	ND	0.20	0.035	ppbv	ND	0.87	0.15	ug/m3	
100-44-7	126	Benzyl Chloride	ND	0.20	0.047	ppbv	ND	1.0	0.24	ug/m3	
75-15-0	76.14	Carbon disulfide	ND	0.20	0.031	ppbv	ND	0.62	0.097	ug/m3	
108-90-7	112.6	Chlorobenzene	ND	0.20	0.034	ppbv	ND	0.92	0.16	ug/m3	
75-00-3	64.52	Chloroethane	ND	0.20	0.042	ppbv	ND	0.53	0.11	ug/m3	
67-66-3	119.4	Chloroform	ND	0.20	0.024	ppbv	ND	0.98	0.12	ug/m3	
74-87-3	50.49	Chloromethane	0.82	0.20	0.079	ppbv	1.7	0.41	0.16	ug/m3	
107-05-1	76.53	3-Chloropropene	ND	0.20	0.037	ppbv	ND	0.63	0.12	ug/m3	
95-49-8	126.6	2-Chlorotoluene	ND	0.20	0.032	ppbv	ND	1.0	0.17	ug/m3	
56-23-5	153.8	Carbon tetrachloride	ND	0.20	0.025	ppbv	ND	1.3	0.16	ug/m3	
110-82-7	84.16	Cyclohexane	0.23	0.20	0.027	ppbv	0.79	0.69	0.093	ug/m3	
75-34-3	98.96	1,1-Dichloroethane	ND	0.20	0.027	ppbv	ND	0.81	0.11	ug/m3	
75-35-4	96.94	1,1-Dichloroethylene	ND	0.20	0.052	ppbv	ND	0.79	0.21	ug/m3	
106-93-4	187.9	1,2-Dibromoethane	ND	0.20	0.027	ppbv	ND	1.5	0.21	ug/m3	
107-06-2	98.96	1,2-Dichloroethane	ND	0.20	0.023	ppbv	ND	0.81	0.093	ug/m3	
78-87-5	113	1,2-Dichloropropane	ND	0.20	0.029	ppbv	ND	0.92	0.13	ug/m3	
123-91-1	88.12	1,4-Dioxane	ND	0.20	0.12	ppbv	ND	0.72	0.43	ug/m3	
75-71-8	120.9	Dichlorodifluoromethane	0.63	0.20	0.030	ppbv	3.1	0.99	0.15	ug/m3	
124-48-1	208.3	Dibromochloromethane	ND	0.20	0.038	ppbv	ND	1.7	0.32	ug/m3	
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.20	0.070	ppbv	ND	0.79	0.28	ug/m3	
156-59-2	96.94	cis-1,2-Dichloroethylene	ND	0.20	0.023	ppbv	ND	0.79	0.091	ug/m3	
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.20	0.025	ppbv	ND	0.91	0.11	ug/m3	
541-73-1	147	m-Dichlorobenzene	ND	0.20	0.033	ppbv	ND	1.2	0.20	ug/m3	
95-50-1	147	o-Dichlorobenzene	ND	0.20	0.029	ppbv	ND	1.2	0.17	ug/m3	
106-46-7	147	p-Dichlorobenzene	ND	0.20	0.037	ppbv	ND	1.2	0.22	ug/m3	
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.20	0.025	ppbv	ND	0.91	0.11	ug/m3	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	CAMS 210	Date Sampled:	01/29/15
Lab Sample ID:	JB87534-1	Date Received:	02/04/15
Matrix:	AIR - Ambient Air Grab	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero-CAMS, Baton Rouge, LA		

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	3.6	0.50	0.17	ppbv		6.8	0.94	0.32	ug/m3
100-41-4	106.2	Ethylbenzene	ND	0.20	0.035	ppbv		ND	0.87	0.15	ug/m3
141-78-6	88	Ethyl Acetate	ND	0.20	0.061	ppbv		ND	0.72	0.22	ug/m3
622-96-8	120.2	4-Ethyltoluene	ND	0.20	0.032	ppbv		ND	0.98	0.16	ug/m3
76-13-1	187.4	Freon 113	ND	0.20	0.040	ppbv		ND	1.5	0.31	ug/m3
76-14-2	170.9	Freon 114	ND	0.20	0.031	ppbv		ND	1.4	0.22	ug/m3
142-82-5	100.2	Heptane	0.19	0.20	0.021	ppbv	J	0.78	0.82	0.086	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.20	0.051	ppbv		ND	2.1	0.54	ug/m3
110-54-3	86.17	Hexane	0.67	0.20	0.042	ppbv		2.4	0.70	0.15	ug/m3
591-78-6	100	2-Hexanone	ND	0.20	0.064	ppbv		ND	0.82	0.26	ug/m3
67-63-0	60.1	Isopropyl Alcohol	0.56	0.20	0.066	ppbv		1.4	0.49	0.16	ug/m3
75-09-2	84.94	Methylene chloride	0.19	0.20	0.13	ppbv	J	0.66	0.69	0.45	ug/m3
78-93-3	72.11	Methyl ethyl ketone	0.33	0.20	0.040	ppbv		0.97	0.59	0.12	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	ND	0.20	0.042	ppbv		ND	0.82	0.17	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.20	0.041	ppbv		ND	0.72	0.15	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.20	0.036	ppbv		ND	0.82	0.15	ug/m3
115-07-1	42	Propylene	ND	0.50	0.048	ppbv		ND	0.86	0.082	ug/m3
100-42-5	104.1	Styrene	ND	0.20	0.033	ppbv		ND	0.85	0.14	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.20	0.024	ppbv		ND	1.1	0.13	ug/m3
79-34-5	167.9	1,1,2,2-Tetrachloroethane	ND	0.20	0.040	ppbv		ND	1.4	0.27	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.20	0.035	ppbv		ND	1.1	0.19	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.20	0.061	ppbv		ND	1.5	0.45	ug/m3
95-63-6	120.2	1,2,4-Trimethylbenzene	ND	0.20	0.029	ppbv		ND	0.98	0.14	ug/m3
108-67-8	120.2	1,3,5-Trimethylbenzene	ND	0.20	0.029	ppbv		ND	0.98	0.14	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	0.20	0.20	0.025	ppbv		0.93	0.93	0.12	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	ND	0.20	0.044	ppbv		ND	0.61	0.13	ug/m3
127-18-4	165.8	Tetrachloroethylene	ND	0.040	0.037	ppbv		ND	0.27	0.25	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	0.20	0.049	ppbv		ND	0.59	0.14	ug/m3
108-88-3	92.14	Toluene	0.56	0.20	0.030	ppbv		2.1	0.75	0.11	ug/m3
79-01-6	131.4	Trichloroethylene	ND	0.040	0.030	ppbv		ND	0.21	0.16	ug/m3
75-69-4	137.4	Trichlorofluoromethane	0.30	0.20	0.029	ppbv		1.7	1.1	0.16	ug/m3
75-01-4	62.5	Vinyl chloride	ND	0.20	0.031	ppbv		ND	0.51	0.079	ug/m3
108-05-4	86	Vinyl Acetate	ND	0.20	0.095	ppbv		ND	0.70	0.33	ug/m3
	106.2	m,p-Xylene	0.23	0.20	0.069	ppbv		1.0	0.87	0.30	ug/m3
95-47-6	106.2	o-Xylene	ND	0.20	0.034	ppbv		ND	0.87	0.15	ug/m3
1330-20-7	106.2	Xylenes (total)	0.23	0.20	0.034	ppbv		1.0	0.87	0.15	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	96%		65-128%

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody



CHAIN OF CUSTODY

Air Sampling Field Data Sheet

FED-EX Tracking #
6250 6350 4493

Quality Control #
VP-1113/2014-6
Lab Job #
JB87534

PAGE 1 OF 1

Client / Reporting Information						Weather Parameters					Requested Analysis						
Company Name Providence Engr			Project Name Valero Refining			Temperature (Fahrenheit)											
Address 1201 Main St			Street			Start:		Maximum:									
City BR			State LA			Zip 70802		Stop:			Minimum:						
Project Contact paulhollis@providenceengr.com			Project # 712-001			Atmospheric Pressure (inches of Hg)			Start:			Maximum:					
Phone # 225 766-7400			Fax # -74400			Client Purchase Order #			Stop:			Minimum:					
Sampler(s) Name(s) Kane Hudson						Other weather comment:						Standard TO-15 Reporting List					
Lab Sample #	Field ID / Point of Collection	Air Type		Sampling Equipment Info			Start Sampling Information					Stop Sampling Information					
		Indoor(I) Soil Vap(SV) Ambient(A)	Canister Serial #	Canister Size 6L or 1L	Flow Controller Serial #	Date	Time (24hr clock)	Canister Pressure ("Hg)	Interior Temp (F)	Sampler Init.	Date	Time (24hr clock)	Canister Pressure ("Hg)	Interior Temp (F)	Sampler Init.		
1	CAMS 210	A	A3766L	-	1-28	1300	0.04	75	KA	1-29	1300	11.30	75	KA	<input checked="" type="checkbox"/>		
Turnaround Time (Business days)																	
Standard - 15 Days		Approved By: _____		Date: _____		Data Deliverable Information					Comments / Remarks						
10 Day						All NJDEP TO-15 is mandatory Full T1					SUMMA						
5 Day						Comm A											
3 Day						Comm B											
2 Day						Reduced T2											
1 Day						Full T1											
Other						Other:											
Sample Custody must be documented below each time samples change possession, including courier delivery.																	
Relinquished by: <i>[Signature]</i>		Date Time: 1/16/14 15:45		Received By: <i>[Signature]</i>		Relinquished by: <i>[Signature]</i>		Date Time: 2-4-15 10:30		Received By: <i>[Signature]</i>		Relinquished by: <i>[Signature]</i>		Date Time: 2-4-15 10:30		Received By: <i>[Signature]</i>	
1				1		2				2		3				3	
3				3		4				4		5				5	
5				5		Custody Seal #		134									

4A AR

[Handwritten mark]

JB87534: Chain of Custody

Page 1 of 2

31
3



Accutest Laboratories Sample Receipt Summary

Accutest Job Number: JB87534 Client: _____ Project: _____
 Date / Time Received: 2/4/2015 10:30:00 AM Delivery Method: _____ Airbill #'s: _____

Cooler Temps (Initial/Adjusted):

<u>Cooler Security</u>	<u>Y</u>	<u>or</u>	<u>N</u>		<u>Y</u>	<u>or</u>	<u>N</u>
1. Custody Seals Present:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	3. COC Present:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. Custody Seals Intact:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	4. Smpl Dates/Time OK	<input checked="" type="checkbox"/>		<input type="checkbox"/>

<u>Cooler Temperature</u>	<u>Y</u>	<u>or</u>	<u>N</u>
1. Temp criteria achieved:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. Cooler temp verification:	_____		
3. Cooler media:	_____		
4. No. Coolers:	0		

<u>Quality Control Preservation</u>	<u>Y</u>	<u>or</u>	<u>N</u>	<u>N/A</u>
1. Trip Blank present / cooler:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>
2. Trip Blank listed on COC:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>
3. Samples preserved properly:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
4. VOCs headspace free:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>

<u>Sample Integrity - Documentation</u>	<u>Y</u>	<u>or</u>	<u>N</u>
1. Sample labels present on bottles:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. Container labeling complete:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
3. Sample container label / COC agree:	<input checked="" type="checkbox"/>		<input type="checkbox"/>

<u>Sample Integrity - Condition</u>	<u>Y</u>	<u>or</u>	<u>N</u>
1. Sample recvd within HT:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. All containers accounted for:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
3. Condition of sample:	Intact		

<u>Sample Integrity - Instructions</u>	<u>Y</u>	<u>or</u>	<u>N</u>	<u>N/A</u>
1. Analysis requested is clear:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
2. Bottles received for unspecified tests	<input type="checkbox"/>		<input checked="" type="checkbox"/>	
3. Sufficient volume recvd for analysis:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
4. Compositing instructions clear:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>
5. Filtering instructions clear:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>

Comments

Accutest Laboratories
V: 732.329.0200

2235 US Highway 130
F: 732.329.3499

Dayton, New Jersey
www.accutest.com

JB87534: Chain of Custody

Page 2 of 2

3.1
3