

The results set forth herein are provided by SGS North America Inc.

e-Hardcopy 2.0
Automated Report

Technical Report for

Providence Engineering

Valero-CAMS, Baton Rouge, LA

712-001

SGS Job Number: JD4326

Sampling Date: 03/03/20



Report to:

Providence Engineering

kevincalhoun@providenceeng.com

ATTN: Kevin Calhoun

Total number of pages in report: 10



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

Laura Degenhardt
General Manager

Client Service contact: Victoria Pushkova 732-329-0200

Certifications: NJ(12129), NY(10983), CA, CT, FL, IL, IN, KS, KY, LA, MA, MD, ME, MN, NC, OH VAP (CL0056), AK (UST-103), AZ (AZ0786), PA, RI, SC, TX, UT, VA, WV, DoD ELAP (ANAB L2248)

This report shall not be reproduced, except in its entirety, without the written approval of SGS.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Sample Results	4
2.1: JD4326-1: CAMS 521	5
Section 3: Misc. Forms	7
3.1: Chain of Custody	8
3.2: Summa Canister and Flow Controller Log	10



Sample Summary

Providence Engineering

Job No: JD4326

Valero-CAMS, Baton Rouge, LA
Project No: 712-001

Sample Number	Collected Date	Time By	Received	Matrix Code Type	Client Sample ID
---------------	----------------	---------	----------	------------------	------------------

This report contains results reported as ND = Not detected. The following applies:
Organics ND = Not detected above the MDL

JD4326-1	03/03/20	10:30	PAH	03/09/20	AIR	Ambient Air Comp.	CAMS 521
----------	----------	-------	-----	----------	-----	-------------------	----------

Sample Results

Report of Analysis

Report of Analysis

Client Sample ID: CAMS 521		
Lab Sample ID: JD4326-1		Date Sampled: 03/03/20
Matrix: AIR - Ambient Air Comp. Summa ID: A450		Date Received: 03/09/20
Method: TO-15		Percent Solids: n/a
Project: Valero-CAMS, Baton Rouge, LA		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	6W16710.D	1	03/18/20 20:22	TCH	n/a	n/a	V6W698
Run #2							

Run #	Initial Volume
Run #1	400 ml
Run #2	

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone	9.7	0.20	0.11	ppbv		23	0.48	0.26	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	0.20	0.046	ppbv		ND	0.44	0.10	ug/m3
71-43-2	78.11	Benzene	0.14	0.20	0.012	ppbv	J	0.45	0.64	0.038	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	0.20	0.027	ppbv		ND	1.3	0.18	ug/m3
75-25-2	252.8	Bromoform	ND	0.20	0.037	ppbv		ND	2.1	0.38	ug/m3
74-83-9	94.94	Bromomethane	ND	0.20	0.022	ppbv		ND	0.78	0.085	ug/m3
593-60-2	106.9	Bromoethene	ND	0.20	0.022	ppbv		ND	0.87	0.096	ug/m3
100-44-7	126	Benzyl Chloride	ND	0.20	0.057	ppbv		ND	1.0	0.29	ug/m3
75-15-0	76.14	Carbon disulfide	ND	0.20	0.024	ppbv		ND	0.62	0.075	ug/m3
108-90-7	112.6	Chlorobenzene	ND	0.20	0.026	ppbv		ND	0.92	0.12	ug/m3
75-00-3	64.52	Chloroethane	ND	0.20	0.048	ppbv		ND	0.53	0.13	ug/m3
67-66-3	119.4	Chloroform	ND	0.20	0.020	ppbv		ND	0.98	0.098	ug/m3
74-87-3	50.49	Chloromethane	0.78	0.20	0.015	ppbv		1.6	0.41	0.031	ug/m3
107-05-1	76.53	3-Chloropropene	ND	0.20	0.040	ppbv		ND	0.63	0.13	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	0.20	0.025	ppbv		ND	1.0	0.13	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	0.20	0.024	ppbv		ND	1.3	0.15	ug/m3
110-82-7	84.16	Cyclohexane	0.10	0.20	0.022	ppbv	J	0.34	0.69	0.076	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.20	0.012	ppbv		ND	0.81	0.049	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	ND	0.20	0.017	ppbv		ND	0.79	0.067	ug/m3
106-93-4	187.9	1,2-Dibromoethane	ND	0.20	0.018	ppbv		ND	1.5	0.14	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	0.20	0.021	ppbv		ND	0.81	0.085	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	0.20	0.019	ppbv		ND	0.92	0.088	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	0.20	0.052	ppbv		ND	0.72	0.19	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	0.46	0.20	0.017	ppbv		2.3	0.99	0.084	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	0.20	0.033	ppbv		ND	1.7	0.28	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.20	0.0073	ppbv		ND	0.79	0.029	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	ND	0.20	0.012	ppbv		ND	0.79	0.048	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.20	0.020	ppbv		ND	0.91	0.091	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	0.20	0.019	ppbv		ND	1.2	0.11	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.20	0.022	ppbv		ND	1.2	0.13	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	0.20	0.018	ppbv		ND	1.2	0.11	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.20	0.020	ppbv		ND	0.91	0.091	ug/m3

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	CAMS 521	Date Sampled:	03/03/20
Lab Sample ID:	JD4326-1	Date Received:	03/09/20
Matrix:	AIR - Ambient Air Comp. Summa ID: A450	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero-CAMS, Baton Rouge, LA		

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	3.8	0.50	0.22	ppbv		7.2	0.94	0.41	ug/m3
100-41-4	106.2	Ethylbenzene	0.098	0.20	0.015	ppbv	J	0.43	0.87	0.065	ug/m3
141-78-6	88	Ethyl Acetate	ND	0.20	0.038	ppbv		ND	0.72	0.14	ug/m3
622-96-8	120.2	4-Ethyltoluene	ND	0.20	0.030	ppbv		ND	0.98	0.15	ug/m3
76-13-1	187.4	Freon 113	ND	0.20	0.017	ppbv		ND	1.5	0.13	ug/m3
76-14-2	170.9	Freon 114	ND	0.20	0.019	ppbv		ND	1.4	0.13	ug/m3
142-82-5	100.2	Heptane	0.11	0.20	0.018	ppbv	J	0.45	0.82	0.074	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.20	0.046	ppbv		ND	2.1	0.49	ug/m3
110-54-3	86.17	Hexane	0.30	0.20	0.011	ppbv		1.1	0.70	0.039	ug/m3
591-78-6	100	2-Hexanone	ND	0.20	0.036	ppbv		ND	0.82	0.15	ug/m3
67-63-0	60.1	Isopropyl Alcohol	0.34	0.20	0.065	ppbv		0.84	0.49	0.16	ug/m3
75-09-2	84.94	Methylene chloride	ND	0.20	0.015	ppbv		ND	0.69	0.052	ug/m3
78-93-3	72.11	Methyl ethyl ketone	1.2	0.20	0.042	ppbv		3.5	0.59	0.12	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	ND	0.20	0.036	ppbv		ND	0.82	0.15	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.20	0.019	ppbv		ND	0.72	0.069	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.20	0.033	ppbv		ND	0.82	0.14	ug/m3
115-07-1	42	Propylene	ND	0.50	0.016	ppbv		ND	0.86	0.027	ug/m3
100-42-5	104.1	Styrene	ND	0.20	0.019	ppbv		ND	0.85	0.081	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.20	0.033	ppbv		ND	1.1	0.18	ug/m3
79-34-5	167.9	1,1,2,2-Tetrachloroethane	ND	0.20	0.027	ppbv		ND	1.4	0.19	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.20	0.030	ppbv		ND	1.1	0.16	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.20	0.089	ppbv		ND	1.5	0.66	ug/m3
95-63-6	120.2	1,2,4-Trimethylbenzene	0.12	0.20	0.033	ppbv	J	0.59	0.98	0.16	ug/m3
108-67-8	120.2	1,3,5-Trimethylbenzene	ND	0.20	0.034	ppbv		ND	0.98	0.17	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	ND	0.20	0.022	ppbv		ND	0.93	0.10	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	ND	0.20	0.014	ppbv		ND	0.61	0.042	ug/m3
127-18-4	165.8	Tetrachloroethylene	0.044	0.040	0.031	ppbv		0.30	0.27	0.21	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	0.20	0.050	ppbv		ND	0.59	0.15	ug/m3
108-88-3	92.14	Toluene	0.46	0.20	0.014	ppbv		1.7	0.75	0.053	ug/m3
79-01-6	131.4	Trichloroethylene	0.037	0.040	0.019	ppbv	J	0.20	0.21	0.10	ug/m3
75-69-4	137.4	Trichlorofluoromethane	0.20	0.20	0.028	ppbv		1.1	1.1	0.16	ug/m3
75-01-4	62.5	Vinyl chloride	ND	0.20	0.022	ppbv		ND	0.51	0.056	ug/m3
108-05-4	86	Vinyl Acetate	ND	0.20	0.034	ppbv		ND	0.70	0.12	ug/m3
	106.2	m,p-Xylene	0.35	0.20	0.034	ppbv		1.5	0.87	0.15	ug/m3
95-47-6	106.2	o-Xylene	0.11	0.20	0.017	ppbv	J	0.48	0.87	0.074	ug/m3
1330-20-7	106.2	Xylenes (total)	0.46	0.20	0.017	ppbv		2.0	0.87	0.074	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	96%		65-128%

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody
- Summa Canister and Flow Controller Log



AIR

AIR CHAIN OF CUSTODY

PAGE OF

SGS North America Inc. - Dayton
2235 Route 130, Dayton, NJ 08810
TEL 732-329-0200 FAX 732-329-3499
www.sgs.com/nahusa

FED-EX Tracking # VP011710-158
SGS Quote # JD4326
SGS Job # JD4326

Client / Reporting Information			Project Information			Weather Parameters			Requested Analysis		
Company Name: <u>PROVIDENCE</u>			Project Name: <u>LALERO MECAUX</u>			Temperature (Fahrenheit)			Requested Analysis		
Address: <u>1201 MAIN ST.</u>			Street			Start: Maximum:					
City: <u>B.R.</u> State: <u>LA</u> Zip: <u>70802</u>			City State			Stop: Minimum:					
Project Contact: <u>PAUL HOLLIS @ PROVIDENCE.ENG.COM</u>			Project #			Atmospheric Pressure (inches of Hg)					
Phone # <u>225-766-7400</u> Fax # <u>225-766-7440</u>			Client Purchase Order #			Start: Maximum:					
Sampler(s) Name(s): <u>PAUL HOLLIS</u>			Other weather comment:			Stop: Minimum:			TO-15 X		

Lab Sample #	Field ID / Point of Collection	Air Type	Sampling Equipment Info			Start Sampling Information					Stop Sampling Information					
			Indoor (I) Soil Vap (SV) Ambient (A)	Canister Serial #	Canister Size 6L or 1L	Flow Controller Serial #	Date	Time (24hr clock)	Canister Pressure ("Hg)	Interior Temp (F)	Sampler Init.	Date	Time (24hr clock)	Canister Pressure ("Hg)	Interior Temp (F)	Sampler Init.
1	CAMS 521	A	A150	6L	537	3/2/20	1030	30	70	PAH	3/3/20	1030	5.26	70	PAH	X

Turnaround Time (Business days)		Data Deliverable Information		Comments / Remarks	
<input checked="" type="checkbox"/> Standard - 15 Days	Approved By: _____	All NJDEP TO-15 is mandatory Full T1		<p style="text-align: center;">(SUMMARY)</p> <p>INITIAL ASSESSMENT <u>3B0</u></p> <p>LABEL VERIFICATION _____</p> <p>Sample inventory is verified upon receipt in the Laboratory</p>	
<input type="checkbox"/> 10 Day	Date: _____	Comm A	_____		
<input type="checkbox"/> 5 Day		Comm B	_____		
<input type="checkbox"/> 3 Day		Reduced T2	_____		
<input type="checkbox"/> 2 Day		Full T1	_____		
<input type="checkbox"/> 1 Day		Other:	_____		
<input type="checkbox"/> Other		DKQP reporting	_____		

Sample Custody must be documented below each time samples change possession, including courier delivery.					
Relinquished by Laboratory: <u>Paul Hollis</u>	Date/Time: <u>3/2/20 1230</u>	Received By: <u>Head Ely</u>	Relinquished by: <u>FED EX</u>	Date/Time: <u>3/2/20 1000</u>	Received By: <u>Paul Hollis</u>
Relinquished by: <u>Paul Hollis</u>	Date/Time: <u>3/2/20 1000</u>	Received By: <u>FED EX</u>	Relinquished by: <u>FED EX</u>	Date/Time: <u>3/2/20 1000</u>	Received By: <u>Paul Hollis</u>
Relinquished by:	Date/Time:	Received By:	Custody Seal #		

Form:SM088-03D (revised 2-12-18)

<http://www.sgs.com/en/terms-and-conditions>



31
3

SGS Sample Receipt Summary

Job Number: JD4326

Client: PROVIDENCE ENG

Project: PROVIDENCE - CAMS

Date / Time Received: 3/9/2020 10:00:00 AM

Delivery Method: _____

Airbill #'s: _____

Cooler Temps (Raw Measured) °C:

Cooler Temps (Corrected) °C:

Cooler Security

- | | |
|--|---|
| 1. Custody Seals Present: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N | 3. COC Present: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |
| 2. Custody Seals Intact: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N | 4. Smpl Dates/Time OK: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N |

Cooler Temperature

- | | |
|--|-----|
| 1. Temp criteria achieved: <input type="checkbox"/> Y <input type="checkbox"/> N | |
| 2. Cooler temp verification: _____ | N/A |
| 3. Cooler media: _____ | N/A |
| 4. No. Coolers: _____ | N/A |

Quality Control Preservation

- | | | | |
|---------------------------------|---------------------------------------|---------------------------------------|---|
| 1. Trip Blank present / cooler: | <input type="checkbox"/> Y | <input checked="" type="checkbox"/> N | <input type="checkbox"/> N/A |
| 2. Trip Blank listed on COC: | <input type="checkbox"/> Y | <input checked="" type="checkbox"/> N | <input type="checkbox"/> N/A |
| 3. Samples preserved properly: | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | <input type="checkbox"/> N/A |
| 4. VOCs headspace free: | <input type="checkbox"/> Y | <input type="checkbox"/> N | <input checked="" type="checkbox"/> N/A |

Sample Integrity - Documentation

- | | | |
|--|---------------------------------------|----------------------------|
| 1. Sample labels present on bottles: | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N |
| 2. Container labeling complete: | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N |
| 3. Sample container label / COC agree: | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N |

Sample Integrity - Condition

- | | | |
|----------------------------------|---------------------------------------|----------------------------|
| 1. Sample recvd within HT: | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N |
| 2. All containers accounted for: | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N |
| 3. Condition of sample: | Intact | |

Sample Integrity - Instructions

- | | | | | |
|--|---------------------------------------|---------------------------------------|--|---|
| 1. Analysis requested is clear: | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | | |
| 2. Bottles received for unspecified tests: | <input type="checkbox"/> Y | <input checked="" type="checkbox"/> N | | |
| 3. Sufficient volume recvd for analysis: | <input checked="" type="checkbox"/> Y | <input type="checkbox"/> N | | |
| 4. Compositing instructions clear: | <input type="checkbox"/> Y | <input type="checkbox"/> N | | <input checked="" type="checkbox"/> N/A |
| 5. Filtering instructions clear: | <input type="checkbox"/> Y | <input type="checkbox"/> N | | <input checked="" type="checkbox"/> N/A |

Test Strip Lot #s:	pH 1-12: 229517	pH 12+: 208717	Other: (Specify) _____
--------------------	-----------------	----------------	------------------------

Comments

SM089-03
Rev. Date 12/7/17

3.1
3

Summa Canister and Flow Controller Log

Job Number: JD4326
Account: PROVLABR Providence Engineering
Project: Valero-CAMS, Baton Rouge, LA
Received: 03/09/20

32
3

SUMMA CANISTERS													
Shipping							Receiving						
Summa ID	Vac L	Date " Hg	Date Out	By	SCC Batch	SCC FileID	Sample Number	Date In	By	Vac " Hg	Pres psig	Final psig	Dil Fact
A450	6	29.4	02/19/20	JT	CP10675	6W16157.D	JD4326-1	03/10/20	JT	5.5			1

SGS Bottle Order(s):
 VP-021920-158

Prep Date **Room Temp(F)** **Bar Pres "Hg**
 02/19/20 70 29.92