

Technical Report for

Providence Engineering

Valero-CAMS, Baton Rouge, LA

712-001

Accutest Job Number: JB97167

Sampling Date: 06/10/15

Report to:

Providence Engineering


kevincalhoun@providenceeng.com

ATTN: Kevin Calhoun

Total number of pages in report: **10**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.



Nancy Cole
Laboratory Director

Client Service contact: Victoria Pushkova 732-329-0200

Certifications: NJ(12129), NY(10983), CA, CT, DE, FL, IL, IN, KS, KY, LA, MA, MD, MI, MT, NC, OH VAP (CL0056), AK (UST-103), AZ (AZ0786), PA, RI, SC, TN, VA, WV, DoD ELAP (L-A-B L2248)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Sample Results	4
2.1: JB97167-1: CAMS 232	5
Section 3: Misc. Forms	7
3.1: Chain of Custody	8
3.2: Summa Canister and Flow Controller Log	10



Sample Summary

Providence Engineering

Job No: JB97167

Valero-CAMS, Baton Rouge, LA
Project No: 712-001

Sample Number	Collected		Received	Matrix		Client Sample ID
	Date	Time By		Code	Type	
JB97167-1	06/10/15	13:00 KH	06/17/15	AIR	Ambient Air Grab	CAMS 232

Sample Results

Report of Analysis

Report of Analysis

Client Sample ID:	CAMS 232	Date Sampled:	06/10/15
Lab Sample ID:	JB97167-1	Date Received:	06/17/15
Matrix:	AIR - Ambient Air Grab Summa ID: A757	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero-CAMS, Baton Rouge, LA		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3W48346.D	1	06/20/15	YMH	n/a	n/a	V3W1835
Run #2							

Run #	Initial Volume
Run #1	400 ml
Run #2	

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone	5.7	0.20	0.032	ppbv	14	0.48	0.076	ug/m3	
106-99-0	54.09	1,3-Butadiene	ND	0.20	0.031	ppbv	ND	0.44	0.069	ug/m3	
71-43-2	78.11	Benzene	0.40	0.20	0.030	ppbv	1.3	0.64	0.096	ug/m3	
75-27-4	163.8	Bromodichloromethane	ND	0.20	0.032	ppbv	ND	1.3	0.21	ug/m3	
75-25-2	252.8	Bromoform	ND	0.20	0.020	ppbv	ND	2.1	0.21	ug/m3	
74-83-9	94.94	Bromomethane	ND	0.20	0.022	ppbv	ND	0.78	0.085	ug/m3	
593-60-2	106.9	Bromoethene	ND	0.20	0.020	ppbv	ND	0.87	0.087	ug/m3	
100-44-7	126	Benzyl Chloride	ND	0.20	0.026	ppbv	ND	1.0	0.13	ug/m3	
75-15-0	76.14	Carbon disulfide	ND	0.20	0.029	ppbv	ND	0.62	0.090	ug/m3	
108-90-7	112.6	Chlorobenzene	ND	0.20	0.032	ppbv	ND	0.92	0.15	ug/m3	
75-00-3	64.52	Chloroethane	ND	0.20	0.022	ppbv	ND	0.53	0.058	ug/m3	
67-66-3	119.4	Chloroform	ND	0.20	0.031	ppbv	ND	0.98	0.15	ug/m3	
74-87-3	50.49	Chloromethane	0.61	0.20	0.029	ppbv	1.3	0.41	0.060	ug/m3	
107-05-1	76.53	3-Chloropropene	ND	0.20	0.028	ppbv	ND	0.63	0.088	ug/m3	
95-49-8	126.6	2-Chlorotoluene	ND	0.20	0.033	ppbv	ND	1.0	0.17	ug/m3	
56-23-5	153.8	Carbon tetrachloride	ND	0.20	0.025	ppbv	ND	1.3	0.16	ug/m3	
110-82-7	84.16	Cyclohexane	0.29	0.20	0.032	ppbv	1.0	0.69	0.11	ug/m3	
75-34-3	98.96	1,1-Dichloroethane	ND	0.20	0.031	ppbv	ND	0.81	0.13	ug/m3	
75-35-4	96.94	1,1-Dichloroethylene	ND	0.20	0.028	ppbv	ND	0.79	0.11	ug/m3	
106-93-4	187.9	1,2-Dibromoethane	ND	0.20	0.035	ppbv	ND	1.5	0.27	ug/m3	
107-06-2	98.96	1,2-Dichloroethane	ND	0.20	0.026	ppbv	ND	0.81	0.11	ug/m3	
78-87-5	113	1,2-Dichloropropane	ND	0.20	0.050	ppbv	ND	0.92	0.23	ug/m3	
123-91-1	88.12	1,4-Dioxane	ND	0.20	0.063	ppbv	ND	0.72	0.23	ug/m3	
75-71-8	120.9	Dichlorodifluoromethane	0.50	0.20	0.037	ppbv	2.5	0.99	0.18	ug/m3	
124-48-1	208.3	Dibromochloromethane	ND	0.20	0.041	ppbv	ND	1.7	0.35	ug/m3	
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.20	0.020	ppbv	ND	0.79	0.079	ug/m3	
156-59-2	96.94	cis-1,2-Dichloroethylene	ND	0.20	0.025	ppbv	ND	0.79	0.099	ug/m3	
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.20	0.035	ppbv	ND	0.91	0.16	ug/m3	
541-73-1	147	m-Dichlorobenzene	ND	0.20	0.028	ppbv	ND	1.2	0.17	ug/m3	
95-50-1	147	o-Dichlorobenzene	ND	0.20	0.030	ppbv	ND	1.2	0.18	ug/m3	
106-46-7	147	p-Dichlorobenzene	ND	0.20	0.019	ppbv	ND	1.2	0.11	ug/m3	
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.20	0.020	ppbv	ND	0.91	0.091	ug/m3	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	CAMS 232	Date Sampled:	06/10/15
Lab Sample ID:	JB97167-1	Date Received:	06/17/15
Matrix:	AIR - Ambient Air Grab Summa ID: A757	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero-CAMS, Baton Rouge, LA		

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	1.7	0.50	0.17	ppbv		3.2	0.94	0.32	ug/m3
100-41-4	106.2	Ethylbenzene	0.22	0.20	0.048	ppbv		0.96	0.87	0.21	ug/m3
141-78-6	88	Ethyl Acetate	ND	0.20	0.064	ppbv		ND	0.72	0.23	ug/m3
622-96-8	120.2	4-Ethyltoluene	ND	0.20	0.022	ppbv		ND	0.98	0.11	ug/m3
76-13-1	187.4	Freon 113	ND	0.20	0.027	ppbv		ND	1.5	0.21	ug/m3
76-14-2	170.9	Freon 114	ND	0.20	0.025	ppbv		ND	1.4	0.17	ug/m3
142-82-5	100.2	Heptane	0.41	0.20	0.029	ppbv		1.7	0.82	0.12	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.20	0.033	ppbv		ND	2.1	0.35	ug/m3
110-54-3	86.17	Hexane	1.1	0.20	0.028	ppbv		3.9	0.70	0.099	ug/m3
591-78-6	100	2-Hexanone	ND	0.20	0.044	ppbv		ND	0.82	0.18	ug/m3
67-63-0	60.1	Isopropyl Alcohol	0.37	0.20	0.12	ppbv		0.91	0.49	0.29	ug/m3
75-09-2	84.94	Methylene chloride	0.22	0.20	0.13	ppbv		0.76	0.69	0.45	ug/m3
78-93-3	72.11	Methyl ethyl ketone	0.66	0.20	0.049	ppbv		1.9	0.59	0.14	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	ND	0.20	0.027	ppbv		ND	0.82	0.11	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.20	0.026	ppbv		ND	0.72	0.094	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.20	0.030	ppbv		ND	0.82	0.12	ug/m3
115-07-1	42	Propylene	ND	0.50	0.081	ppbv		ND	0.86	0.14	ug/m3
100-42-5	104.1	Styrene	0.14	0.20	0.026	ppbv	J	0.60	0.85	0.11	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.20	0.032	ppbv		ND	1.1	0.17	ug/m3
79-34-5	167.9	1,1,2,2-Tetrachloroethane	ND	0.20	0.030	ppbv		ND	1.4	0.21	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.20	0.036	ppbv		ND	1.1	0.20	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.20	0.044	ppbv		ND	1.5	0.33	ug/m3
95-63-6	120.2	1,2,4-Trimethylbenzene	0.28	0.20	0.023	ppbv		1.4	0.98	0.11	ug/m3
108-67-8	120.2	1,3,5-Trimethylbenzene	0.089	0.20	0.030	ppbv	J	0.44	0.98	0.15	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	0.35	0.20	0.021	ppbv		1.6	0.93	0.098	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	0.14	0.20	0.050	ppbv	J	0.42	0.61	0.15	ug/m3
127-18-4	165.8	Tetrachloroethylene	0.049	0.040	0.024	ppbv		0.33	0.27	0.16	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	0.20	0.043	ppbv		ND	0.59	0.13	ug/m3
108-88-3	92.14	Toluene	1.1	0.20	0.020	ppbv		4.1	0.75	0.075	ug/m3
79-01-6	131.4	Trichloroethylene	ND	0.040	0.025	ppbv		ND	0.21	0.13	ug/m3
75-69-4	137.4	Trichlorofluoromethane	0.24	0.20	0.020	ppbv		1.3	1.1	0.11	ug/m3
75-01-4	62.5	Vinyl chloride	ND	0.20	0.032	ppbv		ND	0.51	0.082	ug/m3
108-05-4	86	Vinyl Acetate	ND	0.20	0.055	ppbv		ND	0.70	0.19	ug/m3
	106.2	m,p-Xylene	0.82	0.20	0.043	ppbv		3.6	0.87	0.19	ug/m3
95-47-6	106.2	o-Xylene	0.31	0.20	0.026	ppbv		1.3	0.87	0.11	ug/m3
1330-20-7	106.2	Xylenes (total)	1.1	0.20	0.026	ppbv		4.8	0.87	0.11	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	100%		65-128%

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody
- Summa Canister and Flow Controller Log

AIR



CHAIN OF CUSTODY

Air Sampling Field Data Sheet

FED-EX Tracking # 625063522790
Lab Quote #

Sample/Order Control # V1-712/2015-3
Lab Order # 3377167

PAGE 1 OF 1

Client / Reporting Information				Weather Parameters				Requested Analysis								
Company Name: Providence Engr				Project Name: Valero Refining				Temperature (Fahrenheit)								
Address: 1201 Main St				Street:				Start: Maximum:								
City: BR State: LA Zip: 70802				City: Meroux State: LA				Stop: Minimum:								
Project Contact: paulhollis@providenceeng.com				Project #: 712-001				Atmospheric Pressure (inches of Hg)								
Phone #: 225-766-7480 - 7440				Client Purchase Order #:				Start: Maximum:								
Sampler(s) Name(s): R Hudson / Paul Hollis				Other weather comment:				Stop: Minimum:								
Lab Sample #	Field ID / Point of Collection	Air Type		Sampling Equipment Info		Start Sampling Information				Stop Sampling Information				Standard TO-15 Reporting List		
		Indoor(I) Soil Vap(SV) Ambient(A)	Canister Serial #	Canister Size 6L or 1L	Flow Controller Serial #	Date	Time (24hr clock)	Canister Pressure (Hg)	Interior Temp (F)	Sampler Init.	Date	Time (24hr clock)	Canister Pressure (Hg)		Interior Temp (F)	Sampler Init.
-	CAMS 232	A	A757	6L	-	6/9/15	1300	0.01	75	KH	6/10/15	1300	11.24	75	KH	✓
Turnaround Time (Business days)		Approved By:		Data Deliverable Information				Comments / Remarks								
Standard - 15 Days 10 Day 5 Day 3 Day 2 Day 1 Day Other		Date: _____		All NJDEP TO-15 is mandatory Full T1 Comm A Comm B Reduced T2 Full T1 Other:				INITIAL ASSESSMENT 4A/BV LABEL VERIFICATION BV Summa								
Sample Custody must be documented below each time samples change possession, including courier delivery.																
Relinquished by: <i>Ray Mawani</i>	Date Time: 6/2/15 14:45	Received By: FLEEx	1	Relinquished By: FLEEx	2	Date Time: _____	Received By: _____	3	Relinquished By: RedEx	4	Date Time: 6/17/15 9:45	Received By: B Vassalatos	4	5		
Relinquished by: <i>Paul Hollis</i>	Date Time: 6/15/15 17:00	Received By: _____	3	Relinquished By: _____	4	Date Time: _____	Received By: _____	5	Custody Seal # No Seal							

31
3

JB97167: Chain of Custody

Page 1 of 2



Accutest Laboratories Sample Receipt Summary

Accutest Job Number: JB97167 **Client:** _____ **Project:** _____
Date / Time Received: 6/17/2015 9:45:00 AM **Delivery Method:** _____ **Airbill #s:** _____

Cooler Temps (Raw Measured) °C: _____
 Cooler Temps (Corrected) °C: _____

Cooler Security Y or N Y or N
 1. Custody Seals Present: 3. COC Present:
 2. Custody Seals Intact: 4. Smpl Dates/Time OK

Cooler Temperature Y or N
 1. Temp criteria achieved:
 2. Cooler temp verification: _____
 3. Cooler media: _____
 4. No. Coolers: 0

Quality Control Preservation Y or N N/A
 1. Trip Blank present / cooler:
 2. Trip Blank listed on COC:
 3. Samples preserved properly:
 4. VOCs headspace free:

Sample Integrity - Documentation Y or N
 1. Sample labels present on bottles:
 2. Container labeling complete:
 3. Sample container label / COC agree:

Sample Integrity - Condition Y or N
 1. Sample recvd within HT:
 2. All containers accounted for:
 3. Condition of sample: _____
 Intact

Sample Integrity - Instructions Y or N N/A
 1. Analysis requested is clear:
 2. Bottles received for unspecified tests:
 3. Sufficient volume recvd for analysis:
 4. Compositing instructions clear:
 5. Filtering instructions clear:

Comments



31
3

Summa Canister and Flow Controller Log

Job Number: JB97167
Account: PROVLABR Providence Engineering
Project: Valero-CAMS, Baton Rouge, LA
Received: 06/17/15

32
3

SUMMA CANISTERS													
Shipping							Receiving						
Summa ID	L	Vac " Hg	Date Out	By	SCC Batch	SCC FileID	Sample Number	Date In	By	Vac " Hg	Pres psig	Final psig	Dil Fact
A757	6	29.4	05/28/15	RD	CP7754	5W11619.D	JB97167-1	06/17/15	ML	7.5			1

Accutest Bottle Order(s):
 VP-5/28/2015-2

Prep Date **Room Temp(F)** **Bar Pres "Hg**
 05/28/15 70 29.92