

The results set forth herein are provided by SGS North America Inc.

e-Hardcopy 2.0
Automated Report

Technical Report for

Providence Engineering

Valero-CAMS, Baton Rouge, LA

712-001

SGS Job Number: JC72223

Sampling Date: 08/11/18

Report to:

Providence Engineering

kevincalhoun@providenceeng.com

ATTN: Kevin Calhoun

Total number of pages in report: 10



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

A. Paul Ioannidis
General Manager

Client Service contact: Victoria Pushkova 732-329-0200

Certifications: NJ(12129), NY(10983), CA, CT, FL, IL, IN, KS, KY, LA, MA, MD, ME, MN, NC, OH VAP (CL0056), AK (UST-103), AZ (AZ0786), PA, RI, SC, TX, UT, VA, WV, DoD ELAP (ANAB L2248)

This report shall not be reproduced, except in its entirety, without the written approval of SGS.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Sample Results	4
2.1: JC72223-1: CAMS 426	5
Section 3: Misc. Forms	8
3.1: Chain of Custody	9

1

2

3



Sample Summary

Providence Engineering

Job No: JC72223

Valero-CAMS, Baton Rouge, LA
Project No: 712-001

Sample Number	Collected		Received	Matrix		Client Sample ID
	Date	Time By		Code	Type	
JC72223-1	08/11/18	18:00 KH	08/21/18	AIR	Ambient Air Comp.	CAMS 426

Sample Results

Report of Analysis

Report of Analysis

Client Sample ID:	CAMS 426	Date Sampled:	08/11/18
Lab Sample ID:	JC72223-1	Date Received:	08/21/18
Matrix:	AIR - Ambient Air Comp.	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero-CAMS, Baton Rouge, LA		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3W66417.D	1	08/21/18 17:45	TCH	n/a	n/a	V3W2551
Run #2	3W66429.D	1	08/22/18 15:21	TCH	n/a	n/a	V3W2552

Run #	Initial Volume
Run #1	400 ml
Run #2	100 ml

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone	24.4	0.20	0.11	ppbv		58.0	0.48	0.26	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	0.20	0.046	ppbv		ND	0.44	0.10	ug/m3
71-43-2	78.11	Benzene	0.63	0.20	0.012	ppbv		2.0	0.64	0.038	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	0.20	0.027	ppbv		ND	1.3	0.18	ug/m3
75-25-2	252.8	Bromoform	ND	0.20	0.037	ppbv		ND	2.1	0.38	ug/m3
74-83-9	94.94	Bromomethane	ND	0.20	0.022	ppbv		ND	0.78	0.085	ug/m3
593-60-2	106.9	Bromoethene	ND	0.20	0.022	ppbv		ND	0.87	0.096	ug/m3
100-44-7	126	Benzyl Chloride	ND	0.20	0.057	ppbv		ND	1.0	0.29	ug/m3
75-15-0	76.14	Carbon disulfide	ND	0.20	0.024	ppbv		ND	0.62	0.075	ug/m3
108-90-7	112.6	Chlorobenzene	ND	0.20	0.026	ppbv		ND	0.92	0.12	ug/m3
75-00-3	64.52	Chloroethane	ND	0.20	0.048	ppbv		ND	0.53	0.13	ug/m3
67-66-3	119.4	Chloroform	ND	0.20	0.020	ppbv		ND	0.98	0.098	ug/m3
74-87-3	50.49	Chloromethane	0.93	0.20	0.015	ppbv		1.9	0.41	0.031	ug/m3
107-05-1	76.53	3-Chloropropene	ND	0.20	0.040	ppbv		ND	0.63	0.13	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	0.20	0.025	ppbv		ND	1.0	0.13	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	0.20	0.024	ppbv		ND	1.3	0.15	ug/m3
110-82-7	84.16	Cyclohexane	0.22	0.20	0.022	ppbv		0.76	0.69	0.076	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.20	0.012	ppbv		ND	0.81	0.049	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	ND	0.20	0.017	ppbv		ND	0.79	0.067	ug/m3
106-93-4	187.9	1,2-Dibromoethane	ND	0.20	0.018	ppbv		ND	1.5	0.14	ug/m3
107-06-2	98.96	1,2-Dichloroethane	0.21	0.20	0.021	ppbv		0.85	0.81	0.085	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	0.20	0.019	ppbv		ND	0.92	0.088	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	0.20	0.052	ppbv		ND	0.72	0.19	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	0.52	0.20	0.017	ppbv		2.6	0.99	0.084	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	0.20	0.033	ppbv		ND	1.7	0.28	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.20	0.0073	ppbv		ND	0.79	0.029	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	ND	0.20	0.012	ppbv		ND	0.79	0.048	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.20	0.020	ppbv		ND	0.91	0.091	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	0.20	0.019	ppbv		ND	1.2	0.11	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.20	0.022	ppbv		ND	1.2	0.13	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	0.20	0.018	ppbv		ND	1.2	0.11	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.20	0.020	ppbv		ND	0.91	0.091	ug/m3

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	CAMS 426	Date Sampled:	08/11/18
Lab Sample ID:	JC72223-1	Date Received:	08/21/18
Matrix:	AIR - Ambient Air Comp.	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero-CAMS, Baton Rouge, LA		

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	18.9	0.50	0.22	ppbv		35.6	0.94	0.41	ug/m3
100-41-4	106.2	Ethylbenzene	0.18	0.20	0.015	ppbv	J	0.78	0.87	0.065	ug/m3
141-78-6	88	Ethyl Acetate	61.0 ^a	0.80	0.15	ppbv		220 ^a	2.9	0.54	ug/m3
622-96-8	120.2	4-Ethyltoluene	ND	0.20	0.030	ppbv		ND	0.98	0.15	ug/m3
76-13-1	187.4	Freon 113	ND	0.20	0.017	ppbv		ND	1.5	0.13	ug/m3
76-14-2	170.9	Freon 114	ND	0.20	0.019	ppbv		ND	1.4	0.13	ug/m3
142-82-5	100.2	Heptane	0.31	0.20	0.018	ppbv		1.3	0.82	0.074	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.20	0.046	ppbv		ND	2.1	0.49	ug/m3
110-54-3	86.17	Hexane	0.75	0.20	0.011	ppbv		2.6	0.70	0.039	ug/m3
591-78-6	100	2-Hexanone	ND	0.20	0.036	ppbv		ND	0.82	0.15	ug/m3
67-63-0	60.1	Isopropyl Alcohol	1.5	0.20	0.065	ppbv		3.7	0.49	0.16	ug/m3
75-09-2	84.94	Methylene chloride	0.53	0.20	0.015	ppbv		1.8	0.69	0.052	ug/m3
78-93-3	72.11	Methyl ethyl ketone	1.0	0.20	0.042	ppbv		2.9	0.59	0.12	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	0.19	0.20	0.036	ppbv	J	0.78	0.82	0.15	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.20	0.019	ppbv		ND	0.72	0.069	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.20	0.033	ppbv		ND	0.82	0.14	ug/m3
115-07-1	42	Propylene	ND	0.50	0.016	ppbv		ND	0.86	0.027	ug/m3
100-42-5	104.1	Styrene	0.27	0.20	0.019	ppbv		1.1	0.85	0.081	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.20	0.033	ppbv		ND	1.1	0.18	ug/m3
79-34-5	167.9	1,1,2,2-Tetrachloroethane	ND	0.20	0.027	ppbv		ND	1.4	0.19	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.20	0.030	ppbv		ND	1.1	0.16	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.20	0.089	ppbv		ND	1.5	0.66	ug/m3
95-63-6	120.2	1,2,4-Trimethylbenzene	0.21	0.20	0.033	ppbv		1.0	0.98	0.16	ug/m3
108-67-8	120.2	1,3,5-Trimethylbenzene	ND	0.20	0.034	ppbv		ND	0.98	0.17	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	0.098	0.20	0.022	ppbv	J	0.46	0.93	0.10	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	0.30	0.20	0.014	ppbv		0.91	0.61	0.042	ug/m3
127-18-4	165.8	Tetrachloroethylene	0.072	0.040	0.031	ppbv		0.49	0.27	0.21	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	0.20	0.050	ppbv		ND	0.59	0.15	ug/m3
108-88-3	92.14	Toluene	3.3	0.20	0.014	ppbv		12	0.75	0.053	ug/m3
79-01-6	131.4	Trichloroethylene	ND	0.040	0.019	ppbv		ND	0.21	0.10	ug/m3
75-69-4	137.4	Trichlorofluoromethane	0.29	0.20	0.028	ppbv		1.6	1.1	0.16	ug/m3
75-01-4	62.5	Vinyl chloride	ND	0.20	0.022	ppbv		ND	0.51	0.056	ug/m3
108-05-4	86	Vinyl Acetate	ND	0.20	0.034	ppbv		ND	0.70	0.12	ug/m3
	106.2	m,p-Xylene	0.58	0.20	0.034	ppbv		2.5	0.87	0.15	ug/m3
95-47-6	106.2	o-Xylene	0.24	0.20	0.017	ppbv		1.0	0.87	0.074	ug/m3
1330-20-7	106.2	Xylenes (total)	0.82	0.20	0.017	ppbv		3.6	0.87	0.074	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	101%	102%	65-128%

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: CAMS 426	Date Sampled: 08/11/18
Lab Sample ID: JC72223-1	Date Received: 08/21/18
Matrix: AIR - Ambient Air Comp.	Percent Solids: n/a
Method: TO-15	
Project: Valero-CAMS, Baton Rouge, LA	

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
---------	----	----------	--------	----	-----	-------	---	--------	----	-----	-------

(a) Result is from Run# 2

ND = Not detected	MDL = Method Detection Limit	J = Indicates an estimated value
RL = Reporting Limit		B = Indicates analyte found in associated method blank
E = Indicates value exceeds calibration range		N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody

AIR

JC72223



AIR CHAIN OF CUSTODY

SGS Accutest - Dayton
2235 Route 130, Dayton, NJ 08810
TEL: 732-329-0200 FAX: 732-329-3499/3400
www.accutest.com

FED-EX Tracking #	Bottle Order Control #
Lab Quote #	Lab Job # JP-072318-147

PAGE 1 OF 1

Client/Reporting Information		Project Information		Weather Parameters		Requested Analysis	
Company Name	Providence Engr	Project Name	Valero Refining	Temperature (Fahrenheit)			
Address	1201 Main St	Street		Start:	Maximum:		
City	Bk	City	Merrux CA	Stop:	Minimum:		
State	CA	State	CA	Atmospheric Pressure (inches of Hg)			
Zip	70802	Project #	712-001	Start:	Maximum:		
Project Contact	Paul Hollis	Client Purchase Order #		Stop:	Minimum:		
E-mail	providenceengr.com			Other weather comment:			
Phone #	225-766-7400						
Fax #	-7440						
Sampler(s) Name(s)	K Hudson						

Lab Sample #	Field ID / Point of Collection	Air Type			Sampling Equipment Info					Start Sampling Information					Stop Sampling Information				
		Induct(SV)	Sol Vap(SV)	Ambient(A)	Canister Serial #	Canister Size (L or 1L)	Flow Controller Serial #	Date	Time (24hr clock)	Canister Pressure ("Hg)	Interior Temp (F)	Sampler Init.	Date	Time (24hr clock)	Canister Pressure ("Hg)	Interior Temp (F)	Sampler Init.		
1	CAMS 426	A			6L	537	8-10	430	30	75	KH	8-11	600	1	75	KH	✓		

Turnaround time (Business days)	Data Deliverable Information	Comments / Remarks
<input type="checkbox"/> Standard - 15 Days <input checked="" type="checkbox"/> 10 Day <input type="checkbox"/> 5 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> 2 Day <input type="checkbox"/> 1 Day <input type="checkbox"/> Other	Approved By: <u>YAGM</u> INITIAL ASSESSMENT _____ LABEL VERIFICATION _____ All NJDEP TO-15 is mandatory Full T1 Comm A _____ Comm B _____ Reduced T2 _____ Full T1 _____ Other: _____ DKQP reporting _____	COC seal Fed ex ship Sample inventory is verified upon receipt in the Laboratory

Sample Custody must be documented below each time samples change possession, including courier delivery.					
Relinquished by:	Date Time:	Received By:	Relinquished by:	Date Time:	Received By:
1	7/23/18 16:00	[Signature]	2		FX
Relinquished by:	Date Time:	Received By:	Relinquished by:	Date Time:	Received By:
3	8/21/18 9:30	[Signature]	4		
Relinquished by:	Date Time:	Received By:	Custody Seal #		
5					

SGS Sample Receipt Summary

Job Number: JC72223

Client: PROVIDENCE ENG

Project: PROVIDENCE - CAMS

Date / Time Received: 8/21/2018 9:30:00 AM

Delivery Method: _____

Airbill #'s: _____

Cooler Temps (Raw Measured) °C:

Cooler Temps (Corrected) °C:

Cooler Security

- | | |
|--|---|
| 1. Custody Seals Present: <input checked="" type="checkbox"/> <u>Y</u> <input type="checkbox"/> <u>N</u> | 3. COC Present: <input checked="" type="checkbox"/> <u>Y</u> <input type="checkbox"/> <u>N</u> |
| 2. Custody Seals Intact: <input checked="" type="checkbox"/> <u>Y</u> <input type="checkbox"/> <u>N</u> | 4. Smpl Dates/Time OK: <input checked="" type="checkbox"/> <u>Y</u> <input type="checkbox"/> <u>N</u> |

Cooler Temperature

- | | |
|--|-----|
| 1. Temp criteria achieved: <input type="checkbox"/> <u>Y</u> <input type="checkbox"/> <u>N</u> | |
| 2. Cooler temp verification: _____ | N/A |
| 3. Cooler media: _____ | N/A |
| 4. No. Coolers: _____ | N/A |

Quality Control Preservation

- | | | | |
|---------------------------------|--|--|--|
| 1. Trip Blank present / cooler: | <input type="checkbox"/> <u>Y</u> | <input checked="" type="checkbox"/> <u>N</u> | <input type="checkbox"/> <u>N/A</u> |
| 2. Trip Blank listed on COC: | <input type="checkbox"/> <u>Y</u> | <input checked="" type="checkbox"/> <u>N</u> | <input type="checkbox"/> <u>N/A</u> |
| 3. Samples preserved properly: | <input checked="" type="checkbox"/> <u>Y</u> | <input type="checkbox"/> <u>N</u> | <input type="checkbox"/> <u>N/A</u> |
| 4. VOCs headspace free: | <input type="checkbox"/> <u>Y</u> | <input type="checkbox"/> <u>N</u> | <input checked="" type="checkbox"/> <u>N/A</u> |

Sample Integrity - Documentation

- | | | |
|--|--|-----------------------------------|
| 1. Sample labels present on bottles: | <input checked="" type="checkbox"/> <u>Y</u> | <input type="checkbox"/> <u>N</u> |
| 2. Container labeling complete: | <input checked="" type="checkbox"/> <u>Y</u> | <input type="checkbox"/> <u>N</u> |
| 3. Sample container label / COC agree: | <input checked="" type="checkbox"/> <u>Y</u> | <input type="checkbox"/> <u>N</u> |

Sample Integrity - Condition

- | | | |
|----------------------------------|--|-----------------------------------|
| 1. Sample recvd within HT: | <input checked="" type="checkbox"/> <u>Y</u> | <input type="checkbox"/> <u>N</u> |
| 2. All containers accounted for: | <input checked="" type="checkbox"/> <u>Y</u> | <input type="checkbox"/> <u>N</u> |
| 3. Condition of sample: | Intact | |

Sample Integrity - Instructions

- | | | | | |
|--|--|--|--|--|
| 1. Analysis requested is clear: | <input checked="" type="checkbox"/> <u>Y</u> | <input type="checkbox"/> <u>N</u> | | |
| 2. Bottles received for unspecified tests: | <input type="checkbox"/> <u>Y</u> | <input checked="" type="checkbox"/> <u>N</u> | | |
| 3. Sufficient volume recvd for analysis: | <input checked="" type="checkbox"/> <u>Y</u> | <input type="checkbox"/> <u>N</u> | | |
| 4. Compositing instructions clear: | <input type="checkbox"/> <u>Y</u> | <input type="checkbox"/> <u>N</u> | <input checked="" type="checkbox"/> <u>N/A</u> | |
| 5. Filtering instructions clear: | <input type="checkbox"/> <u>Y</u> | <input type="checkbox"/> <u>N</u> | <input checked="" type="checkbox"/> <u>N/A</u> | |

Test Strip Lot #s:	pH 1-12: 216017	pH 12+: 208717	Other: (Specify) _____
--------------------	-----------------	----------------	------------------------

Comments

SM089-03
Rev. Date 12/7/17

JC72223: Chain of Custody

Page 2 of 2