

Technical Report for

Providence Engineering

Valero-CAMS, Baton Rouge, LA

Accutest Job Number: JA97793

Sampling Date: 01/19/12

Report to:

Providence Engineering


kevincalhoun@providenceeng.com

ATTN: Kevin Calhoun

Total number of pages in report: 11



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.



David N. Speis
VP, Laboratory Director

Client Service contact: Kristyn Morrison 732-329-0200

Certifications: NJ(12129), NY(10983), CA, CT, DE, FL, IL, IN, KS, KY, LA, MA, MD, MI, MT, NC, PA, RI, SC, TN, VA, WV

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.
Test results relate only to samples analyzed.

Table of Contents

-1-

| | |
|--|-----------|
| Section 1: Sample Summary | 3 |
| Section 2: Sample Results | 4 |
| 2.1: JA97793-1: CAMS 026 | 5 |
| Section 3: Misc. Forms | 7 |
| 3.1: Chain of Custody | 8 |
| 3.2: Summa Canister and Flow Controller Log | 11 |



Sample Summary

Providence Engineering

Job No: JA97793

Valero-CAMS, Baton Rouge, LA

| Sample Number | Collected | | Received | Matrix | | Client Sample ID |
|---------------|-----------|----------|----------|--------|------------------|------------------|
| | Date | Time By | | Code | Type | |
| JA97793-1 | 01/19/12 | 13:00 KH | 01/25/12 | AIR | Ambient Air Grab | CAMS 026 |

Sample Results

Report of Analysis

Report of Analysis

Page 1 of 2

| | | | |
|-------------------|---------------------------------------|-----------------|----------|
| Client Sample ID: | CAMS 026 | Date Sampled: | 01/19/12 |
| Lab Sample ID: | JA97793-1 | Date Received: | 01/25/12 |
| Matrix: | AIR - Ambient Air Grab Summa ID: A858 | Percent Solids: | n/a |
| Method: | TO-15 | | |
| Project: | Valero-CAMS, Baton Rouge, LA | | |

| Run #1 | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|--------|-----------|----|----------|-----|-----------|------------|------------------|
| Run #2 | 2W34046.D | 1 | 01/30/12 | YMH | n/a | n/a | V2W1433 |

| Run #1 | Initial Volume |
|--------|----------------|
| Run #2 | 400 ml |

| CAS No. | MW | Compound | Result | RL | MDL | Units | Q | Result | RL | Units |
|------------|-------|----------------------------|--------|------|-------|-------|---|--------|------|-------|
| 67-64-1 | 58.08 | Acetone | 6.0 | 0.20 | 0.036 | ppbv | | 14 | 0.48 | ug/m3 |
| 106-99-0 | 54.09 | 1,3-Butadiene | ND | 0.20 | 0.024 | ppbv | | ND | 0.44 | ug/m3 |
| 71-43-2 | 78.11 | Benzene | 0.71 | 0.20 | 0.046 | ppbv | | 2.3 | 0.64 | ug/m3 |
| 75-27-4 | 163.8 | Bromodichloromethane | ND | 0.20 | 0.030 | ppbv | | ND | 1.3 | ug/m3 |
| 75-25-2 | 252.8 | Bromoform | ND | 0.20 | 0.037 | ppbv | | ND | 2.1 | ug/m3 |
| 74-83-9 | 94.94 | Bromomethane | ND | 0.20 | 0.037 | ppbv | | ND | 0.78 | ug/m3 |
| 593-60-2 | 106.9 | Bromoethene | ND | 0.20 | 0.037 | ppbv | | ND | 0.87 | ug/m3 |
| 100-44-7 | 126 | Benzyl Chloride | ND | 0.20 | 0.041 | ppbv | | ND | 1.0 | ug/m3 |
| 75-15-0 | 76.14 | Carbon disulfide | 0.25 | 0.20 | 0.032 | ppbv | | 0.78 | 0.62 | ug/m3 |
| 108-90-7 | 112.6 | Chlorobenzene | ND | 0.20 | 0.027 | ppbv | | ND | 0.92 | ug/m3 |
| 75-00-3 | 64.52 | Chloroethane | ND | 0.20 | 0.039 | ppbv | | ND | 0.53 | ug/m3 |
| 67-66-3 | 119.4 | Chloroform | ND | 0.20 | 0.028 | ppbv | | ND | 0.98 | ug/m3 |
| 74-87-3 | 50.49 | Chloromethane | 0.48 | 0.20 | 0.037 | ppbv | | 0.99 | 0.41 | ug/m3 |
| 107-05-1 | 76.53 | 3-Chloropropene | ND | 0.20 | 0.041 | ppbv | | ND | 0.63 | ug/m3 |
| 95-49-8 | 126.6 | 2-Chlorotoluene | ND | 0.20 | 0.031 | ppbv | | ND | 1.0 | ug/m3 |
| 56-23-5 | 153.8 | Carbon tetrachloride | ND | 0.20 | 0.040 | ppbv | | ND | 1.3 | ug/m3 |
| 110-82-7 | 84.16 | Cyclohexane | 0.59 | 0.20 | 0.034 | ppbv | | 2.0 | 0.69 | ug/m3 |
| 75-34-3 | 98.96 | 1,1-Dichloroethane | ND | 0.20 | 0.028 | ppbv | | ND | 0.81 | ug/m3 |
| 75-35-4 | 96.94 | 1,1-Dichloroethylene | ND | 0.20 | 0.046 | ppbv | | ND | 0.79 | ug/m3 |
| 106-93-4 | 187.9 | 1,2-Dibromoethane | ND | 0.20 | 0.027 | ppbv | | ND | 1.5 | ug/m3 |
| 107-06-2 | 98.96 | 1,2-Dichloroethane | ND | 0.20 | 0.043 | ppbv | | ND | 0.81 | ug/m3 |
| 78-87-5 | 113 | 1,2-Dichloropropane | ND | 0.20 | 0.038 | ppbv | | ND | 0.92 | ug/m3 |
| 123-91-1 | 88.12 | 1,4-Dioxane | ND | 0.20 | 0.056 | ppbv | | ND | 0.72 | ug/m3 |
| 75-71-8 | 120.9 | Dichlorodifluoromethane | 0.46 | 0.20 | 0.038 | ppbv | | 2.3 | 0.99 | ug/m3 |
| 124-48-1 | 208.3 | Dibromochloromethane | ND | 0.20 | 0.027 | ppbv | | ND | 1.7 | ug/m3 |
| 156-60-5 | 96.94 | trans-1,2-Dichloroethylene | ND | 0.20 | 0.033 | ppbv | | ND | 0.79 | ug/m3 |
| 156-59-2 | 96.94 | cis-1,2-Dichloroethylene | ND | 0.20 | 0.038 | ppbv | | ND | 0.79 | ug/m3 |
| 10061-01-5 | 111 | cis-1,3-Dichloropropene | ND | 0.20 | 0.043 | ppbv | | ND | 0.91 | ug/m3 |
| 541-73-1 | 147 | m-Dichlorobenzene | ND | 0.20 | 0.037 | ppbv | | ND | 1.2 | ug/m3 |
| 95-50-1 | 147 | o-Dichlorobenzene | ND | 0.20 | 0.027 | ppbv | | ND | 1.2 | ug/m3 |
| 106-46-7 | 147 | p-Dichlorobenzene | ND | 0.20 | 0.025 | ppbv | | ND | 1.2 | ug/m3 |
| 10061-02-6 | 111 | trans-1,3-Dichloropropene | ND | 0.20 | 0.039 | ppbv | | ND | 0.91 | ug/m3 |

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

| | | | |
|-------------------|------------------------------|-----------------|----------|
| Client Sample ID: | CAMS 026 | Date Sampled: | 01/19/12 |
| Lab Sample ID: | JA97793-1 | Date Received: | 01/25/12 |
| Matrix: | AIR - Ambient Air Grab | Summa ID: | A858 |
| Method: | TO-15 | Percent Solids: | n/a |
| Project: | Valero-CAMS, Baton Rouge, LA | | |

| CAS No. | MW | Compound | Result | RL | MDL | Units | Q | Result | RL | Units |
|-----------|--------|---------------------------|--------|-------|-------|-------|---|--------|------|-------|
| 64-17-5 | 46.07 | Ethanol | 11.6 | 0.50 | 0.095 | ppbv | | 21.9 | 0.94 | ug/m3 |
| 100-41-4 | 106.2 | Ethylbenzene | 0.55 | 0.20 | 0.031 | ppbv | | 2.4 | 0.87 | ug/m3 |
| 141-78-6 | 88 | Ethyl Acetate | 3.4 | 0.20 | 0.061 | ppbv | | 12 | 0.72 | ug/m3 |
| 622-96-8 | 120.2 | 4-Ethyltoluene | 0.17 | 0.20 | 0.024 | ppbv | J | 0.84 | 0.98 | ug/m3 |
| 76-13-1 | 187.4 | Freon 113 | ND | 0.20 | 0.034 | ppbv | | ND | 1.5 | ug/m3 |
| 76-14-2 | 170.9 | Freon 114 | ND | 0.20 | 0.031 | ppbv | | ND | 1.4 | ug/m3 |
| 142-82-5 | 100.2 | Heptane | 0.54 | 0.20 | 0.033 | ppbv | | 2.2 | 0.82 | ug/m3 |
| 87-68-3 | 260.8 | Hexachlorobutadiene | ND | 0.20 | 0.046 | ppbv | | ND | 2.1 | ug/m3 |
| 110-54-3 | 86.17 | Hexane | 1.1 | 0.20 | 0.044 | ppbv | | 3.9 | 0.70 | ug/m3 |
| 591-78-6 | 100 | 2-Hexanone | ND | 0.20 | 0.043 | ppbv | | ND | 0.82 | ug/m3 |
| 67-63-0 | 60.1 | Isopropyl Alcohol | 1.4 | 0.20 | 0.059 | ppbv | | 3.4 | 0.49 | ug/m3 |
| 75-09-2 | 84.94 | Methylene chloride | ND | 0.20 | 0.027 | ppbv | | ND | 0.69 | ug/m3 |
| 78-93-3 | 72.11 | Methyl ethyl ketone | 0.72 | 0.20 | 0.048 | ppbv | | 2.1 | 0.59 | ug/m3 |
| 108-10-1 | 100.2 | Methyl Isobutyl Ketone | 0.16 | 0.20 | 0.036 | ppbv | J | 0.66 | 0.82 | ug/m3 |
| 1634-04-4 | 88.15 | Methyl Tert Butyl Ether | ND | 0.20 | 0.027 | ppbv | | ND | 0.72 | ug/m3 |
| 80-62-6 | 100.12 | Methylmethacrylate | ND | 0.20 | 0.043 | ppbv | | ND | 0.82 | ug/m3 |
| 115-07-1 | 42 | Propylene | ND | 0.50 | 0.070 | ppbv | | ND | 0.86 | ug/m3 |
| 100-42-5 | 104.1 | Styrene | 0.24 | 0.20 | 0.027 | ppbv | | 1.0 | 0.85 | ug/m3 |
| 71-55-6 | 133.4 | 1,1,1-Trichloroethane | ND | 0.20 | 0.022 | ppbv | | ND | 1.1 | ug/m3 |
| 79-34-5 | 167.9 | 1,1,2,2-Tetrachloroethane | ND | 0.20 | 0.030 | ppbv | | ND | 1.4 | ug/m3 |
| 79-00-5 | 133.4 | 1,1,2-Trichloroethane | ND | 0.20 | 0.030 | ppbv | | ND | 1.1 | ug/m3 |
| 120-82-1 | 181.5 | 1,2,4-Trichlorobenzene | ND | 0.20 | 0.051 | ppbv | | ND | 1.5 | ug/m3 |
| 95-63-6 | 120.2 | 1,2,4-Trimethylbenzene | 0.75 | 0.20 | 0.024 | ppbv | | 3.7 | 0.98 | ug/m3 |
| 108-67-8 | 120.2 | 1,3,5-Trimethylbenzene | 0.24 | 0.20 | 0.028 | ppbv | | 1.2 | 0.98 | ug/m3 |
| 540-84-1 | 114.2 | 2,2,4-Trimethylpentane | 2.4 | 0.20 | 0.028 | ppbv | | 11 | 0.93 | ug/m3 |
| 75-65-0 | 74.12 | Tertiary Butyl Alcohol | 0.21 | 0.20 | 0.032 | ppbv | | 0.64 | 0.61 | ug/m3 |
| 127-18-4 | 165.8 | Tetrachloroethylene | ND | 0.040 | 0.028 | ppbv | | ND | 0.27 | ug/m3 |
| 109-99-9 | 72.11 | Tetrahydrofuran | ND | 0.20 | 0.047 | ppbv | | ND | 0.59 | ug/m3 |
| 108-88-3 | 92.14 | Toluene | 4.2 | 0.20 | 0.040 | ppbv | | 16 | 0.75 | ug/m3 |
| 79-01-6 | 131.4 | Trichloroethylene | ND | 0.040 | 0.033 | ppbv | | ND | 0.21 | ug/m3 |
| 75-69-4 | 137.4 | Trichlorofluoromethane | 0.24 | 0.20 | 0.042 | ppbv | | 1.3 | 1.1 | ug/m3 |
| 75-01-4 | 62.5 | Vinyl chloride | ND | 0.20 | 0.032 | ppbv | | ND | 0.51 | ug/m3 |
| 108-05-4 | 86 | Vinyl Acetate | ND | 0.20 | 0.057 | ppbv | | ND | 0.70 | ug/m3 |
| | 106.2 | m,p-Xylene | 2.0 | 0.20 | 0.031 | ppbv | | 8.7 | 0.87 | ug/m3 |
| 95-47-6 | 106.2 | o-Xylene | 0.81 | 0.20 | 0.031 | ppbv | | 3.5 | 0.87 | ug/m3 |
| 1330-20-7 | 106.2 | Xylenes (total) | 2.8 | 0.20 | 0.031 | ppbv | | 12 | 0.87 | ug/m3 |

| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits |
|----------|----------------------|--------|--------|---------|
| 460-00-4 | 4-Bromofluorobenzene | 97% | | 65-128% |

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody
- Summa Canister and Flow Controller Log

CHAIN OF CUSTODY
Air Sampling Field Data Sheet

2235 US Highway 130, Dayton, NJ 08810
Tel: 732.329.0200 Fax: 732.329.3499

FED-EX Tracking # 8762 6576 9170
Bottle Order Control # RM-115/2012-4
Lab Quote #
Lab Job # JA977931A

| | | | | | | | |
|----------------------------------|--|---------------------------|--|-------------------------------------|--|--------------------|--|
| Client / Reporting Information | | Project Name | | Weather Parameters | | Requested Analysis | |
| Company Name: Providence Engr | | Valero Refining | | Temperature (Fahrenheit) | | | |
| Address: 1201 Main Street | | Street: | | Start: Maximum: | | | |
| City: BR State: LA Zip: 70802 | | City: Chalmette State: LA | | Stop: Minimum: | | | |
| Project Contact: Paul | | Project #: | | Atmospheric Pressure (inches of Hg) | | | |
| Phone #: | | Client Purchase Order #: | | Start: Maximum: | | | |
| Fax #: | | | | Stop: Minimum: | | | |
| Sampler(s) Name(s): Karen Hudson | | | | Other weather comment: | | | |

| Lab Sample # | Field ID / Point of Collection | Air Type | | | | Start Sampling Information | | | | | Stop Sampling Information | | | | |
|--------------|--------------------------------|-------------------------------------|-------------------|------------------------|--------------------------|----------------------------|--------------------|-------------------------|-------------------|---------------|---------------------------|--------------------|-------------------------|-------------------|---------------|
| | | Indoor (I) Soil Vap (SV) Ambient(A) | Canister Serial # | Canister Size 6L or 1L | Flow Controller Serial # | Date | Time (24 hr clock) | Canister Pressure (Psi) | Interior Temp (F) | Sampler Init. | Date | Time (24 hr clock) | Canister Pressure (Psi) | Interior Temp (F) | Sampler Init. |
| 1 | CAMS 026 | A | A858 | 6L | - | 1-18 | 1300 | 0.03 | 75 | KH | 1-19 | 1300 | 11.82 | 75 | KH |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |

| | | | | | |
|---------------------------------|-------------------------------------|------------------------------|--|--|--|
| Turnaround Time (Business Days) | | Data Deliverable Information | | Comments / Remarks | |
| Standard - 15 Days | <input checked="" type="checkbox"/> | Approved By: _____ | | All NUDEP TC-15 is mandatory Full T1 | |
| 10 Day | <input type="checkbox"/> | Date: _____ | | Comm A | |
| 5 Day | <input type="checkbox"/> | | | Comm B | |
| 3 Day | <input type="checkbox"/> | | | Reduced T2 | |
| 2 Day | <input type="checkbox"/> | | | Full T1 | |
| 1 Day | <input type="checkbox"/> | | | Other: | |
| Other | <input type="checkbox"/> | | | <p style="text-align: center;">SUMMA</p> <p style="text-align: center;">Received at Baton Rouge Service Center</p> | |

| | | | | | |
|--|--------------------|--------------------------|------------------------------|--------------------|--------------------------|
| Sample Custody must be documented below each time samples change possession, including courier delivery. | | | | | |
| Relinquished by: Gray Mariani | Date Time: 1/15/12 | Received by: FedEx | Relinquished by: FedEx | Date Time: 1/23/12 | Received by: [Signature] |
| Relinquished by: [Signature] | Date Time: 1/23/12 | Received by: [Signature] | Relinquished by: [Signature] | Date Time: 1/23/12 | Received by: FedEx |
| Relinquished by: [Signature] | Date Time: 1/25/12 | Received by: [Signature] | Custody Seal #: | | |

31 3

10-15

Job# JA97793
(REQUIRED)

Unused Summa Return Form

Client Providence Care Office B.B. LA
Project _____

#Summas 1 #Flow Controllers _____

Summa#'s 1020 - 2

Rec'd By _____ Rec'd Date/Time 1/25/12 / 1000

Rec'd via Edt
(Attach any client paperwork, documentation, or airbills if available)

Notes Leaky valve

Accutest Job Number: JA97793 Client: _____

Date / Time Received: 1/25/2012 Project: _____

No. Coolers: 0 Airbill #'s: _____ Delivery Method: _____

Cooler Security
Y or N
Y or N

- | | | | | | |
|---------------------------|-------------------------------------|--------------------------|------------------------|-------------------------------------|--------------------------|
| 1. Custody Seals Present: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 3. COC Present: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Custody Seals Intact: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 4. Smp'l Dates/Time OK | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

Cooler Temperature
Y or N

- | | | |
|------------------------------|-------------------------------------|--------------------------|
| 1. Temp criteria achieved: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Cooler temp verification: | _____ | |
| 3. Cooler media: | _____ | |

Quality Control Preservation
Y or N N/A

- | | | | |
|---------------------------------|-------------------------------------|--------------------------|-------------------------------------|
| 1. Trip Blank present / cooler: | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 2. Trip Blank listed on COC: | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 3. Samples preserved properly: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4. VOCs headspace free: | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

Sample Integrity - Documentation
Y or N

- | | | |
|--|-------------------------------------|--------------------------|
| 1. Sample labels present on bottles: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Container labeling complete: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 3. Sample container label / COC agree: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

Sample Integrity - Condition
Y or N

- | | | |
|----------------------------------|-------------------------------------|--------------------------|
| 1. Sample recvd within HT: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. All containers accounted for: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 3. Condition of sample: | Intact | |

Sample Integrity - Instructions
Y or N N/A

- | | | | |
|---|-------------------------------------|-------------------------------------|-------------------------------------|
| 1. Analysis requested is clear: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 2. Bottles received for unspecified tests | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 3. Sufficient volume recvd for analysis: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4. Compositing instructions clear: | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 5. Filtering instructions clear: | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

 Comments

Summa Canister and Flow Controller Log

Job Number: JA97793
Account: PROVLABR Providence Engineering
Project: Valero-CAMS, Baton Rouge, LA
Received: 01/25/12

32
3

| SUMMA CANISTERS | | | | | | | | | | | | | |
|-----------------|-------|-----------|----------|----|-----------|------------|---------------|----------|----|----------|-----------|------------|----------|
| Shipping | | | | | | | Receiving | | | | | | |
| Summa ID | Vac L | Date " Hg | Date Out | By | SCC Batch | SCC FileID | Sample Number | Date In | By | Vac " Hg | Pres psig | Final psig | Dil Fact |
| A858 | 6 | 29.4 | 01/05/12 | RC | CP5173 | 3W25493.D | JA97793-1 | 01/27/12 | RC | 6 | | | 1 |

Accutest Bottle Order(s):
 KM-1/5/2012-4

Prep Date **Room Temp(F)** **Bar Pres "Hg**
 01/05/12 70 29.92