

Technical Report for

Providence Engineering

Valero-CAMS, Baton Rouge, LA

712-001

Accutest Job Number: JB18555

Sampling Date: 10/01/12

Report to:

Providence Engineering

kevincalhoun@providenceeng.com

ATTN: Kevin Calhoun

Total number of pages in report: **10**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.

Nancy Cole
Laboratory Director

Client Service contact: Victoria Pushkova 732-329-0200

Certifications: NJ(12129), NY(10983), CA, CT, DE, FL, IL, IN, KS, KY, LA, MA, MD, MI, MT, NC, OH VAP (CL0056), PA, RI, SC, TN, VA, WV

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Sample Results	4
2.1: JB18555-1: CAMS 068	5
Section 3: Misc. Forms	7
3.1: Chain of Custody	8
3.2: Summa Canister and Flow Controller Log	10



Sample Summary

Providence Engineering

Job No: JB18555

Valero-CAMS, Baton Rouge, LA
Project No: 712-001

Sample Number	Collected		Matrix			Client Sample ID
	Date	Time By	Received	Code	Type	
JB18555-1	10/01/12	13:00 KH	10/08/12	AIR	Ambient Air Comp.	CAMS 068

Sample Results

Report of Analysis

Report of Analysis

Client Sample ID:	CAMS 068	Date Sampled:	10/01/12
Lab Sample ID:	JB18555-1	Date Received:	10/08/12
Matrix:	AIR - Ambient Air Comp. Summa ID: A833	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero-CAMS, Baton Rouge, LA		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #2	W38774.D	1	10/11/12	YMH	n/a	n/a	VW1567

Run #1	Initial Volume
Run #2	400 ml

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
67-64-1	58.08	Acetone	5.4	0.20	0.069	ppbv		13	0.48	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	0.20	0.026	ppbv		ND	0.44	ug/m3
71-43-2	78.11	Benzene	0.23	0.20	0.029	ppbv		0.73	0.64	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	0.20	0.031	ppbv		ND	1.3	ug/m3
75-25-2	252.8	Bromoform	ND	0.20	0.029	ppbv		ND	2.1	ug/m3
74-83-9	94.94	Bromomethane	ND	0.20	0.024	ppbv		ND	0.78	ug/m3
593-60-2	106.9	Bromoethene	ND	0.20	0.027	ppbv		ND	0.87	ug/m3
100-44-7	126	Benzyl Chloride	ND	0.20	0.048	ppbv		ND	1.0	ug/m3
75-15-0	76.14	Carbon disulfide	0.30	0.20	0.024	ppbv		0.93	0.62	ug/m3
108-90-7	112.6	Chlorobenzene	ND	0.20	0.040	ppbv		ND	0.92	ug/m3
75-00-3	64.52	Chloroethane	ND	0.20	0.035	ppbv		ND	0.53	ug/m3
67-66-3	119.4	Chloroform	ND	0.20	0.026	ppbv		ND	0.98	ug/m3
74-87-3	50.49	Chloromethane	0.55	0.20	0.055	ppbv		1.1	0.41	ug/m3
107-05-1	76.53	3-Chloropropene	ND	0.20	0.035	ppbv		ND	0.63	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	0.20	0.031	ppbv		ND	1.0	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	0.20	0.020	ppbv		ND	1.3	ug/m3
110-82-7	84.16	Cyclohexane	ND	0.20	0.050	ppbv		ND	0.69	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.20	0.019	ppbv		ND	0.81	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	ND	0.20	0.023	ppbv		ND	0.79	ug/m3
106-93-4	187.9	1,2-Dibromoethane	ND	0.20	0.029	ppbv		ND	1.5	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	0.20	0.027	ppbv		ND	0.81	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	0.20	0.034	ppbv		ND	0.92	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	0.20	0.12	ppbv		ND	0.72	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	0.48	0.20	0.024	ppbv		2.4	0.99	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	0.20	0.035	ppbv		ND	1.7	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.20	0.027	ppbv		ND	0.79	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	ND	0.20	0.025	ppbv		ND	0.79	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.20	0.033	ppbv		ND	0.91	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	0.20	0.028	ppbv		ND	1.2	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.20	0.039	ppbv		ND	1.2	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	0.20	0.060	ppbv		ND	1.2	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.20	0.024	ppbv		ND	0.91	ug/m3

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	CAMS 068	Date Sampled:	10/01/12
Lab Sample ID:	JB18555-1	Date Received:	10/08/12
Matrix:	AIR - Ambient Air Comp. Summa ID: A833	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero-CAMS, Baton Rouge, LA		

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
64-17-5	46.07	Ethanol	5.6	0.50	0.17	ppbv		11	0.94	ug/m3
100-41-4	106.2	Ethylbenzene	0.19	0.20	0.029	ppbv	J	0.83	0.87	ug/m3
141-78-6	88	Ethyl Acetate	1.1	0.20	0.13	ppbv		4.0	0.72	ug/m3
622-96-8	120.2	4-Ethyltoluene	ND	0.20	0.028	ppbv		ND	0.98	ug/m3
76-13-1	187.4	Freon 113	0.10	0.20	0.028	ppbv	J	0.77	1.5	ug/m3
76-14-2	170.9	Freon 114	ND	0.20	0.023	ppbv		ND	1.4	ug/m3
142-82-5	100.2	Heptane	0.13	0.20	0.028	ppbv	J	0.53	0.82	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.20	0.030	ppbv		ND	2.1	ug/m3
110-54-3	86.17	Hexane	0.40	0.20	0.050	ppbv		1.4	0.70	ug/m3
591-78-6	100	2-Hexanone	ND	0.20	0.051	ppbv		ND	0.82	ug/m3
67-63-0	60.1	Isopropyl Alcohol	0.89	0.20	0.065	ppbv		2.2	0.49	ug/m3
75-09-2	84.94	Methylene chloride	0.23	0.20	0.055	ppbv		0.80	0.69	ug/m3
78-93-3	72.11	Methyl ethyl ketone	0.51	0.20	0.042	ppbv		1.5	0.59	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	0.18	0.20	0.084	ppbv	J	0.74	0.82	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.20	0.045	ppbv		ND	0.72	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.20	0.038	ppbv		ND	0.82	ug/m3
115-07-1	42	Propylene	ND	0.50	0.034	ppbv		ND	0.86	ug/m3
100-42-5	104.1	Styrene	ND	0.20	0.025	ppbv		ND	0.85	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.20	0.024	ppbv		ND	1.1	ug/m3
79-34-5	167.9	1,1,2,2-Tetrachloroethane	ND	0.20	0.034	ppbv		ND	1.4	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.20	0.035	ppbv		ND	1.1	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.20	0.095	ppbv		ND	1.5	ug/m3
95-63-6	120.2	1,2,4-Trimethylbenzene	0.17	0.20	0.029	ppbv	J	0.84	0.98	ug/m3
108-67-8	120.2	1,3,5-Trimethylbenzene	ND	0.20	0.044	ppbv		ND	0.98	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	0.18	0.20	0.031	ppbv	J	0.84	0.93	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	0.24	0.20	0.049	ppbv		0.73	0.61	ug/m3
127-18-4	165.8	Tetrachloroethylene	ND	0.040	0.024	ppbv		ND	0.27	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	0.20	0.074	ppbv		ND	0.59	ug/m3
108-88-3	92.14	Toluene	1.2	0.20	0.032	ppbv		4.5	0.75	ug/m3
79-01-6	131.4	Trichloroethylene	0.30	0.040	0.036	ppbv		1.6	0.21	ug/m3
75-69-4	137.4	Trichlorofluoromethane	0.25	0.20	0.028	ppbv		1.4	1.1	ug/m3
75-01-4	62.5	Vinyl chloride	ND	0.20	0.022	ppbv		ND	0.51	ug/m3
108-05-4	86	Vinyl Acetate	ND	0.20	0.054	ppbv		ND	0.70	ug/m3
	106.2	m,p-Xylene	0.61	0.20	0.058	ppbv		2.6	0.87	ug/m3
95-47-6	106.2	o-Xylene	0.24	0.20	0.037	ppbv		1.0	0.87	ug/m3
1330-20-7	106.2	Xylenes (total)	0.85	0.20	0.037	ppbv		3.7	0.87	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	99%		65-128%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody
- Summa Canister and Flow Controller Log

CHAIN OF CUSTODY
Air Sampling Field Data Sheet

2235 US Highway 130, Dayton, NJ 08810
Tel: 732.329.0200 Fax: 732.329.3499

FED-EX Tracking # 8007695659	Bottle Order Control #
Lab Quote #	Lab Job # JB18555

Client / Reporting Information						Weather Parameters					Requested Analysis						
Company Name Providence Engr						Project Name Valero Refining					Temperature (Fahrenheit)						
Address 1201 Main St						Street					Start: Maximum:						
City Bil						City Meroux					Stop: Minimum:						
State LA						State LA					Atmospheric Pressure (inches of Hg)						
Zip 70802						Project # 712-001					Start: Maximum:						
Project Contact paul.hollis@providenceengr.com						Client Purchase Order #					Stop: Minimum:						
Phone # 225 766 7400											Other weather comment:						
Fax # 7440																	
Sampler(s) Name(s) Karen Hudson																	
Lab Sample #	Field ID / Point of Collection	Air Type			Sampling Equipment Info			Start Sampling Information					Stop Sampling Information				
		Indoor (I) Soil Vap (SV) Ambient(A)	Canister Serial #	Canister Size 6L or 1L	Flow Controller Serial #	Date	Time (24 hr clock)	Canister Pressure ("Hg)	Interior Temp (F)	Sampler Init.	Date	Time (24 hr clock)	Canister Pressure ("Hg)	Interior Temp (F)	Sampler Init.		
-1	LAMS 068	A	A833	6L	-	9-30	1300	0.64	75	144	10-1	1300	12.37	75	144		
Sample Custody must be documented below each time samples change possession, including courier delivery.																	
Relinquished by Laboratory:		Date Time:	Received by:	Relinquished by:		Date Time:	Received by:	Relinquished by:		Date Time:	Received by:	Relinquished by:		Date Time:	Received by:		
1			[Signature]	3		FEB 13 2010	[Signature]	4		FEB 12 2010	[Signature]	2		10/8/12	9:00		
3			[Signature]	5				Custody Seal #									

31
3

Accutest Laboratories Sample Receipt Summary

Accutest Job Number: JB18555 **Client:** _____ **Project:** _____
Date / Time Received: 10/8/2012 **Delivery Method:** _____ **Airbill #'s:** _____

Cooler Temps (Initial/Adjusted):

Cooler Security	<u>Y or N</u>		<u>Y or N</u>
1. Custody Seals Present:	<input checked="" type="checkbox"/> <input type="checkbox"/>	3. COC Present:	<input checked="" type="checkbox"/> <input type="checkbox"/>
2. Custody Seals Intact:	<input checked="" type="checkbox"/> <input type="checkbox"/>	4. SmpI Dates/Time OK	<input checked="" type="checkbox"/> <input type="checkbox"/>

Cooler Temperature	<u>Y or N</u>
1. Temp criteria achieved:	<input checked="" type="checkbox"/> <input type="checkbox"/>
2. Cooler temp verification:	_____
3. Cooler media:	_____
4. No. Coolers:	0

Quality Control Preservation	<u>Y</u>	<u>or</u>	<u>N</u>	<u>N/A</u>
1. Trip Blank present / cooler:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
2. Trip Blank listed on COC:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
3. Samples preserved properly:	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
4. VOCs headspace free:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

Sample Integrity - Documentation	<u>Y</u>	<u>or</u>	<u>N</u>
1. Sample labels present on bottles:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2. Container labeling complete:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3. Sample container label / COC agree:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

Sample Integrity - Condition	<u>Y</u>	<u>or</u>	<u>N</u>
1. Sample recvd within HT:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2. All containers accounted for:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3. Condition of sample:	Intact		

Sample Integrity - Instructions	<u>Y</u>	<u>or</u>	<u>N</u>	<u>N/A</u>
1. Analysis requested is clear:	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
2. Bottles received for unspecified tests	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
3. Sufficient volume recvd for analysis:	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
4. Compositing instructions clear:	<input type="checkbox"/>	<input type="checkbox"/>		<input checked="" type="checkbox"/>
5. Filtering instructions clear:	<input type="checkbox"/>	<input type="checkbox"/>		<input checked="" type="checkbox"/>

Comments

Summa Canister and Flow Controller Log

Job Number: JB18555
Account: PROVLABR Providence Engineering
Project: Valero-CAMS, Baton Rouge, LA
Received: 10/08/12

32
3

SUMMA CANISTERS													
Shipping							Receiving						
Summa ID	Vac L	Date " Hg	Date Out	By	SCC Batch	SCC FileID	Sample Number	Date In	By	Vac " Hg	Pres psig	Final psig	Dil Fact
A833	6	29.4	09/12/12	HT	CP5645	3W29964.D	JB18555-1	10/09/12	RC	5			1

Accutest Bottle Order(s):
 VP-9/12/2012-10

Prep Date **Room Temp(F)** **Bar Pres "Hg**
 09/12/12 70 29.92