

Technical Report for

Providence Engineering

Valero-CAMS, Baton Rouge, LA

712

Accutest Job Number: JA91999

Sampling Date: 11/08/11

Report to:

Providence Engineering


kevincalhoun@providenceeng.com

ATTN: Kevin Calhoun

Total number of pages in report: 10



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.


David N. Speis
VP, Laboratory Director

Client Service contact: Kristyn Morrison 732-329-0200

Certifications: NJ(12129), NY(10983), CA, CT, DE, FL, IL, IN, KS, KY, LA, MA, MD, MI, MT, NC, PA, RI, SC, TN, VA, WV

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Sample Results	4
2.1: JA91999-1: CAMS 014	5
Section 3: Misc. Forms	7
3.1: Chain of Custody	8
3.2: Summa Canister and Flow Controller Log	10



Sample Summary

Providence Engineering

Job No: JA91999

Valero-CAMS, Baton Rouge, LA
Project No: 712

Sample Number	Collected		Matrix			Client Sample ID
	Date	Time By	Received	Code	Type	
JA91999-1	11/08/11	13:00 KH	11/14/11	AIR	Ambient Air Grab	CAMS 014

Sample Results

Report of Analysis

Report of Analysis

Page 1 of 2

Client Sample ID:	CAMS 014	Date Sampled:	11/08/11
Lab Sample ID:	JA91999-1	Date Received:	11/14/11
Matrix:	AIR - Ambient Air Grab	Summa ID:	A1013
Method:	TO-15	Percent Solids:	n/a
Project:	Valero-CAMS, Baton Rouge, LA		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2W33284.D	1	11/23/11	YMH	n/a	n/a	V2W1403
Run #2							

Run #	Initial Volume
Run #1	400 ml
Run #2	

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
67-64-1	58.08	Acetone	6.4	0.20	0.036	ppbv		15	0.48	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	0.20	0.024	ppbv		ND	0.44	ug/m3
71-43-2	78.11	Benzene	0.31	0.20	0.046	ppbv		0.99	0.64	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	0.20	0.030	ppbv		ND	1.3	ug/m3
75-25-2	252.8	Bromoform	ND	0.20	0.037	ppbv		ND	2.1	ug/m3
74-83-9	94.94	Bromomethane	ND	0.20	0.037	ppbv		ND	0.78	ug/m3
593-60-2	106.9	Bromoethene	ND	0.20	0.037	ppbv		ND	0.87	ug/m3
100-44-7	126	Benzyl Chloride	ND	0.20	0.041	ppbv		ND	1.0	ug/m3
75-15-0	76.14	Carbon disulfide	0.52	0.20	0.032	ppbv		1.6	0.62	ug/m3
108-90-7	112.6	Chlorobenzene	ND	0.20	0.027	ppbv		ND	0.92	ug/m3
75-00-3	64.52	Chloroethane	ND	0.20	0.039	ppbv		ND	0.53	ug/m3
67-66-3	119.4	Chloroform	ND	0.20	0.028	ppbv		ND	0.98	ug/m3
74-87-3	50.49	Chloromethane	0.58	0.20	0.037	ppbv		1.2	0.41	ug/m3
107-05-1	76.53	3-Chloropropene	ND	0.20	0.041	ppbv		ND	0.63	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	0.20	0.031	ppbv		ND	1.0	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	0.20	0.040	ppbv		ND	1.3	ug/m3
110-82-7	84.16	Cyclohexane	ND	0.20	0.034	ppbv		ND	0.69	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.20	0.028	ppbv		ND	0.81	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	ND	0.20	0.046	ppbv		ND	0.79	ug/m3
106-93-4	187.9	1,2-Dibromoethane	ND	0.20	0.027	ppbv		ND	1.5	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	0.20	0.043	ppbv		ND	0.81	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	0.20	0.038	ppbv		ND	0.92	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	0.20	0.056	ppbv		ND	0.72	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	0.48	0.20	0.038	ppbv		2.4	0.99	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	0.20	0.027	ppbv		ND	1.7	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.20	0.033	ppbv		ND	0.79	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	ND	0.20	0.038	ppbv		ND	0.79	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.20	0.043	ppbv		ND	0.91	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	0.20	0.037	ppbv		ND	1.2	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.20	0.027	ppbv		ND	1.2	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	0.20	0.025	ppbv		ND	1.2	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.20	0.039	ppbv		ND	0.91	ug/m3

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID:	CAMS 014	Date Sampled:	11/08/11
Lab Sample ID:	JA91999-1	Date Received:	11/14/11
Matrix:	AIR - Ambient Air Grab	Summa ID:	A1013
Method:	TO-15	Percent Solids:	n/a
Project:	Valero-CAMS, Baton Rouge, LA		

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
64-17-5	46.07	Ethanol	7.6	0.50	0.095	ppbv		14	0.94	ug/m3
100-41-4	106.2	Ethylbenzene	ND	0.20	0.031	ppbv		ND	0.87	ug/m3
141-78-6	88	Ethyl Acetate	4.3	0.20	0.061	ppbv		15	0.72	ug/m3
622-96-8	120.2	4-Ethyltoluene	ND	0.20	0.024	ppbv		ND	0.98	ug/m3
76-13-1	187.4	Freon 113	ND	0.20	0.034	ppbv		ND	1.5	ug/m3
76-14-2	170.9	Freon 114	ND	0.20	0.031	ppbv		ND	1.4	ug/m3
142-82-5	100.2	Heptane	0.13	0.20	0.033	ppbv	J	0.53	0.82	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.20	0.046	ppbv		ND	2.1	ug/m3
110-54-3	86.17	Hexane	0.30	0.20	0.044	ppbv		1.1	0.70	ug/m3
591-78-6	100	2-Hexanone	ND	0.20	0.043	ppbv		ND	0.82	ug/m3
67-63-0	60.1	Isopropyl Alcohol	0.98	0.20	0.059	ppbv		2.4	0.49	ug/m3
75-09-2	84.94	Methylene chloride	0.42	0.20	0.027	ppbv		1.5	0.69	ug/m3
78-93-3	72.11	Methyl ethyl ketone	0.43	0.20	0.048	ppbv		1.3	0.59	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	0.21	0.20	0.036	ppbv		0.86	0.82	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.20	0.027	ppbv		ND	0.72	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.20	0.043	ppbv		ND	0.82	ug/m3
115-07-1	42	Propylene	ND	0.50	0.070	ppbv		ND	0.86	ug/m3
100-42-5	104.1	Styrene	0.17	0.20	0.027	ppbv	J	0.72	0.85	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.20	0.022	ppbv		ND	1.1	ug/m3
79-34-5	167.9	1,1,2,2-Tetrachloroethane	ND	0.20	0.030	ppbv		ND	1.4	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.20	0.030	ppbv		ND	1.1	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.20	0.051	ppbv		ND	1.5	ug/m3
95-63-6	120.2	1,2,4-Trimethylbenzene	ND	0.20	0.024	ppbv		ND	0.98	ug/m3
108-67-8	120.2	1,3,5-Trimethylbenzene	ND	0.20	0.028	ppbv		ND	0.98	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	0.11	0.20	0.028	ppbv	J	0.51	0.93	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	ND	0.20	0.032	ppbv		ND	0.61	ug/m3
127-18-4	165.8	Tetrachloroethylene	0.039	0.040	0.028	ppbv	J	0.26	0.27	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	0.20	0.047	ppbv		ND	0.59	ug/m3
108-88-3	92.14	Toluene	2.6	0.20	0.040	ppbv		9.8	0.75	ug/m3
79-01-6	131.4	Trichloroethylene	ND	0.040	0.033	ppbv		ND	0.21	ug/m3
75-69-4	137.4	Trichlorofluoromethane	0.29	0.20	0.042	ppbv		1.6	1.1	ug/m3
75-01-4	62.5	Vinyl chloride	ND	0.20	0.032	ppbv		ND	0.51	ug/m3
108-05-4	86	Vinyl Acetate	ND	0.20	0.057	ppbv		ND	0.70	ug/m3
	106.2	m,p-Xylene	0.22	0.20	0.031	ppbv		0.96	0.87	ug/m3
95-47-6	106.2	o-Xylene	ND	0.20	0.031	ppbv		ND	0.87	ug/m3
1330-20-7	106.2	Xylenes (total)	0.22	0.20	0.031	ppbv		0.96	0.87	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	90%		65-128%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody
- Summa Canister and Flow Controller Log

CHAIN OF CUSTODY

Air Sampling Field Data Sheet

2235 US Highway 130, Dayton, NJ 08810
Tel: 732.329.0200 Fax: 732.329.3499

FED-EX Tracking # 7955-4166-5268	Bottle Order Control #
Lab Quote #	Lab Job # JA91999

Client / Reporting Information		Project Name		Weather Parameters		Requested Analysis	
Company Name Providence Engr		Valero Refining		Temperature (Fahrenheit)			
Address 1201 Main Street		Street		Start: Maximum:			
City BR State LA Zip 70802		City Chalmette State LA		Stop: Minimum:			
Project Contact paul.hollis@providenceeng.com		Project # 712-		Atmospheric Pressure (inches of Hg)			
E-mail				Start: Maximum:			
Phone # 225 766 7400 Fax # 7440		Client Purchase Order #		Stop: Minimum:			
Sampler(s) Name(s) Karen Hudson				Other weather comment:			

Lab Sample #	Field ID / Point of Collection	Air Type				Sampling Equipment Info					Start Sampling Information					Stop Sampling Information				
		Indoor (I)	Soil Vap (SV)	Ambient (A)		Canister Serial #	Canister Size 6L or 1L	Flow Controller Serial #	Date	Time (24 hr clock)	Canister Pressure (Psi)	Interior Temp (F)	Sampler Init.	Date	Time (24 hr clock)	Canister Pressure (Psi)	Interior Temp (F)	Sampler Init.		
	CAMS 014-1	A				A1013	6L	-	11-7	13:00	0.01	75	KH	11-8	13:00	12.14	75	KH		

Turnaround Time (Business Days)		Data Deliverable Information		Signments / Remarks	
Standard - 15 Days	<input checked="" type="checkbox"/>	Approved By: _____		All N/DEP TO-15 is mandatory Full T1 Comm A Comm B Reduced T2 Full T1 Other: _____	
10 Day	<input type="checkbox"/>	Date: _____			
5 Day	<input type="checkbox"/>				
3 Day	<input type="checkbox"/>				
2 Day	<input type="checkbox"/>				
1 Day	<input type="checkbox"/>			Received at Baton Rouge Service Center	
Other	<input type="checkbox"/>				

Sample Custody must be documented below each time samples change possession, including courier delivery.					
Relinquished by Laboratory:	Date Time:	Received by:	Relinquished by:	Date Time:	Received by:
1		1	<i>[Signature]</i>	11-10-11 (1230)	2 <i>[Signature]</i>
Relinquished by:	Date Time:	Received by:	Relinquished by:	Date Time:	Received by:
3 <i>[Signature]</i>	11-10-11	3 1350 <i>[Signature]</i>	4 <i>[Signature]</i>	11-10-11	4 FEDEX
Relinquished by:	Date Time:	Received by:	Custody Seal #		
5 <i>[Signature]</i>	11-14-11	5 <i>[Signature]</i>			

31
3

10-15

Accutest Job Number JA91999

Client:

Date / Time Received: 11/14/2011

Project:

No. Coolers: 0

Airbill #'s:

Delivery Method:

<u>Cooler Security</u>	<u>Y or N</u>	<u>Y or N</u>
1. Custody Seals Present:	<input checked="" type="checkbox"/> <input type="checkbox"/>	3. COC Present: <input checked="" type="checkbox"/> <input type="checkbox"/>
2. Custody Seals Intact:	<input checked="" type="checkbox"/> <input type="checkbox"/>	4. Smpl Dates/Time OK <input checked="" type="checkbox"/> <input type="checkbox"/>

<u>Cooler Temperature</u>	<u>Y or N</u>
1. Temp criteria achieved:	<input checked="" type="checkbox"/> <input type="checkbox"/>
2. Cooler temp verification:	
3. Cooler media:	

<u>Quality Control Preservation</u>	<u>Y</u>	<u>or N</u>	<u>N/A</u>
1. Trip Blank present / cooler:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
2. Trip Blank listed on COC:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
3. Samples preserved properly:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4. VOCs headspace free:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

<u>Sample Integrity - Documentation</u>	<u>Y</u>	<u>or N</u>
1. Sample labels present on bottles:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. Container labeling complete:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3. Sample container label / COC agree:	<input checked="" type="checkbox"/>	<input type="checkbox"/>

<u>Sample Integrity - Condition</u>	<u>Y</u>	<u>or N</u>
1. Sample recvd within HT:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. All containers accounted for:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3. Condition of sample:		Intact

<u>Sample Integrity - Instructions</u>	<u>Y</u>	<u>or N</u>	<u>N/A</u>
1. Analysis requested is clear:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2. Bottles received for unspecified tests:	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
3. Sufficient volume recvd for analysis:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4. Compositing instructions clear:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5. Filtering instructions clear:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Comments

Summa Canister and Flow Controller Log

Job Number: JA91999
Account: PROVLABR Providence Engineering
Project: Valero-CAMS, Baton Rouge, LA
Received: 11/14/11

32
3

SUMMA CANISTERS													
Shipping							Receiving						
Summa ID	Vac L	Date " Hg	Date Out	By	SCC Batch	SCC FileID	Sample Number	Date In	By	Vac " Hg	Pres psig	Final psig	Dil Fact
A1013	6	29.4	10/18/11	FZ	CP5042	W33804.D	JA91999-1	11/16/11	HT	5			1

Accutest Bottle Order(s):
 KM-10/18/2011-8

Prep Date **Room Temp(F)** **Bar Pres "Hg**
 10/18/11 70 29.92