

Technical Report for

Providence Engineering

Valero-CAMS, Baton Rouge, LA

712-001

SGS Accutest Job Number: JC33759

Sampling Date: 12/13/16

Report to:

Providence Engineering

kevincalhoun@providenceeng.com

ATTN: Kevin Calhoun

Total number of pages in report: 10



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

Nancy Cole
Laboratory Director

Client Service contact: Victoria Pushkova 732-329-0200

Certifications: NJ(12129), NY(10983), CA, CT, FL, IL, IN, KS, KY, LA, MA, MD, ME, MN, NC, OH VAP (CL0056), AK (UST-103), AZ (AZ0786), PA, RI, SC, TX, UT, VA, WV, DoD ELAP (L-A-B L2248)

This report shall not be reproduced, except in its entirety, without the written approval of SGS Accutest.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Sample Results	4
2.1: JC33759-1: CAMS 324	5
Section 3: Misc. Forms	7
3.1: Chain of Custody	8
3.2: Summa Canister and Flow Controller Log	10

1

2

3



Sample Summary

Providence Engineering

Job No: JC33759

Valero-CAMS, Baton Rouge, LA
Project No: 712-001

Sample Number	Collected		Received	Matrix		Client Sample ID
	Date	Time By		Code	Type	
JC33759-1	12/13/16	13:00 RH	12/15/16	AIR	Ambient Air Comp.	CAMS 324

Sample Results

Report of Analysis

Report of Analysis

Page 1 of 2

Client Sample ID:	CAMS 324	Date Sampled:	12/13/16
Lab Sample ID:	JC33759-1	Date Received:	12/15/16
Matrix:	AIR - Ambient Air Comp. Summa ID: A1021	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero-CAMS, Baton Rouge, LA		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3W57653.D	1	12/28/16	TCH	n/a	n/a	V3W2184
Run #2							

Run #	Initial Volume
Run #1	400 ml
Run #2	

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone	9.1	0.20	0.036	ppbv		22	0.48	0.086	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	0.20	0.028	ppbv		ND	0.44	0.062	ug/m3
71-43-2	78.11	Benzene	0.11	0.20	0.031	ppbv	J	0.35	0.64	0.099	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	0.20	0.039	ppbv		ND	1.3	0.26	ug/m3
75-25-2	252.8	Bromoform	ND	0.20	0.016	ppbv		ND	2.1	0.17	ug/m3
74-83-9	94.94	Bromomethane	ND	0.20	0.018	ppbv		ND	0.78	0.070	ug/m3
593-60-2	106.9	Bromoethene	ND	0.20	0.018	ppbv		ND	0.87	0.079	ug/m3
100-44-7	126	Benzyl Chloride	ND	0.20	0.027	ppbv		ND	1.0	0.14	ug/m3
75-15-0	76.14	Carbon disulfide	ND	0.20	0.031	ppbv		ND	0.62	0.097	ug/m3
108-90-7	112.6	Chlorobenzene	ND	0.20	0.056	ppbv		ND	0.92	0.26	ug/m3
75-00-3	64.52	Chloroethane	ND	0.20	0.036	ppbv		ND	0.53	0.095	ug/m3
67-66-3	119.4	Chloroform	ND	0.20	0.017	ppbv		ND	0.98	0.083	ug/m3
74-87-3	50.49	Chloromethane	0.67	0.20	0.052	ppbv		1.4	0.41	0.11	ug/m3
107-05-1	76.53	3-Chloropropene	ND	0.20	0.027	ppbv		ND	0.63	0.085	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	0.20	0.017	ppbv		ND	1.0	0.088	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	0.20	0.031	ppbv		ND	1.3	0.20	ug/m3
110-82-7	84.16	Cyclohexane	ND	0.20	0.016	ppbv		ND	0.69	0.055	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.20	0.015	ppbv		ND	0.81	0.061	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	ND	0.20	0.021	ppbv		ND	0.79	0.083	ug/m3
106-93-4	187.9	1,2-Dibromoethane	ND	0.20	0.042	ppbv		ND	1.5	0.32	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	0.20	0.018	ppbv		ND	0.81	0.073	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	0.20	0.022	ppbv		ND	0.92	0.10	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	0.20	0.045	ppbv		ND	0.72	0.16	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	0.39	0.20	0.019	ppbv		1.9	0.99	0.094	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	0.20	0.053	ppbv		ND	1.7	0.45	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.20	0.028	ppbv		ND	0.79	0.11	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	ND	0.20	0.021	ppbv		ND	0.79	0.083	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.20	0.015	ppbv		ND	0.91	0.068	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	0.20	0.020	ppbv		ND	1.2	0.12	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.20	0.016	ppbv		ND	1.2	0.096	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	0.20	0.027	ppbv		ND	1.2	0.16	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.20	0.018	ppbv		ND	0.91	0.082	ug/m3

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: CAMS 324		
Lab Sample ID: JC33759-1		Date Sampled: 12/13/16
Matrix: AIR - Ambient Air Comp.	Summa ID: A1021	Date Received: 12/15/16
Method: TO-15		Percent Solids: n/a
Project: Valero-CAMS, Baton Rouge, LA		

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	1.0	0.50	0.075	ppbv		1.9	0.94	0.14	ug/m3
100-41-4	106.2	Ethylbenzene	ND	0.20	0.042	ppbv		ND	0.87	0.18	ug/m3
141-78-6	88	Ethyl Acetate	ND	0.20	0.075	ppbv		ND	0.72	0.27	ug/m3
622-96-8	120.2	4-Ethyltoluene	ND	0.20	0.017	ppbv		ND	0.98	0.084	ug/m3
76-13-1	187.4	Freon 113	ND	0.20	0.021	ppbv		ND	1.5	0.16	ug/m3
76-14-2	170.9	Freon 114	ND	0.20	0.031	ppbv		ND	1.4	0.22	ug/m3
142-82-5	100.2	Heptane	ND	0.20	0.020	ppbv		ND	0.82	0.082	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.20	0.020	ppbv		ND	2.1	0.21	ug/m3
110-54-3	86.17	Hexane	0.23	0.20	0.023	ppbv		0.81	0.70	0.081	ug/m3
591-78-6	100	2-Hexanone	ND	0.20	0.045	ppbv		ND	0.82	0.18	ug/m3
67-63-0	60.1	Isopropyl Alcohol	0.18	0.20	0.16	ppbv	J	0.44	0.49	0.39	ug/m3
75-09-2	84.94	Methylene chloride	0.20	0.20	0.025	ppbv		0.69	0.69	0.087	ug/m3
78-93-3	72.11	Methyl ethyl ketone	0.56	0.20	0.048	ppbv		1.7	0.59	0.14	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	ND	0.20	0.055	ppbv		ND	0.82	0.23	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.20	0.020	ppbv		ND	0.72	0.072	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.20	0.040	ppbv		ND	0.82	0.16	ug/m3
115-07-1	42	Propylene	0.73	0.50	0.032	ppbv		1.3	0.86	0.055	ug/m3
100-42-5	104.1	Styrene	0.13	0.20	0.015	ppbv	J	0.55	0.85	0.064	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.20	0.024	ppbv		ND	1.1	0.13	ug/m3
79-34-5	167.9	1,1,2,2-Tetrachloroethane	ND	0.20	0.016	ppbv		ND	1.4	0.11	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.20	0.039	ppbv		ND	1.1	0.21	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.20	0.056	ppbv		ND	1.5	0.42	ug/m3
95-63-6	120.2	1,2,4-Trimethylbenzene	ND	0.20	0.015	ppbv		ND	0.98	0.074	ug/m3
108-67-8	120.2	1,3,5-Trimethylbenzene	ND	0.20	0.045	ppbv		ND	0.98	0.22	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	ND	0.20	0.023	ppbv		ND	0.93	0.11	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	ND	0.20	0.053	ppbv		ND	0.61	0.16	ug/m3
127-18-4	165.8	Tetrachloroethylene	ND	0.040	0.023	ppbv		ND	0.27	0.16	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	0.20	0.045	ppbv		ND	0.59	0.13	ug/m3
108-88-3	92.14	Toluene	0.16	0.20	0.012	ppbv	J	0.60	0.75	0.045	ug/m3
79-01-6	131.4	Trichloroethylene	ND	0.040	0.019	ppbv		ND	0.21	0.10	ug/m3
75-69-4	137.4	Trichlorofluoromethane	0.21	0.20	0.022	ppbv		1.2	1.1	0.12	ug/m3
75-01-4	62.5	Vinyl chloride	ND	0.20	0.021	ppbv		ND	0.51	0.054	ug/m3
108-05-4	86	Vinyl Acetate	ND	0.20	0.054	ppbv		ND	0.70	0.19	ug/m3
	106.2	m,p-Xylene	0.17	0.20	0.068	ppbv	J	0.74	0.87	0.30	ug/m3
95-47-6	106.2	o-Xylene	ND	0.20	0.051	ppbv		ND	0.87	0.22	ug/m3
1330-20-7	106.2	Xylenes (total)	0.17	0.20	0.051	ppbv	J	0.74	0.87	0.22	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	100%		65-128%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody
- Summa Canister and Flow Controller Log



CHAIN OF CUSTODY

Air Sampling Field Data Sheet

FED-EX Tracking #
0180 9739 5450

Bottle Order Control #

PAGE 1 OF 7

Lab Quote #

Lab Job #

7E33759

Company Name Providence Engr		Client / Reporting Information				Project Name Valero Refining				Weather Parameters				Requested Analyt		
Address 1201 Main St		City Bir		State LA		Zip 70802		Street		City Meroux		State LA		Standard TO-15 Reporting List		
Project Contact Paul Hollis @ providence engr.com		Phone # 225-766-7400		Fax # -7440		Project # 712-001		Client Purchase Order #		Temperature (Fahrenheit)		Atmospheric Pressure (inches of Hg)				
Sampler(s) Name(s) K Hudson		Indoor(I) Soil Vap(SV) Ambient(A)		Canister Serial # A1021		Canister Size 6L or 1L 6LC537		Flow Controller Serial #		Start Sampling Information		Stop Sampling Information				
Lab Sample # 1		Field ID / Point of Collection Cams 324		Date 12-12		Time (24hr clock) 1300		Canister Pressure ("Hg) 30		Interior Temp (F) 75		Sampler Init. KH			Date 12-13	
															Time (24hr clock) 1300	
														Canister Pressure ("Hg) 5		
														Interior Temp (F) 75		
														Sampler Init. KH		
														Date 12-13		
														Time (24hr clock)		
														Canister Pressure ("Hg)		
														Interior Temp (F)		
														Sampler Init.		
														Date		
														Time (24hr clock)		
														Canister Pressure ("Hg)		
														Interior Temp (F)		
														Sampler Init.		
														Date		
														Time (24hr clock)		
														Canister Pressure ("Hg)		
														Interior Temp (F)		
														Sampler Init.		
														Date		
														Time (24hr clock)		
														Canister Pressure ("Hg)		
														Interior Temp (F)		
														Sampler Init.		
														Date		
														Time (24hr clock)		
														Canister Pressure ("Hg)		
														Interior Temp (F)		
														Sampler Init.		
														Date		
														Time (24hr clock)		
														Canister Pressure ("Hg)		
														Interior Temp (F)		
														Sampler Init.		
														Date		
														Time (24hr clock)		
														Canister Pressure ("Hg)		
														Interior Temp (F)		
														Sampler Init.		
														Date		
														Time (24hr clock)		
														Canister Pressure ("Hg)		
														Interior Temp (F)		
														Sampler Init.		
														Date		
														Time (24hr clock)		
														Canister Pressure ("Hg)		
														Interior Temp (F)		
														Sampler Init.		
														Date		
														Time (24hr clock)		
														Canister Pressure ("Hg)		
														Interior Temp (F)		
														Sampler Init.		
														Date		
														Time (24hr clock)		
														Canister Pressure ("Hg)		
														Interior Temp (F)		
														Sampler Init.		
														Date		
														Time (24hr clock)		
														Canister Pressure ("Hg)		
														Interior Temp (F)		
														Sampler Init.		
														Date		
														Time (24hr clock)		
														Canister Pressure ("Hg)		
														Interior Temp (F)		
														Sampler Init.		
														Date		
														Time (24hr clock)		
														Canister Pressure ("Hg)		
														Interior Temp (F)		
														Sampler Init.		
														Date		
														Time (24hr clock)		
														Canister Pressure ("Hg)		
														Interior Temp (F)		
														Sampler Init.		
														Date		
														Time (24hr clock)		
														Canister Pressure ("Hg)		
														Interior Temp (F)		
														Sampler Init.		
														Date		
														Time (24hr clock)		
														Canister Pressure ("Hg)		
														Interior Temp (F)		
														Sampler Init.		
														Date		
														Time (24hr clock)		
														Canister Pressure ("Hg)		
														Interior Temp (F)		
														Sampler Init.		
														Date		
														Time (24hr clock)		
														Canister Pressure ("Hg)		
														Interior Temp (F)		
														Sampler Init.		
														Date		
														Time (24hr clock)		
														Canister Pressure ("Hg)		
														Interior Temp (F)		
														Sampler Init.		
														Date		
														Time (24hr clock)		
														Canister Pressure ("Hg)		
														Interior Temp (F)		
														Sampler Init.		
														Date		
														Time (24hr clock)		
														Canister Pressure ("Hg)		
														Interior Temp (F)		
														Sampler Init.		
														Date		
														Time (24hr clock)		
														Canister Pressure ("Hg)		
														Interior Temp (F)		
														Sampler Init.		
														Date		
														Time (24hr clock)		
														Canister Pressure ("Hg)		
														Interior Temp (F)		
														Sampler Init.		
														Date		
														Time (24hr clock)		
														Canister Pressure ("Hg)		
														Interior Temp (F)		
														Sampler Init.		
														Date		
														Time (24hr clock)		
														Canister Pressure ("Hg)		
														Interior Temp (F)		
														Sampler Init.		
														Date		
														Time (24hr clock)		
														Canister Pressure ("Hg)		
														Interior Temp (F)		
														Sampler Init.		
														Date		
														Time (24hr clock)		
														Canister Pressure ("Hg)		
														Interior Temp (F)		
														Sampler Init.		
														Date		
														Time (24hr clock)		
														Canister Pressure ("Hg)		
														Interior Temp (F)		
</																

SGS Accutest Sample Receipt Summary

Job Number: JC33759

Client: _____

Project: _____

Date / Time Received: 12/15/2016 10:00:00 AM

Delivery Method: _____

Airbill #s: _____

Cooler Temps (Raw Measured) °C:

Cooler Temps (Corrected) °C:

Cooler Security

Y or N

Y or N

- | | | | | | |
|---------------------------|-------------------------------------|--------------------------|-----------------------|-------------------------------------|--------------------------|
| 1. Custody Seals Present: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 3. COC Present: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Custody Seals Intact: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 4. Smpl Dates/Time OK | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

Cooler Temperature

Y or N

- | | | |
|------------------------------|--------------------------|--------------------------|
| 1. Temp criteria achieved: | <input type="checkbox"/> | <input type="checkbox"/> |
| 2. Cooler temp verification: | _____ N/A _____ | |
| 3. Cooler media: | _____ N/A _____ | |
| 4. No. Coolers: | _____ N/A _____ | |

Quality Control Preservation

Y or N

N/A

- | | | | |
|---------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| 1. Trip Blank present / cooler: | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Trip Blank listed on COC: | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 3. Samples preserved properly: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4. VOCs headspace free: | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

Sample Integrity - Documentation

Y or N

- | | | |
|--|-------------------------------------|--------------------------|
| 1. Sample labels present on bottles: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Container labeling complete: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 3. Sample container label / COC agree: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

Sample Integrity - Condition

Y or N

- | | | |
|----------------------------------|-------------------------------------|--------------------------|
| 1. Sample recvd within HT: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. All containers accounted for: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 3. Condition of sample: | _____ Intact _____ | |

Sample Integrity - Instructions

Y or N

N/A

- | | | | |
|---|-------------------------------------|-------------------------------------|-------------------------------------|
| 1. Analysis requested is clear: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 2. Bottles received for unspecified tests | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 3. Sufficient volume recvd for analysis: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4. Compositing instructions clear: | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 5. Filtering instructions clear: | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

Comments

SM089-02
Rev. Date 12/1/16

Summa Canister and Flow Controller Log

Job Number: JC33759
Account: PROVLABR Providence Engineering
Project: Valero-CAMS, Baton Rouge, LA
Received: 12/15/16

32
3

SUMMA CANISTERS													
Shipping							Receiving						
Summa ID	Vac L	Date " Hg	Date Out	By	SCC Batch	SCC FileID	Sample Number	Date In	By	Vac " Hg	Pres psig	Final psig	Dil Fact
A1021	6	29.4	11/28/16	PC	CP8837	5W21268A	DJC33759-1	12/15/16	RD	5.5			1

SGS Accutest Bottle Order(s):
 VP-11/28/2016-897

Prep Date	Room Temp(F)	Bar Pres "Hg
11/28/16	70	29.92