

Technical Report for

Providence Engineering

Valero-CAMS, Baton Rouge, LA

712-001

Accutest Job Number: JB25507

Sampling Date: 12/24/12

Report to:

Providence Engineering

kevincalhoun@providenceeng.com

ATTN: Kevin Calhoun

Total number of pages in report: **10**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.



Nancy Cole
Laboratory Director

Client Service contact: Victoria Pushkova 732-329-0200

Certifications: NJ(12129), NY(10983), CA, CT, DE, FL, IL, IN, KS, KY, LA, MA, MD, MI, MT, NC, OH VAP (CL0056), PA, RI, SC, TN, VA, WV

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Sample Results	4
2.1: JB25507-1: CAMS 082	5
Section 3: Misc. Forms	7
3.1: Chain of Custody	8
3.2: Summa Canister and Flow Controller Log	10



Sample Summary

Providence Engineering

Job No: JB25507

**Valero-CAMS, Baton Rouge, LA
Project No: 712-001**

Sample Number	Collected		Received	Matrix		Client Sample ID
	Date	Time By		Code	Type	
JB25507-1	12/24/12	13:00 KH	01/04/13	AIR	Ambient Air Grab	CAMS 082

Sample Results

Report of Analysis

Report of Analysis

Client Sample ID:	CAMS 082	Date Sampled:	12/24/12
Lab Sample ID:	JB25507-1	Date Received:	01/04/13
Matrix:	AIR - Ambient Air Grab Summa ID: A233	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero-CAMS, Baton Rouge, LA		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	W39775.D	1	01/07/13	YMH	n/a	n/a	VW1606
Run #2							

Run #	Initial Volume
Run #1	400 ml
Run #2	

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone	12.2	0.20	0.069	ppbv		29.0	0.48	0.16	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	0.20	0.026	ppbv		ND	0.44	0.058	ug/m3
71-43-2	78.11	Benzene	0.32	0.20	0.029	ppbv		1.0	0.64	0.093	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	0.20	0.031	ppbv		ND	1.3	0.21	ug/m3
75-25-2	252.8	Bromoform	ND	0.20	0.029	ppbv		ND	2.1	0.30	ug/m3
74-83-9	94.94	Bromomethane	ND	0.20	0.024	ppbv		ND	0.78	0.093	ug/m3
593-60-2	106.9	Bromoethene	ND	0.20	0.027	ppbv		ND	0.87	0.12	ug/m3
100-44-7	126	Benzyl Chloride	ND	0.20	0.048	ppbv		ND	1.0	0.25	ug/m3
75-15-0	76.14	Carbon disulfide	0.22	0.20	0.024	ppbv		0.69	0.62	0.075	ug/m3
108-90-7	112.6	Chlorobenzene	ND	0.20	0.040	ppbv		ND	0.92	0.18	ug/m3
75-00-3	64.52	Chloroethane	ND	0.20	0.035	ppbv		ND	0.53	0.092	ug/m3
67-66-3	119.4	Chloroform	ND	0.20	0.026	ppbv		ND	0.98	0.13	ug/m3
74-87-3	50.49	Chloromethane	0.86	0.20	0.055	ppbv		1.8	0.41	0.11	ug/m3
107-05-1	76.53	3-Chloropropene	ND	0.20	0.035	ppbv		ND	0.63	0.11	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	0.20	0.031	ppbv		ND	1.0	0.16	ug/m3
56-23-5	153.8	Carbon tetrachloride	0.11	0.20	0.020	ppbv	J	0.69	1.3	0.13	ug/m3
110-82-7	84.16	Cyclohexane	ND	0.20	0.050	ppbv		ND	0.69	0.17	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.20	0.019	ppbv		ND	0.81	0.077	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	ND	0.20	0.023	ppbv		ND	0.79	0.091	ug/m3
106-93-4	187.9	1,2-Dibromoethane	ND	0.20	0.029	ppbv		ND	1.5	0.22	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	0.20	0.027	ppbv		ND	0.81	0.11	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	0.20	0.034	ppbv		ND	0.92	0.16	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	0.20	0.12	ppbv		ND	0.72	0.43	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	0.57	0.20	0.024	ppbv		2.8	0.99	0.12	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	0.20	0.035	ppbv		ND	1.7	0.30	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.20	0.027	ppbv		ND	0.79	0.11	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	ND	0.20	0.025	ppbv		ND	0.79	0.099	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.20	0.033	ppbv		ND	0.91	0.15	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	0.20	0.028	ppbv		ND	1.2	0.17	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.20	0.039	ppbv		ND	1.2	0.23	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	0.20	0.060	ppbv		ND	1.2	0.36	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.20	0.024	ppbv		ND	0.91	0.11	ug/m3

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	CAMS 082	Date Sampled:	12/24/12
Lab Sample ID:	JB25507-1	Date Received:	01/04/13
Matrix:	AIR - Ambient Air Grab Summa ID: A233	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero-CAMS, Baton Rouge, LA		

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	5.3	0.50	0.17	ppbv		10	0.94	0.32	ug/m3
100-41-4	106.2	Ethylbenzene	ND	0.20	0.029	ppbv		ND	0.87	0.13	ug/m3
141-78-6	88	Ethyl Acetate	0.55	0.20	0.13	ppbv		2.0	0.72	0.47	ug/m3
622-96-8	120.2	4-Ethyltoluene	ND	0.20	0.028	ppbv		ND	0.98	0.14	ug/m3
76-13-1	187.4	Freon 113	ND	0.20	0.028	ppbv		ND	1.5	0.21	ug/m3
76-14-2	170.9	Freon 114	ND	0.20	0.023	ppbv		ND	1.4	0.16	ug/m3
142-82-5	100.2	Heptane	0.17	0.20	0.028	ppbv	J	0.70	0.82	0.11	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.20	0.030	ppbv		ND	2.1	0.32	ug/m3
110-54-3	86.17	Hexane	0.38	0.20	0.050	ppbv		1.3	0.70	0.18	ug/m3
591-78-6	100	2-Hexanone	ND	0.20	0.051	ppbv		ND	0.82	0.21	ug/m3
67-63-0	60.1	Isopropyl Alcohol	0.72	0.20	0.065	ppbv		1.8	0.49	0.16	ug/m3
75-09-2	84.94	Methylene chloride	0.23	0.20	0.055	ppbv		0.80	0.69	0.19	ug/m3
78-93-3	72.11	Methyl ethyl ketone	15.6	0.20	0.042	ppbv		46.0	0.59	0.12	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	0.17	0.20	0.084	ppbv	J	0.70	0.82	0.34	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.20	0.045	ppbv		ND	0.72	0.16	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.20	0.038	ppbv		ND	0.82	0.16	ug/m3
115-07-1	42	Propylene	ND	0.50	0.034	ppbv		ND	0.86	0.058	ug/m3
100-42-5	104.1	Styrene	ND	0.20	0.025	ppbv		ND	0.85	0.11	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.20	0.024	ppbv		ND	1.1	0.13	ug/m3
79-34-5	167.9	1,1,2,2-Tetrachloroethane	ND	0.20	0.034	ppbv		ND	1.4	0.23	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.20	0.035	ppbv		ND	1.1	0.19	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.20	0.095	ppbv		ND	1.5	0.71	ug/m3
95-63-6	120.2	1,2,4-Trimethylbenzene	ND	0.20	0.029	ppbv		ND	0.98	0.14	ug/m3
108-67-8	120.2	1,3,5-Trimethylbenzene	ND	0.20	0.044	ppbv		ND	0.98	0.22	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	0.23	0.20	0.031	ppbv		1.1	0.93	0.14	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	0.46	0.20	0.049	ppbv		1.4	0.61	0.15	ug/m3
127-18-4	165.8	Tetrachloroethylene	ND	0.040	0.024	ppbv		ND	0.27	0.16	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	0.20	0.074	ppbv		ND	0.59	0.22	ug/m3
108-88-3	92.14	Toluene	0.73	0.20	0.032	ppbv		2.8	0.75	0.12	ug/m3
79-01-6	131.4	Trichloroethylene	ND	0.040	0.036	ppbv		ND	0.21	0.19	ug/m3
75-69-4	137.4	Trichlorofluoromethane	0.33	0.20	0.028	ppbv		1.9	1.1	0.16	ug/m3
75-01-4	62.5	Vinyl chloride	ND	0.20	0.022	ppbv		ND	0.51	0.056	ug/m3
108-05-4	86	Vinyl Acetate	ND	0.20	0.054	ppbv		ND	0.70	0.19	ug/m3
	106.2	m,p-Xylene	0.27	0.20	0.058	ppbv		1.2	0.87	0.25	ug/m3
95-47-6	106.2	o-Xylene	0.098	0.20	0.037	ppbv	J	0.43	0.87	0.16	ug/m3
1330-20-7	106.2	Xylenes (total)	0.37	0.20	0.037	ppbv		1.6	0.87	0.16	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	96%		65-128%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody
- Summa Canister and Flow Controller Log

Air

CHAIN OF CUSTODY

Air Sampling Field Data Sheet



2235 US Highway 130, Dayton, NJ 08810
V: 732.329.0200 F: 732.329.3499 www.accutest.com

FED-EX Tracking # 79554926 9149
Lab Order #

Bottle Order Control #
Lab Job # JB25507

PAGE 1 OF 1

Client/Reporting Information		Project Information		Weather Parameters		Requested Analysis	
Company Name Providence Engr		Project Name Valero Refining		Temperature (Fahrenheit)		Start: _____ Maximum: _____ Stop: _____ Minimum: _____ Atmospheric Pressure (inches of Hg) Start: _____ Maximum: _____ Stop: _____ Minimum: _____ Other weather comment: _____	
Address 1201 Main St		Street					
City BR State CA Zip 70802		City Meroux State CA					
Project Contact Paul Hollis @ providenceeng.com		Project # 712-001					
Phone # (225) 766-7400 Fax # - 7440		Client Purchase Order #					
Sampler(s) Name(s) Karen Hudson							

Lab Sample #	Field ID / Point of Collection	Air Type			Sampling Equipment Info					Start Sampling Information					Stop Sampling Information				
		Indoor(I) Soil Vap(SV) Ambient(A)	Canister Serial #	Canister Size 6L or 1L	Flow Controller Serial #	Date	Time (24hr clock)	Canister Pressure ("Hg)	Interior Temp (F)	Sampler Init.	Date	Time (24hr clock)	Canister Pressure ("Hg)	Interior Temp (F)	Sampler Init.				
1	CAMS 082	A	A233	6L	-	12-23	1300	0.05	75	KH	12-24	1300	11.75	75	KH				

Turnaround Time (Business days)		Data Deliverable Information		Comments / Remarks	
Standard - 15 Days	<input checked="" type="checkbox"/>	Approved By: _____	All NJDEP TO-15 is mandatory Full T1	SOMMA	
10 Day	<input type="checkbox"/>	Date: _____	Comm A		
5 Day	<input type="checkbox"/>		Comm B		
3 Day	<input type="checkbox"/>		Reduced T2		
2 Day	<input type="checkbox"/>		Full T1		
1 Day	<input type="checkbox"/>		Other: _____		
Other	<input type="checkbox"/>				

Sample Custody must be documented below each time samples change possession, including courier delivery.

Relinquished by Laboratory:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1		<i>[Signature]</i>	<i>[Signature]</i>	11/3/13 12:05	2 <i>[Signature]</i>
Relinquished by:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
3 <i>[Signature]</i>		<i>[Signature]</i>	4 <i>[Signature]</i>	1/4/13 1000	4 <i>[Signature]</i>
Relinquished by:	Date Time:	Received By:	Custody Seal #		
5					

JB25507: Chain of Custody

Page 1 of 2

Summa Canister and Flow Controller Log

Job Number: JB25507
Account: PROVLABR Providence Engineering
Project: Valero-CAMS, Baton Rouge, LA
Received: 01/04/13

32
3

SUMMA CANISTERS													
Shipping							Receiving						
Summa ID	L	Vac " Hg	Date Out	By	SCC Batch	SCC FileID	Sample Number	Date In	By	Vac " Hg	Pres psig	Final psig	Dil Fact
A233	6	29.4	12/03/12	HT	CP5824	2W36619.D	JB25507-1	01/04/13	RC	7			1

Accutest Bottle Order(s):
 VP-12/3/2012-28

Prep Date **Room Temp(F)** **Bar Pres "Hg**
 12/03/12 70 29.92