

## Technical Report for

### Providence Engineering

Valero-CAMS, Baton Rouge, LA

712-001

Accutest Job Number: JB33407

Sampling Date: 03/30/13

#### Report to:

Providence Engineering

kevincalhoun@providenceeng.com

ATTN: Kevin Calhoun

Total number of pages in report: **10**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.



**Nancy Cole**  
Laboratory Director

**Client Service contact: Victoria Pushkova 732-329-0200**

Certifications: NJ(12129), NY(10983), CA, CT, DE, FL, IL, IN, KS, KY, LA, MA, MD, MI, MT, NC, OH VAP (CL0056), PA, RI, SC, TN, VA, WV

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.  
Test results relate only to samples analyzed.

# Table of Contents

-1-

<b>Section 1: Sample Summary</b> .....	<b>3</b>
<b>Section 2: Sample Results</b> .....	<b>4</b>
<b>2.1: JB33407-1: CAMS 098</b> .....	<b>5</b>
<b>Section 3: Misc. Forms</b> .....	<b>7</b>
<b>3.1: Chain of Custody</b> .....	<b>8</b>
<b>3.2: Summa Canister and Flow Controller Log</b> .....	<b>10</b>



## Sample Summary

**Providence Engineering**

**Job No: JB33407**

**Valero-CAMS, Baton Rouge, LA**

**Project No: 712-001**

Sample Number	Collected		Received	Matrix		Client Sample ID
	Date	Time By		Code	Type	
JB33407-1	03/30/13	13:00 KH	04/05/13	AIR	Ambient Air Grab	CAMS 098

**Sample Results**

---

**Report of Analysis**

---

## Report of Analysis

Client Sample ID:	CAMS 098	Date Sampled:	03/30/13
Lab Sample ID:	JB33407-1	Date Received:	04/05/13
Matrix:	AIR - Ambient Air Grab Summa ID: A335	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero-CAMS, Baton Rouge, LA		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3W33232.D	1	04/16/13	YMH	n/a	n/a	V3W1287
Run #2							

Run #	Initial Volume
Run #1	400 ml
Run #2	

## VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone	5.1	0.20	0.069	ppbv		12	0.48	0.16	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	0.20	0.026	ppbv		ND	0.44	0.058	ug/m3
71-43-2	78.11	Benzene	0.50	0.20	0.029	ppbv		1.6	0.64	0.093	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	0.20	0.031	ppbv		ND	1.3	0.21	ug/m3
75-25-2	252.8	Bromoform	ND	0.20	0.029	ppbv		ND	2.1	0.30	ug/m3
74-83-9	94.94	Bromomethane	ND	0.20	0.024	ppbv		ND	0.78	0.093	ug/m3
593-60-2	106.9	Bromoethene	ND	0.20	0.027	ppbv		ND	0.87	0.12	ug/m3
100-44-7	126	Benzyl Chloride	ND	0.20	0.048	ppbv		ND	1.0	0.25	ug/m3
75-15-0	76.14	Carbon disulfide	0.23	0.20	0.024	ppbv		0.72	0.62	0.075	ug/m3
108-90-7	112.6	Chlorobenzene	ND	0.20	0.040	ppbv		ND	0.92	0.18	ug/m3
75-00-3	64.52	Chloroethane	ND	0.20	0.035	ppbv		ND	0.53	0.092	ug/m3
67-66-3	119.4	Chloroform	ND	0.20	0.026	ppbv		ND	0.98	0.13	ug/m3
74-87-3	50.49	Chloromethane	0.61	0.20	0.055	ppbv		1.3	0.41	0.11	ug/m3
107-05-1	76.53	3-Chloropropene	ND	0.20	0.035	ppbv		ND	0.63	0.11	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	0.20	0.031	ppbv		ND	1.0	0.16	ug/m3
56-23-5	153.8	Carbon tetrachloride	0.095	0.20	0.020	ppbv	J	0.60	1.3	0.13	ug/m3
110-82-7	84.16	Cyclohexane	0.40	0.20	0.050	ppbv		1.4	0.69	0.17	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.20	0.019	ppbv		ND	0.81	0.077	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	ND	0.20	0.023	ppbv		ND	0.79	0.091	ug/m3
106-93-4	187.9	1,2-Dibromoethane	ND	0.20	0.029	ppbv		ND	1.5	0.22	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	0.20	0.027	ppbv		ND	0.81	0.11	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	0.20	0.034	ppbv		ND	0.92	0.16	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	0.20	0.12	ppbv		ND	0.72	0.43	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	0.64	0.20	0.024	ppbv		3.2	0.99	0.12	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	0.20	0.035	ppbv		ND	1.7	0.30	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.20	0.027	ppbv		ND	0.79	0.11	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	ND	0.20	0.025	ppbv		ND	0.79	0.099	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.20	0.033	ppbv		ND	0.91	0.15	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	0.20	0.028	ppbv		ND	1.2	0.17	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.20	0.039	ppbv		ND	1.2	0.23	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	0.20	0.060	ppbv		ND	1.2	0.36	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.20	0.024	ppbv		ND	0.91	0.11	ug/m3

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

Client Sample ID:	CAMS 098	Date Sampled:	03/30/13
Lab Sample ID:	JB33407-1	Date Received:	04/05/13
Matrix:	AIR - Ambient Air Grab Summa ID: A335	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero-CAMS, Baton Rouge, LA		

## VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	5.7	0.50	0.17	ppbv		11	0.94	0.32	ug/m3
100-41-4	106.2	Ethylbenzene	0.19	0.20	0.029	ppbv	J	0.83	0.87	0.13	ug/m3
141-78-6	88	Ethyl Acetate	0.34	0.20	0.13	ppbv		1.2	0.72	0.47	ug/m3
622-96-8	120.2	4-Ethyltoluene	ND	0.20	0.028	ppbv		ND	0.98	0.14	ug/m3
76-13-1	187.4	Freon 113	ND	0.20	0.028	ppbv		ND	1.5	0.21	ug/m3
76-14-2	170.9	Freon 114	ND	0.20	0.023	ppbv		ND	1.4	0.16	ug/m3
142-82-5	100.2	Heptane	0.70	0.20	0.028	ppbv		2.9	0.82	0.11	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.20	0.030	ppbv		ND	2.1	0.32	ug/m3
110-54-3	86.17	Hexane	1.9	0.20	0.050	ppbv		6.7	0.70	0.18	ug/m3
591-78-6	100	2-Hexanone	ND	0.20	0.051	ppbv		ND	0.82	0.21	ug/m3
67-63-0	60.1	Isopropyl Alcohol	0.64	0.20	0.065	ppbv		1.6	0.49	0.16	ug/m3
75-09-2	84.94	Methylene chloride	0.26	0.20	0.055	ppbv		0.90	0.69	0.19	ug/m3
78-93-3	72.11	Methyl ethyl ketone	0.75	0.20	0.042	ppbv		2.2	0.59	0.12	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	ND	0.20	0.084	ppbv		ND	0.82	0.34	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.20	0.045	ppbv		ND	0.72	0.16	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.20	0.038	ppbv		ND	0.82	0.16	ug/m3
115-07-1	42	Propylene	ND	0.50	0.034	ppbv		ND	0.86	0.058	ug/m3
100-42-5	104.1	Styrene	ND	0.20	0.025	ppbv		ND	0.85	0.11	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.20	0.024	ppbv		ND	1.1	0.13	ug/m3
79-34-5	167.9	1,1,2,2-Tetrachloroethane	ND	0.20	0.034	ppbv		ND	1.4	0.23	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.20	0.035	ppbv		ND	1.1	0.19	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.20	0.095	ppbv		ND	1.5	0.71	ug/m3
95-63-6	120.2	1,2,4-Trimethylbenzene	0.30	0.20	0.029	ppbv		1.5	0.98	0.14	ug/m3
108-67-8	120.2	1,3,5-Trimethylbenzene	0.11	0.20	0.044	ppbv	J	0.54	0.98	0.22	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	3.9	0.20	0.031	ppbv		18	0.93	0.14	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	0.40	0.20	0.049	ppbv		1.2	0.61	0.15	ug/m3
127-18-4	165.8	Tetrachloroethylene	ND	0.040	0.024	ppbv		ND	0.27	0.16	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	0.20	0.074	ppbv		ND	0.59	0.22	ug/m3
108-88-3	92.14	Toluene	1.5	0.20	0.032	ppbv		5.7	0.75	0.12	ug/m3
79-01-6	131.4	Trichloroethylene	ND	0.040	0.036	ppbv		ND	0.21	0.19	ug/m3
75-69-4	137.4	Trichlorofluoromethane	0.28	0.20	0.028	ppbv		1.6	1.1	0.16	ug/m3
75-01-4	62.5	Vinyl chloride	ND	0.20	0.022	ppbv		ND	0.51	0.056	ug/m3
108-05-4	86	Vinyl Acetate	ND	0.20	0.054	ppbv		ND	0.70	0.19	ug/m3
	106.2	m,p-Xylene	0.66	0.20	0.058	ppbv		2.9	0.87	0.25	ug/m3
95-47-6	106.2	o-Xylene	0.24	0.20	0.037	ppbv		1.0	0.87	0.16	ug/m3
1330-20-7	106.2	Xylenes (total)	0.90	0.20	0.037	ppbv		3.9	0.87	0.16	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	90%		65-128%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Misc. Forms

---

### Custody Documents and Other Forms

---

**Includes the following where applicable:**

- Chain of Custody
- Summa Canister and Flow Controller Log

AK

# CHAIN OF CUSTODY

## Air Sampling Field Data Sheet



2235 US Highway 130, Dayton, NJ 08810  
V: 732.329.0200 F: 732.329.3499 www.accutest.com

FED-EX Tracking #  
976265965090  
Lab Quote #

Bottle Order Control #  
Lab Job # JB33407

PAGE 1 OF 1

31  
3

Client / Reporting Information		Project Information		Weather Parameters		Requested Analysis
Company Name: Providence Engr		Project Name: Valero Refining		Temperature (Fahrenheit)		
Address: 1201 Main St		Street:		Start: Maximum:		
City: BR State: LA Zip: 70802		City: Metairie State: LA		Stop: Minimum:		
Project Contact: Paul Hollis @ providenceengr.com		Project # 712-001		Atmospheric Pressure (inches of Hg)		10-15
Phone # 225-766-7400 Fax # -7440		Client Purchase Order #		Start: Maximum:		
Sampler(s) Name(s): Kieran Hudson				Stop: Minimum:		Other weather comment:

Lab Sample #	Field ID / Point of Collection	Air Type	Sampling Equipment Info			Start Sampling Information					Stop Sampling Information				
			Indoor(I) Soil Vap(SV) Ambient(A)	Canister Serial #	Canister Size BL or 1L	Flow Controller Serial #	Date	Time (24hr clock)	Canister Pressure ("Hg)	Interior Temp (F)	Sampler Init.	Date	Time (24hr clock)	Canister Pressure ("Hg)	Interior Temp (F)
-1	CAMS 098	A	A335	6L	-	3-29	1300	0.02	75	KH	3-30	1300	11.50	75	KH
(Circled handwritten note: 5/17/14)															

Turnaround Time (Business days) Standard - 15 Days 10 Day <input checked="" type="checkbox"/> 5 Day 3 Day 2 Day 1 Day Other	Approved By: _____ Date: _____	Data Deliverable Information All NJDEP TO-15 is mandatory Full T1 Comm A Comm B Reduced T2 Full T1 Other:	Comments / Remarks <p style="text-align: center; font-weight: bold;">Received at Baton Rouge Service Center</p>
--	-----------------------------------	---	--

Sample Custody must be documented below each time samples change possession, including courier delivery.

Relinquished by Laboratory: 1	Date Time:	Received By: [Signature]	Relinquished By: [Signature]	Date Time: 4/1/13 12:30	Received By: [Signature]
Relinquished by: [Signature]	Date Time:	Received By: [Signature]	Relinquished By: [Signature]	Date Time: 4/5/13 10:15	Received By: [Signature]
Relinquished by:	Date Time:	Received By:	Custody Seal #		

2B

JB33407: Chain of Custody

Page 1 of 2





# Summa Canister and Flow Controller Log

**Job Number:** JB33407  
**Account:** PROVLABR Providence Engineering  
**Project:** Valero-CAMS, Baton Rouge, LA  
**Received:** 04/05/13

32  
3

SUMMA CANISTERS													
Shipping							Receiving						
Summa ID	L	Vac " Hg	Date Out	By	SCC Batch	SCC FileID	Sample Number	Date In	By	Vac " Hg	Pres psig	Final psig	Dil Fact
A335	6	29.4	02/21/13	YXC	CP6001	3W32421.D	JB33407-1	04/08/13	YXC	7			1

**Accutest Bottle Order(s):**  
 VP-2/21/2013-8

**Prep Date**      **Room Temp(F)**      **Bar Pres "Hg**  
 02/21/13          70                                  29.92