

Technical Report for

Providence Engineering

Valero-CAMS, Baton Rouge, LA

712-001

Accutest Job Number: JB34954

Sampling Date: 04/11/13

Report to:

Providence Engineering

kevincalhoun@providenceeng.com

ATTN: Kevin Calhoun

Total number of pages in report: **12**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.



Nancy Cole
Laboratory Director

Client Service contact: Victoria Pushkova 732-329-0200

Certifications: NJ(12129), NY(10983), CA, CT, DE, FL, IL, IN, KS, KY, LA, MA, MD, MI, MT, NC, OH VAP (CL0056), PA, RI, SC, TN, VA, WV

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.
Test results relate only to samples analyzed.

Table of Contents

-1-

| | |
|--|-----------|
| Section 1: Sample Summary | 3 |
| Section 2: Sample Results | 4 |
| 2.1: JB34954-1: CAMS 100 | 5 |
| Section 3: Misc. Forms | 7 |
| 3.1: Chain of Custody | 8 |
| 3.2: Summa Canister and Flow Controller Log | 12 |



Sample Summary

Providence Engineering

Job No: JB34954

Valero-CAMS, Baton Rouge, LA
Project No: 712-001

| Sample Number | Collected | | Matrix | | | Client Sample ID |
|---------------|-----------|----------|----------|------|------------------|------------------|
| | Date | Time By | Received | Code | Type | |
| JB34954-1 | 04/11/13 | 13:00 KH | 04/22/13 | AIR | Ambient Air Grab | CAMS 100 |

Sample Results

Report of Analysis

Report of Analysis

Page 1 of 2

| | | |
|---|--|--------------------------------|
| Client Sample ID: CAMS 100 | | |
| Lab Sample ID: JB34954-1 | | Date Sampled: 04/11/13 |
| Matrix: AIR - Ambient Air Grab Summa ID: LA 1030 | | Date Received: 04/22/13 |
| Method: TO-15 | | Percent Solids: n/a |
| Project: Valero-CAMS, Baton Rouge, LA | | |

| Run #1 | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|--------|-----------|----|----------|-----|-----------|------------|------------------|
| Run #1 | 3W33488.D | 1 | 05/01/13 | YMH | n/a | n/a | V3W1296 |
| Run #2 | | | | | | | |

| Run #1 | Initial Volume |
|--------|----------------|
| Run #1 | 400 ml |
| Run #2 | |

VOA TO15 List

| CAS No. | MW | Compound | Result | RL | MDL | Units | Q | Result | RL | MDL | Units |
|------------|-------|----------------------------|--------|------|-------|-------|---|--------|------|-------|-------|
| 67-64-1 | 58.08 | Acetone | 6.4 | 0.20 | 0.069 | ppbv | | 15 | 0.48 | 0.16 | ug/m3 |
| 106-99-0 | 54.09 | 1,3-Butadiene | ND | 0.20 | 0.026 | ppbv | | ND | 0.44 | 0.058 | ug/m3 |
| 71-43-2 | 78.11 | Benzene | 0.40 | 0.20 | 0.029 | ppbv | | 1.3 | 0.64 | 0.093 | ug/m3 |
| 75-27-4 | 163.8 | Bromodichloromethane | ND | 0.20 | 0.031 | ppbv | | ND | 1.3 | 0.21 | ug/m3 |
| 75-25-2 | 252.8 | Bromoform | ND | 0.20 | 0.029 | ppbv | | ND | 2.1 | 0.30 | ug/m3 |
| 74-83-9 | 94.94 | Bromomethane | ND | 0.20 | 0.024 | ppbv | | ND | 0.78 | 0.093 | ug/m3 |
| 593-60-2 | 106.9 | Bromoethene | ND | 0.20 | 0.027 | ppbv | | ND | 0.87 | 0.12 | ug/m3 |
| 100-44-7 | 126 | Benzyl Chloride | ND | 0.20 | 0.048 | ppbv | | ND | 1.0 | 0.25 | ug/m3 |
| 75-15-0 | 76.14 | Carbon disulfide | 0.24 | 0.20 | 0.024 | ppbv | | 0.75 | 0.62 | 0.075 | ug/m3 |
| 108-90-7 | 112.6 | Chlorobenzene | ND | 0.20 | 0.040 | ppbv | | ND | 0.92 | 0.18 | ug/m3 |
| 75-00-3 | 64.52 | Chloroethane | ND | 0.20 | 0.035 | ppbv | | ND | 0.53 | 0.092 | ug/m3 |
| 67-66-3 | 119.4 | Chloroform | ND | 0.20 | 0.026 | ppbv | | ND | 0.98 | 0.13 | ug/m3 |
| 74-87-3 | 50.49 | Chloromethane | 0.81 | 0.20 | 0.055 | ppbv | | 1.7 | 0.41 | 0.11 | ug/m3 |
| 107-05-1 | 76.53 | 3-Chloropropene | ND | 0.20 | 0.035 | ppbv | | ND | 0.63 | 0.11 | ug/m3 |
| 95-49-8 | 126.6 | 2-Chlorotoluene | ND | 0.20 | 0.031 | ppbv | | ND | 1.0 | 0.16 | ug/m3 |
| 56-23-5 | 153.8 | Carbon tetrachloride | ND | 0.20 | 0.020 | ppbv | | ND | 1.3 | 0.13 | ug/m3 |
| 110-82-7 | 84.16 | Cyclohexane | 0.63 | 0.20 | 0.050 | ppbv | | 2.2 | 0.69 | 0.17 | ug/m3 |
| 75-34-3 | 98.96 | 1,1-Dichloroethane | ND | 0.20 | 0.019 | ppbv | | ND | 0.81 | 0.077 | ug/m3 |
| 75-35-4 | 96.94 | 1,1-Dichloroethylene | ND | 0.20 | 0.023 | ppbv | | ND | 0.79 | 0.091 | ug/m3 |
| 106-93-4 | 187.9 | 1,2-Dibromoethane | ND | 0.20 | 0.029 | ppbv | | ND | 1.5 | 0.22 | ug/m3 |
| 107-06-2 | 98.96 | 1,2-Dichloroethane | ND | 0.20 | 0.027 | ppbv | | ND | 0.81 | 0.11 | ug/m3 |
| 78-87-5 | 113 | 1,2-Dichloropropane | ND | 0.20 | 0.034 | ppbv | | ND | 0.92 | 0.16 | ug/m3 |
| 123-91-1 | 88.12 | 1,4-Dioxane | ND | 0.20 | 0.12 | ppbv | | ND | 0.72 | 0.43 | ug/m3 |
| 75-71-8 | 120.9 | Dichlorodifluoromethane | 0.59 | 0.20 | 0.024 | ppbv | | 2.9 | 0.99 | 0.12 | ug/m3 |
| 124-48-1 | 208.3 | Dibromochloromethane | ND | 0.20 | 0.035 | ppbv | | ND | 1.7 | 0.30 | ug/m3 |
| 156-60-5 | 96.94 | trans-1,2-Dichloroethylene | ND | 0.20 | 0.027 | ppbv | | ND | 0.79 | 0.11 | ug/m3 |
| 156-59-2 | 96.94 | cis-1,2-Dichloroethylene | ND | 0.20 | 0.025 | ppbv | | ND | 0.79 | 0.099 | ug/m3 |
| 10061-01-5 | 111 | cis-1,3-Dichloropropene | ND | 0.20 | 0.033 | ppbv | | ND | 0.91 | 0.15 | ug/m3 |
| 541-73-1 | 147 | m-Dichlorobenzene | ND | 0.20 | 0.028 | ppbv | | ND | 1.2 | 0.17 | ug/m3 |
| 95-50-1 | 147 | o-Dichlorobenzene | ND | 0.20 | 0.039 | ppbv | | ND | 1.2 | 0.23 | ug/m3 |
| 106-46-7 | 147 | p-Dichlorobenzene | ND | 0.20 | 0.060 | ppbv | | ND | 1.2 | 0.36 | ug/m3 |
| 10061-02-6 | 111 | trans-1,3-Dichloropropene | ND | 0.20 | 0.024 | ppbv | | ND | 0.91 | 0.11 | ug/m3 |

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

| | | | |
|--------------------------|--|------------------------|----------|
| Client Sample ID: | CAMS 300 | Date Sampled: | 04/11/13 |
| Lab Sample ID: | JB34954-1 | Date Received: | 04/22/13 |
| Matrix: | AIR - Ambient Air Grab Summa ID: LA 1030 | Percent Solids: | n/a |
| Method: | TO-15 | | |
| Project: | Valero-CAMS, Baton Rouge, LA | | |

VOA TO15 List

| CAS No. | MW | Compound | Result | RL | MDL | Units | Q | Result | RL | MDL | Units |
|-----------|--------|---------------------------|--------|-------|-------|-------|---|--------|------|-------|-------|
| 64-17-5 | 46.07 | Ethanol | 6.9 | 0.50 | 0.17 | ppbv | | 13 | 0.94 | 0.32 | ug/m3 |
| 100-41-4 | 106.2 | Ethylbenzene | 0.19 | 0.20 | 0.029 | ppbv | J | 0.83 | 0.87 | 0.13 | ug/m3 |
| 141-78-6 | 88 | Ethyl Acetate | ND | 0.20 | 0.13 | ppbv | | ND | 0.72 | 0.47 | ug/m3 |
| 622-96-8 | 120.2 | 4-Ethyltoluene | ND | 0.20 | 0.028 | ppbv | | ND | 0.98 | 0.14 | ug/m3 |
| 76-13-1 | 187.4 | Freon 113 | ND | 0.20 | 0.028 | ppbv | | ND | 1.5 | 0.21 | ug/m3 |
| 76-14-2 | 170.9 | Freon 114 | ND | 0.20 | 0.023 | ppbv | | ND | 1.4 | 0.16 | ug/m3 |
| 142-82-5 | 100.2 | Heptane | 0.68 | 0.20 | 0.028 | ppbv | | 2.8 | 0.82 | 0.11 | ug/m3 |
| 87-68-3 | 260.8 | Hexachlorobutadiene | ND | 0.20 | 0.030 | ppbv | | ND | 2.1 | 0.32 | ug/m3 |
| 110-54-3 | 86.17 | Hexane | 2.2 | 0.20 | 0.050 | ppbv | | 7.8 | 0.70 | 0.18 | ug/m3 |
| 591-78-6 | 100 | 2-Hexanone | ND | 0.20 | 0.051 | ppbv | | ND | 0.82 | 0.21 | ug/m3 |
| 67-63-0 | 60.1 | Isopropyl Alcohol | 0.70 | 0.20 | 0.065 | ppbv | | 1.7 | 0.49 | 0.16 | ug/m3 |
| 75-09-2 | 84.94 | Methylene chloride | 0.58 | 0.20 | 0.055 | ppbv | | 2.0 | 0.69 | 0.19 | ug/m3 |
| 78-93-3 | 72.11 | Methyl ethyl ketone | 0.60 | 0.20 | 0.042 | ppbv | | 1.8 | 0.59 | 0.12 | ug/m3 |
| 108-10-1 | 100.2 | Methyl Isobutyl Ketone | ND | 0.20 | 0.084 | ppbv | | ND | 0.82 | 0.34 | ug/m3 |
| 1634-04-4 | 88.15 | Methyl Tert Butyl Ether | ND | 0.20 | 0.045 | ppbv | | ND | 0.72 | 0.16 | ug/m3 |
| 80-62-6 | 100.12 | Methylmethacrylate | ND | 0.20 | 0.038 | ppbv | | ND | 0.82 | 0.16 | ug/m3 |
| 115-07-1 | 42 | Propylene | ND | 0.50 | 0.034 | ppbv | | ND | 0.86 | 0.058 | ug/m3 |
| 100-42-5 | 104.1 | Styrene | ND | 0.20 | 0.025 | ppbv | | ND | 0.85 | 0.11 | ug/m3 |
| 71-55-6 | 133.4 | 1,1,1-Trichloroethane | ND | 0.20 | 0.024 | ppbv | | ND | 1.1 | 0.13 | ug/m3 |
| 79-34-5 | 167.9 | 1,1,2,2-Tetrachloroethane | ND | 0.20 | 0.034 | ppbv | | ND | 1.4 | 0.23 | ug/m3 |
| 79-00-5 | 133.4 | 1,1,2-Trichloroethane | ND | 0.20 | 0.035 | ppbv | | ND | 1.1 | 0.19 | ug/m3 |
| 120-82-1 | 181.5 | 1,2,4-Trichlorobenzene | ND | 0.20 | 0.095 | ppbv | | ND | 1.5 | 0.71 | ug/m3 |
| 95-63-6 | 120.2 | 1,2,4-Trimethylbenzene | 0.29 | 0.20 | 0.029 | ppbv | | 1.4 | 0.98 | 0.14 | ug/m3 |
| 108-67-8 | 120.2 | 1,3,5-Trimethylbenzene | 0.11 | 0.20 | 0.044 | ppbv | J | 0.54 | 0.98 | 0.22 | ug/m3 |
| 540-84-1 | 114.2 | 2,2,4-Trimethylpentane | 1.1 | 0.20 | 0.031 | ppbv | | 5.1 | 0.93 | 0.14 | ug/m3 |
| 75-65-0 | 74.12 | Tertiary Butyl Alcohol | 0.39 | 0.20 | 0.049 | ppbv | | 1.2 | 0.61 | 0.15 | ug/m3 |
| 127-18-4 | 165.8 | Tetrachloroethylene | ND | 0.040 | 0.024 | ppbv | | ND | 0.27 | 0.16 | ug/m3 |
| 109-99-9 | 72.11 | Tetrahydrofuran | ND | 0.20 | 0.074 | ppbv | | ND | 0.59 | 0.22 | ug/m3 |
| 108-88-3 | 92.14 | Toluene | 1.6 | 0.20 | 0.032 | ppbv | | 6.0 | 0.75 | 0.12 | ug/m3 |
| 79-01-6 | 131.4 | Trichloroethylene | ND | 0.040 | 0.036 | ppbv | | ND | 0.21 | 0.19 | ug/m3 |
| 75-69-4 | 137.4 | Trichlorofluoromethane | 0.27 | 0.20 | 0.028 | ppbv | | 1.5 | 1.1 | 0.16 | ug/m3 |
| 75-01-4 | 62.5 | Vinyl chloride | ND | 0.20 | 0.022 | ppbv | | ND | 0.51 | 0.056 | ug/m3 |
| 108-05-4 | 86 | Vinyl Acetate | ND | 0.20 | 0.054 | ppbv | | ND | 0.70 | 0.19 | ug/m3 |
| | 106.2 | m,p-Xylene | 0.78 | 0.20 | 0.058 | ppbv | | 3.4 | 0.87 | 0.25 | ug/m3 |
| 95-47-6 | 106.2 | o-Xylene | 0.27 | 0.20 | 0.037 | ppbv | | 1.2 | 0.87 | 0.16 | ug/m3 |
| 1330-20-7 | 106.2 | Xylenes (total) | 1.1 | 0.20 | 0.037 | ppbv | | 4.8 | 0.87 | 0.16 | ug/m3 |

| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits |
|----------|----------------------|--------|--------|---------|
| 460-00-4 | 4-Bromofluorobenzene | 88% | | 65-128% |

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody
- Summa Canister and Flow Controller Log

AKR

CHAIN OF CUSTODY

Air Sampling Field Data Sheet



2235 US Highway 130, Dayton, NJ 08810
V: 732.329.0200 F: 732.329.3499 www.accutest.com

FED-EX Tracking #
4762 66132791
Lab Quote #

Bottle Order Control #
Lab Job # JB34954

PAGE 1 OF 1

31
3

| Company Name | | Client/Reporting Information | | Project Information | | | | Weather Parameters | | | | Requested Analysis | | | | |
|--|--------------------------------|------------------------------|-----------------------------------|--------------------------------------|------------------------|--|--------------|-------------------------------------|-------------------------|-------------------|---------------------------|--------------------|-------------------|-------------------------|-------------------|---------------|
| Providence Engr | | 1201 Main St | | Valero Refining | | | | Temperature (Fahrenheit) | | | | | | | | |
| BR | | State LA Zip 70802 | | Street | | | | Start: Maximum: | | | | | | | | |
| Project Contact Paul Hollis @ providenceeng.com | | E-mail | | City Meroux State LA | | | | Stop: Minimum: | | | | | | | | |
| Phone # 225 766 7400 | | Fax # - 7410 | | Project # 712-001 | | | | Atmospheric Pressure (inches of Hg) | | | | | | | | |
| Sampler(s) Name(s) K Hudson | | | | Client Purchase Order # | | | | Start: Maximum: | | | | | | | | |
| | | | | | | | | Stop: Minimum: | | | | | | | | |
| | | | | | | | | Other weather comment: | | | | | | | | |
| Lab Sample # | Field ID / Point of Collection | Air Type | Sampling Equipment Info | | | Start Sampling Information | | | | | Stop Sampling Information | | | | | |
| | | | Indoor(I) Soil Vap(SV) Ambient(A) | Canister Serial # | Canister Size SL or 1L | Flow Controller Serial # | Date | Time (24hr clock) | Canister Pressure ("Hg) | Interior Temp (F) | Sampler Init. | Date | Time (24hr clock) | Canister Pressure ("Hg) | Interior Temp (F) | Sampler Init. |
| -1 | CAMS 100 | A | 3351 | 6L | - | 4-16 | 1300 | 0.18 | 75 | KH | 4-11 | 1300 | 1.44 | 75 | KH | ✓ |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| Turnaround Time (Business days) | | Approved By: _____ | | Data Deliverable Information | | Comments / Remarks | | | | | | | | | | |
| Standard - 15 Days | | Date: _____ | | All NJDEP TO-15 is mandatory Full T1 | | Received at Baton Rouge Service Center | | | | | | | | | | |
| 10 Day | | | | Comm A | | | | | | | | | | | | |
| 5 Day | | | | Comm B | | | | | | | | | | | | |
| 3 Day | | | | Reduced T2 | | | | | | | | | | | | |
| 2 Day | | | | Full T1 | | | | | | | | | | | | |
| 1 Day | | | | Other: | | | | | | | | | | | | |
| Other | | | | | | | | | | | | | | | | |
| Sample Custody must be documented below each time samples change possession, including courier delivery. | | | | | | | | | | | | | | | | |
| Relinquished by Laboratory: | Date/Time: | Received By: | Relinquished By: | Date/Time: | Received By: | Relinquished By: | Date/Time: | Received By: | Relinquished By: | Date/Time: | Received By: | Relinquished By: | Date/Time: | Received By: | Relinquished By: | Date/Time: |
| 1 | | 1 | 2 | 4/12/13 0930 | 3 | 3 | 4/18/13 0205 | 2 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 3 | | 3 | 4 | | 4 | 4 | | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 5 | | 5 | 5 | | 5 | 5 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |

2B

T6

JB34954: Chain of Custody
Page 1 of 4

Job# JB34954
(REQUIRED)

Unused Summa Return Form

Client Providence Eng. Office CA
Project Water Retains

#Summas 1 #Flow Controllers 1

-3 Summa#s A373 EC 007

Rec'd By [Signature] Rec'd Date/Time 4/22/13 0920

Rec'd via _____
(Attach any client paperwork, documentation, or airbills if available)

Notes

Job Change Order: JB34954_5_14_2013

Requested Date: 5/14/2013
Account Name: Providence Engineering
Project: Valero-CAMS, Baton Rouge, LA
CSR: vickyp

Received Date: 4/22/2013
Due Date: 5/6/2013
Deliverable: COMMB
TAT (Days): 14

=====
Sample #: JB34954-2
Dept:
Dept:

Change:
Please move sample -2 (CAMS 101) to the -A job
and generate two separate reports.

=====
CAMS 101
=====

Above Changes Per: Liz Martin
Date: 5/14/2013

To Client: This Change Order is confirmation of the revisions, previously discussed with the Accutest Client Service

Summa Canister and Flow Controller Log

Job Number: JB34954
Account: PROVLABR Providence Engineering
Project: Valero-CAMS, Baton Rouge, LA
Received: 04/22/13

32
3

| SUMMA CANISTERS | | | | | | | | | | | | | |
|-----------------|---|----------|----------|----|-----------|------------|---------------|---------|----|----------|-----------|------------|----------|
| Shipping | | | | | | | Receiving | | | | | | |
| Summa ID | L | Vac " Hg | Date Out | By | SCC Batch | SCC FileID | Sample Number | Date In | By | Vac " Hg | Pres psig | Final psig | Dil Fact |

| | | | | | | | | | | | | | |
|---------|---|------|----------|----|--------|-----------|-----------|----------|-----|-----|--|--|---|
| LA 1030 | 6 | 29.4 | 03/22/13 | RC | CP6060 | 2W37774.D | JB34954-1 | 04/22/13 | YXC | 7.5 | | | 1 |
|---------|---|------|----------|----|--------|-----------|-----------|----------|-----|-----|--|--|---|

Accutest Bottle Order(s):

VP-3/21/2013-20

| Prep Date | Room Temp(F) | Bar Pres "Hg |
|-----------|--------------|--------------|
| 03/22/13 | 70 | 29.92 |