

Technical Report for

Providence Engineering

Valero-CAMS, Baton Rouge, LA

712-001

Accutest Job Number: JB5114

Sampling Date: 04/24/12

Report to:

Providence Engineering

kevincalhoun@providenceeng.com

ATTN: Kevin Calhoun

Total number of pages in report: 10



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.



Paul Ioannidis
Lab Director

Client Service contact: Kristyn Morrison 732-329-0200

Certifications: NJ(12129), NY(10983), CA, CT, DE, FL, IL, IN, KS, KY, LA, MA, MD, MI, MT, NC, OH VAP (CL0056), PA, RI, SC, TN, VA, WV

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Sample Results	4
2.1: JB5114-1: CAMS 042	5
Section 3: Misc. Forms	7
3.1: Chain of Custody	8
3.2: Summa Canister and Flow Controller Log	10



Sample Summary

Providence Engineering

Job No: JB5114

Valero-CAMS, Baton Rouge, LA
Project No: 712-001

Sample Number	Collected		Received	Matrix		Client Sample ID
	Date	Time By		Code	Type	
JB5114-1	04/24/12	13:00 KH	04/27/12	AIR	Ambient Air Grab	CAMS 042

Sample Results

Report of Analysis

Report of Analysis

Page 1 of 2

Client Sample ID:	CAMS 042	Date Sampled:	04/24/12
Lab Sample ID:	JB5114-1	Date Received:	04/27/12
Matrix:	AIR - Ambient Air Grab	Summa ID:	A772
Method:	TO-15	Percent Solids:	n/a
Project:	Valero-CAMS, Baton Rouge, LA		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3W27894.D	1	04/28/12	YXC	n/a	n/a	V3W1089
Run #2							

Run #	Initial Volume
Run #1	400 ml
Run #2	

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
67-64-1	58.08	Acetone	4.6	0.20	0.036	ppbv		11	0.48	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	0.20	0.024	ppbv		ND	0.44	ug/m3
71-43-2	78.11	Benzene	0.25	0.20	0.046	ppbv		0.80	0.64	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	0.20	0.030	ppbv		ND	1.3	ug/m3
75-25-2	252.8	Bromoform	ND	0.20	0.037	ppbv		ND	2.1	ug/m3
74-83-9	94.94	Bromomethane	ND	0.20	0.037	ppbv		ND	0.78	ug/m3
593-60-2	106.9	Bromoethene	ND	0.20	0.037	ppbv		ND	0.87	ug/m3
100-44-7	126	Benzyl Chloride	ND	0.20	0.041	ppbv		ND	1.0	ug/m3
75-15-0	76.14	Carbon disulfide	0.21	0.20	0.032	ppbv		0.65	0.62	ug/m3
108-90-7	112.6	Chlorobenzene	ND	0.20	0.027	ppbv		ND	0.92	ug/m3
75-00-3	64.52	Chloroethane	ND	0.20	0.039	ppbv		ND	0.53	ug/m3
67-66-3	119.4	Chloroform	ND	0.20	0.028	ppbv		ND	0.98	ug/m3
74-87-3	50.49	Chloromethane	0.42	0.20	0.037	ppbv		0.87	0.41	ug/m3
107-05-1	76.53	3-Chloropropene	ND	0.20	0.041	ppbv		ND	0.63	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	0.20	0.031	ppbv		ND	1.0	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	0.20	0.040	ppbv		ND	1.3	ug/m3
110-82-7	84.16	Cyclohexane	ND	0.20	0.034	ppbv		ND	0.69	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.20	0.028	ppbv		ND	0.81	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	ND	0.20	0.046	ppbv		ND	0.79	ug/m3
106-93-4	187.9	1,2-Dibromoethane	ND	0.20	0.027	ppbv		ND	1.5	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	0.20	0.043	ppbv		ND	0.81	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	0.20	0.038	ppbv		ND	0.92	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	0.20	0.056	ppbv		ND	0.72	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	0.48	0.20	0.038	ppbv		2.4	0.99	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	0.20	0.027	ppbv		ND	1.7	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.20	0.033	ppbv		ND	0.79	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	ND	0.20	0.038	ppbv		ND	0.79	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.20	0.043	ppbv		ND	0.91	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	0.20	0.037	ppbv		ND	1.2	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.20	0.027	ppbv		ND	1.2	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	0.20	0.025	ppbv		ND	1.2	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.20	0.039	ppbv		ND	0.91	ug/m3

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID:	CAMS 042	Date Sampled:	04/24/12
Lab Sample ID:	JB5114-1	Date Received:	04/27/12
Matrix:	AIR - Ambient Air Grab	Summa ID:	A772
Method:	TO-15	Percent Solids:	n/a
Project:	Valero-CAMS, Baton Rouge, LA		

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
64-17-5	46.07	Ethanol	6.9	0.50	0.095	ppbv		13	0.94	ug/m3
100-41-4	106.2	Ethylbenzene	ND	0.20	0.031	ppbv		ND	0.87	ug/m3
141-78-6	88	Ethyl Acetate	1.5	0.20	0.061	ppbv		5.4	0.72	ug/m3
622-96-8	120.2	4-Ethyltoluene	ND	0.20	0.024	ppbv		ND	0.98	ug/m3
76-13-1	187.4	Freon 113	ND	0.20	0.034	ppbv		ND	1.5	ug/m3
76-14-2	170.9	Freon 114	ND	0.20	0.031	ppbv		ND	1.4	ug/m3
142-82-5	100.2	Heptane	ND	0.20	0.033	ppbv		ND	0.82	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.20	0.046	ppbv		ND	2.1	ug/m3
110-54-3	86.17	Hexane	0.27	0.20	0.044	ppbv		0.95	0.70	ug/m3
591-78-6	100	2-Hexanone	ND	0.20	0.043	ppbv		ND	0.82	ug/m3
67-63-0	60.1	Isopropyl Alcohol	0.84	0.20	0.059	ppbv		2.1	0.49	ug/m3
75-09-2	84.94	Methylene chloride	1.2	0.20	0.027	ppbv		4.2	0.69	ug/m3
78-93-3	72.11	Methyl ethyl ketone	0.49	0.20	0.048	ppbv		1.4	0.59	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	ND	0.20	0.036	ppbv		ND	0.82	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.20	0.027	ppbv		ND	0.72	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.20	0.043	ppbv		ND	0.82	ug/m3
115-07-1	42	Propylene	ND	0.50	0.070	ppbv		ND	0.86	ug/m3
100-42-5	104.1	Styrene	ND	0.20	0.027	ppbv		ND	0.85	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.20	0.022	ppbv		ND	1.1	ug/m3
79-34-5	167.9	1,1,2,2-Tetrachloroethane	ND	0.20	0.030	ppbv		ND	1.4	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.20	0.030	ppbv		ND	1.1	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.20	0.051	ppbv		ND	1.5	ug/m3
95-63-6	120.2	1,2,4-Trimethylbenzene	ND	0.20	0.024	ppbv		ND	0.98	ug/m3
108-67-8	120.2	1,3,5-Trimethylbenzene	ND	0.20	0.028	ppbv		ND	0.98	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	0.40	0.20	0.028	ppbv		1.9	0.93	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	0.29	0.20	0.032	ppbv		0.88	0.61	ug/m3
127-18-4	165.8	Tetrachloroethylene	ND	0.040	0.028	ppbv		ND	0.27	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	0.20	0.047	ppbv		ND	0.59	ug/m3
108-88-3	92.14	Toluene	1.4	0.20	0.040	ppbv		5.3	0.75	ug/m3
79-01-6	131.4	Trichloroethylene	0.042	0.040	0.033	ppbv		0.23	0.21	ug/m3
75-69-4	137.4	Trichlorofluoromethane	0.49	0.20	0.042	ppbv		2.8	1.1	ug/m3
75-01-4	62.5	Vinyl chloride	ND	0.20	0.032	ppbv		ND	0.51	ug/m3
108-05-4	86	Vinyl Acetate	ND	0.20	0.057	ppbv		ND	0.70	ug/m3
	106.2	m,p-Xylene	0.22	0.20	0.031	ppbv		0.96	0.87	ug/m3
95-47-6	106.2	o-Xylene	0.10	0.20	0.031	ppbv	J	0.43	0.87	ug/m3
1330-20-7	106.2	Xylenes (total)	0.32	0.20	0.031	ppbv		1.4	0.87	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	97%		65-128%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody
- Summa Canister and Flow Controller Log

AIR

CHAIN OF CUSTODY

Air Sampling Field Data Sheet



2235 US Highway 130, Dayton, NJ 08810
V: 732.329.0200 F: 732.329.3499 www.accutest.com

FED-EX Tracking #
8996 7737 4384
Lab Quote #

Bottle Order Control #
Lab Job #
JB 5114

PAGE 1 OF 1

Client / Reporting Information			Project Information					Weather Parameters					Requested Analysis			
Company Name: Providence Engr			Project Name: Valero Refinery					Temperature (Fahrenheit)					Requested Analysis			
Address: 1201 Main St			Street					Start: _____ Maximum: _____								
City: BR State: LA Zip: 70802			City: Chalmette LA State					Stop: _____ Minimum: _____								
Project Contact: paul.hollis@providenceeng.com			Project #: 712-001					Atmospheric Pressure (inches of Hg)								
Phone #: 225 766 7400 Fax #: -7440			Client Purchase Order #					Start: _____ Maximum: _____					7015			
Sampler(s) Name(s): K. Hudson			Other weather comment:					Stop: _____ Minimum: _____								
Lab Sample #	Field ID / Point of Collection	Air Type		Sampling Equipment Info			Start Sampling Information					Stop Sampling Information				
		Indoor/Soil Vapors (SV) Ambient (A)	Canister Serial #	Canister Size 6L or 1L	Flow Controller Serial #	Date	Time (24hr clock)	Canister Pressure (Hg)	Interior Temp (F)	Sampler Init.	Date	Time (24hr clock)	Canister Pressure (Hg)	Interior Temp (F)	Sampler Init.	
-1	CAMS 042	A	A772	6L	-	4/23	1300	0.19	75	KH	4/24	1300	11.61	75	KH	
Sample Custody must be documented below each time samples change possession, including courier delivery.																
Turnaround time (Business days)			Approved By: _____			Data Deliverable Information					Comments / Remarks					
Standard - 15 Days 10 Day 5 Day 3 Day 2 Day 1 Day Other			Date: _____			All NJDEP TO-15 is mandatory Full T1 Comm A Comm B Reduced T2 Full T1 Other: _____					Summe					
Relinquished by Laboratory:																
1		Date Time:		Received By:		Relinquished By:		Date Time:		Received By:		2		Emerson		
3		Date Time: 4/25/12 16:30		Received By: [Signature]		Relinquished By: [Signature]		Date Time: 4/25/12 09:30		Received By: [Signature]		4		[Signature]		
5		Date Time:		Received By:		Custody Seal #		Date Time:		Received By:		4		[Signature]		

31
3

18

7/11

Accutest Laboratories Sample Receipt Summary

Accutest Job Number: JB5114 **Client:** _____ **Project:** _____
Date / Time Received: 4/27/2012 **Delivery Method:** _____ **Airbill #'s:** _____

Cooler Temps (Initial/Adjusted):

Cooler Security	<u>Y or N</u>		<u>Y or N</u>
1. Custody Seals Present:	<input checked="" type="checkbox"/> <input type="checkbox"/>	3. COC Present:	<input checked="" type="checkbox"/> <input type="checkbox"/>
2. Custody Seals Intact:	<input checked="" type="checkbox"/> <input type="checkbox"/>	4. SmpI Dates/Time OK	<input checked="" type="checkbox"/> <input type="checkbox"/>

Cooler Temperature	<u>Y or N</u>
1. Temp criteria achieved:	<input checked="" type="checkbox"/> <input type="checkbox"/>
2. Cooler temp verification:	_____
3. Cooler media:	_____
4. No. Coolers:	0

Quality Control Preservation	<u>Y</u>	<u>or</u>	<u>N</u>	<u>N/A</u>
1. Trip Blank present / cooler:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
2. Trip Blank listed on COC:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
3. Samples preserved properly:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4. VOCs headspace free:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

Sample Integrity - Documentation	<u>Y</u>	<u>or</u>	<u>N</u>
1. Sample labels present on bottles:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. Container labeling complete:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. Sample container label / COC agree:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Sample Integrity - Condition	<u>Y</u>	<u>or</u>	<u>N</u>
1. Sample recvd within HT:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. All containers accounted for:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. Condition of sample:	Intact		

Sample Integrity - Instructions	<u>Y</u>	<u>or</u>	<u>N</u>	<u>N/A</u>
1. Analysis requested is clear:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2. Bottles received for unspecified tests	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
3. Sufficient volume recvd for analysis:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4. Compositing instructions clear:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5. Filtering instructions clear:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Comments

Summa Canister and Flow Controller Log

Job Number: JB5114
Account: PROVLABR Providence Engineering
Project: Valero-CAMS, Baton Rouge, LA
Received: 04/27/12

32
3

SUMMA CANISTERS													
Shipping							Receiving						
Summa ID	L	Vac " Hg	Date Out	By	SCC Batch	SCC FileID	Sample Number	Date In	By	Vac " Hg	Pres psig	Final psig	Dil Fact
A772	6	29.4	03/20/12	YMH	CP5309	W35551.D	JB5114-1	04/27/12	HT	5			1

Accutest Bottle Order(s):
 KM-3/20/2012-22

Prep Date **Room Temp(F)** **Bar Pres "Hg**
 03/20/12 70 29.92