

## Technical Report for

### Providence Engineering

Valero-CAMS, Baton Rouge, LA

712-001

Accutest Job Number: JB41056

Sampling Date: 06/22/13

#### Report to:

Providence Engineering

kevincalhoun@providenceeng.com

ATTN: Kevin Calhoun

Total number of pages in report: **11**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.



**Nancy Cole**  
Laboratory Director

**Client Service contact: Victoria Pushkova 732-329-0200**

Certifications: NJ(12129), NY(10983), CA, CT, DE, FL, IL, IN, KS, KY, LA, MA, MD, MI, MT, NC, OH VAP (CL0056), PA, RI, SC, TN, VA, WV

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.  
Test results relate only to samples analyzed.

# Table of Contents

-1-

<b>Section 1: Sample Summary</b> .....	<b>3</b>
<b>Section 2: Sample Results</b> .....	<b>4</b>
<b>2.1: JB41056-1: CAMS 112</b> .....	<b>5</b>
<b>Section 3: Misc. Forms</b> .....	<b>8</b>
<b>3.1: Chain of Custody</b> .....	<b>9</b>
<b>3.2: Summa Canister and Flow Controller Log</b> .....	<b>11</b>



## Sample Summary

**Providence Engineering**

**Job No: JB41056**

**Valero-CAMS, Baton Rouge, LA**  
**Project No: 712-001**

Sample Number	Collected		Received	Matrix		Client Sample ID
	Date	Time By		Code	Type	
JB41056-1	06/22/13	13:00 KH	07/01/13	AIR	Ambient Air Grab	CAMS 112

**Sample Results**

---

**Report of Analysis**

---

## Report of Analysis

Client Sample ID:	CAMS 112	Date Sampled:	06/22/13
Lab Sample ID:	JB41056-1	Date Received:	07/01/13
Matrix:	AIR - Ambient Air Grab Summa ID: A239	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero-CAMS, Baton Rouge, LA		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2W38823.D	1	07/04/13	YXC	n/a	n/a	V2W1626
Run #2	2W38843.D	1	07/05/13	YXC	n/a	n/a	V2W1627

Run #	Initial Volume
Run #1	400 ml
Run #2	80.0 ml

## VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone	21.9	0.20	0.034	ppbv		52.0	0.48	0.081	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	0.20	0.020	ppbv		ND	0.44	0.044	ug/m3
71-43-2	78.11	Benzene	0.22	0.20	0.021	ppbv		0.70	0.64	0.067	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	0.20	0.025	ppbv		ND	1.3	0.17	ug/m3
75-25-2	252.8	Bromoform	ND	0.20	0.022	ppbv		ND	2.1	0.23	ug/m3
74-83-9	94.94	Bromomethane	ND	0.20	0.017	ppbv		ND	0.78	0.066	ug/m3
593-60-2	106.9	Bromoethene	ND	0.20	0.014	ppbv		ND	0.87	0.061	ug/m3
100-44-7	126	Benzyl Chloride	ND	0.20	0.025	ppbv		ND	1.0	0.13	ug/m3
75-15-0	76.14	Carbon disulfide	0.17	0.20	0.017	ppbv	J	0.53	0.62	0.053	ug/m3
108-90-7	112.6	Chlorobenzene	ND	0.20	0.025	ppbv		ND	0.92	0.12	ug/m3
75-00-3	64.52	Chloroethane	ND	0.20	0.020	ppbv		ND	0.53	0.053	ug/m3
67-66-3	119.4	Chloroform	ND	0.20	0.019	ppbv		ND	0.98	0.093	ug/m3
74-87-3	50.49	Chloromethane	0.59	0.20	0.034	ppbv		1.2	0.41	0.070	ug/m3
107-05-1	76.53	3-Chloropropene	ND	0.20	0.028	ppbv		ND	0.63	0.088	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	0.20	0.020	ppbv		ND	1.0	0.10	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	0.20	0.011	ppbv		ND	1.3	0.069	ug/m3
110-82-7	84.16	Cyclohexane	0.13	0.20	0.058	ppbv	J	0.45	0.69	0.20	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.20	0.016	ppbv		ND	0.81	0.065	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	ND	0.20	0.021	ppbv		ND	0.79	0.083	ug/m3
106-93-4	187.9	1,2-Dibromoethane	ND	0.20	0.027	ppbv		ND	1.5	0.21	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	0.20	0.016	ppbv		ND	0.81	0.065	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	0.20	0.040	ppbv		ND	0.92	0.18	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	0.20	0.060	ppbv		ND	0.72	0.22	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	0.39	0.20	0.015	ppbv		1.9	0.99	0.074	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	0.20	0.029	ppbv		ND	1.7	0.25	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.20	0.015	ppbv		ND	0.79	0.059	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	ND	0.20	0.028	ppbv		ND	0.79	0.11	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.20	0.019	ppbv		ND	0.91	0.086	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	0.20	0.025	ppbv		ND	1.2	0.15	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.20	0.029	ppbv		ND	1.2	0.17	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	0.20	0.022	ppbv		ND	1.2	0.13	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.20	0.021	ppbv		ND	0.91	0.095	ug/m3

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

Client Sample ID:	CAMS 112	Date Sampled:	06/22/13
Lab Sample ID:	JB41056-1	Date Received:	07/01/13
Matrix:	AIR - Ambient Air Grab Summa ID: A239	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero-CAMS, Baton Rouge, LA		

## VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	1.3	0.50	0.19	ppbv		2.4	0.94	0.36	ug/m3
100-41-4	106.2	Ethylbenzene	0.16	0.20	0.020	ppbv	J	0.69	0.87	0.087	ug/m3
141-78-6	88	Ethyl Acetate	0.33	0.20	0.057	ppbv		1.2	0.72	0.21	ug/m3
622-96-8	120.2	4-Ethyltoluene	ND	0.20	0.015	ppbv		ND	0.98	0.074	ug/m3
76-13-1	187.4	Freon 113	ND	0.20	0.021	ppbv		ND	1.5	0.16	ug/m3
76-14-2	170.9	Freon 114	ND	0.20	0.021	ppbv		ND	1.4	0.15	ug/m3
142-82-5	100.2	Heptane	0.28	0.20	0.020	ppbv		1.1	0.82	0.082	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.20	0.063	ppbv		ND	2.1	0.67	ug/m3
110-54-3	86.17	Hexane	0.56	0.20	0.016	ppbv		2.0	0.70	0.056	ug/m3
591-78-6	100	2-Hexanone	ND	0.20	0.025	ppbv		ND	0.82	0.10	ug/m3
67-63-0	60.1	Isopropyl Alcohol	0.41	0.20	0.039	ppbv		1.0	0.49	0.096	ug/m3
75-09-2	84.94	Methylene chloride	ND	0.20	0.047	ppbv		ND	0.69	0.16	ug/m3
78-93-3	72.11	Methyl ethyl ketone	93.3 <sup>a</sup>	1.0	0.29	ppbv		275 <sup>a</sup>	2.9	0.86	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	0.16	0.20	0.029	ppbv	J	0.66	0.82	0.12	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.20	0.017	ppbv		ND	0.72	0.061	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.20	0.040	ppbv		ND	0.82	0.16	ug/m3
115-07-1	42	Propylene	ND	0.50	0.031	ppbv		ND	0.86	0.053	ug/m3
100-42-5	104.1	Styrene	0.24	0.20	0.020	ppbv		1.0	0.85	0.085	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.20	0.016	ppbv		ND	1.1	0.087	ug/m3
79-34-5	167.9	1,1,2,2-Tetrachloroethane	ND	0.20	0.030	ppbv		ND	1.4	0.21	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.20	0.031	ppbv		ND	1.1	0.17	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.20	0.079	ppbv		ND	1.5	0.59	ug/m3
95-63-6	120.2	1,2,4-Trimethylbenzene	0.22	0.20	0.017	ppbv		1.1	0.98	0.084	ug/m3
108-67-8	120.2	1,3,5-Trimethylbenzene	ND	0.20	0.015	ppbv		ND	0.98	0.074	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	2.5	0.20	0.021	ppbv		12	0.93	0.098	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	0.29	0.20	0.044	ppbv		0.88	0.61	0.13	ug/m3
127-18-4	165.8	Tetrachloroethylene	0.14	0.040	0.029	ppbv		0.95	0.27	0.20	ug/m3
109-99-9	72.11	Tetrahydrofuran	14.6	0.20	0.045	ppbv		43.1	0.59	0.13	ug/m3
108-88-3	92.14	Toluene	0.95	0.20	0.020	ppbv		3.6	0.75	0.075	ug/m3
79-01-6	131.4	Trichloroethylene	0.062	0.040	0.019	ppbv		0.33	0.21	0.10	ug/m3
75-69-4	137.4	Trichlorofluoromethane	0.23	0.20	0.014	ppbv		1.3	1.1	0.079	ug/m3
75-01-4	62.5	Vinyl chloride	ND	0.20	0.017	ppbv		ND	0.51	0.043	ug/m3
108-05-4	86	Vinyl Acetate	ND	0.20	0.058	ppbv		ND	0.70	0.20	ug/m3
	106.2	m,p-Xylene	0.56	0.20	0.032	ppbv		2.4	0.87	0.14	ug/m3
95-47-6	106.2	o-Xylene	0.26	0.20	0.019	ppbv		1.1	0.87	0.083	ug/m3
1330-20-7	106.2	Xylenes (total)	0.82	0.20	0.019	ppbv		3.6	0.87	0.083	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	92%	88%	65-128%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> CAMS 112		
<b>Lab Sample ID:</b> JB41056-1		<b>Date Sampled:</b> 06/22/13
<b>Matrix:</b> AIR - Ambient Air Grab	<b>Summa ID:</b> A239	<b>Date Received:</b> 07/01/13
<b>Method:</b> TO-15		<b>Percent Solids:</b> n/a
<b>Project:</b> Valero-CAMS, Baton Rouge, LA		

### VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
---------	----	----------	--------	----	-----	-------	---	--------	----	-----	-------

(a) Result is from Run# 2

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

## Misc. Forms

---

### Custody Documents and Other Forms

---

**Includes the following where applicable:**

- Chain of Custody
- Summa Canister and Flow Controller Log



# CHAIN OF CUSTODY

## Air Sampling Field Data Sheet



2235 US Highway 130, Dayton, NJ 08810  
 V: 732.329.0200 F: 732.329.3499 www.accutest.com

FED-EX Tracking #  
 8987-30616730  
 Lab Quote #

Bottle Order Control #

Lab Job # JB41056

PAGE 1 OF 1

Client / Reporting Information		Project Information		Weather Parameters		Requested Analysis	
Company Name: Providence Engr		Project Name: Valero Refining		Temperature (Fahrenheit)		TO-15	
Address: 1201 Main St		Street:		Start: Maximum:			
City: Bn State: LA Zip: 70802		City: Meroux State: LA		Stop: Minimum:			
Project Contact: paulhollis@providenceeng.com		Project #: 712-001		Atmospheric Pressure (inches of Hg)			
Phone #: 225-766-7400 Fax #: -7440		Client Purchase Order #:		Start: Maximum:			
Sampler(s) Name(s): Karen Hudson				Stop: Minimum:			
				Other weather comment:			

Lab Sample #	Field ID / Point of Collection	Air Type				Sampling Equipment Info					Start Sampling Information					Stop Sampling Information				
		Indoor(I)	Soil Vap(SV)	Ambient(A)		Canister Serial #	Canister Size 6L or 1L	Flow Controller Serial #		Date	Time (24hr clock)	Canister Pressure ("Hg)	Interior Temp (F)	Sampler Init.	Date	Time (24hr clock)	Canister Pressure ("Hg)	Interior Temp (F)	Sampler Init.	
-1	CAMS 112	A				A239	6L	-		6-21	1300	0.02	75	KH	6-22	1300	11.44	75	KH	

Turnaround Time (Business days) <input checked="" type="checkbox"/> Standard - 15 Days <input type="checkbox"/> 10 Day <input type="checkbox"/> 5 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> 2 Day <input type="checkbox"/> 1 Day <input type="checkbox"/> Other	Approved By: _____ Date: _____	Data Deliverable Information All NJDEP TO-15 is mandatory Full T1 Comm A Comm B Reduced T2 Full T1 Other: _____	Comments / Remarks Received at Baton Rouge Service Center JWH/A
--	-----------------------------------	---	---

Sample Custody must be documented below each time samples change possession, including courier delivery.					
Relinquished by Laboratory: 1	Date Time:	Received By: [Signature]	Relinquished By: [Signature]	Date Time: 6/21/13 12:45	Received By: [Signature]
Relinquished by: [Signature]	Date Time:	Received By: [Signature]	Relinquished By: [Signature]	Date Time: 6-1-13	Received By: [Signature]
Relinquished by: [Signature]	Date Time:	Received By: [Signature]	Custody Seal #		

JB41056: Chain of Custody

Page 1 of 2

## Accutest Laboratories Sample Receipt Summary

**Accutest Job Number:** JB41056      **Client:** \_\_\_\_\_      **Project:** \_\_\_\_\_  
**Date / Time Received:** 7/1/2013      **Delivery Method:** \_\_\_\_\_      **Airbill #s:** \_\_\_\_\_

**Cooler Temps (Initial/Adjusted):**

<u>Cooler Security</u>	<u>Y or N</u>				<u>Y or N</u>	
1. Custody Seals Present:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	3. COC Present:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2. Custody Seals Intact:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	4. Smpl Dates/Time OK	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

<u>Cooler Temperature</u>	<u>Y or N</u>	
1. Temp criteria achieved:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. Cooler temp verification:	_____	
3. Cooler media:	_____	
4. No. Coolers:	0	

<u>Quality Control Preservation</u>	<u>Y or N</u>		<u>N/A</u>
1. Trip Blank present / cooler:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
2. Trip Blank listed on COC:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
3. Samples preserved properly:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4. VOCs headspace free:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Comments

<u>Sample Integrity - Documentation</u>	<u>Y or N</u>	
1. Sample labels present on bottles:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. Container labeling complete:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3. Sample container label / COC agree:	<input checked="" type="checkbox"/>	<input type="checkbox"/>

<u>Sample Integrity - Condition</u>	<u>Y or N</u>	
1. Sample recvd within HT:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. All containers accounted for:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3. Condition of sample:	Intact	

<u>Sample Integrity - Instructions</u>	<u>Y or N</u>		<u>N/A</u>
1. Analysis requested is clear:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2. Bottles received for unspecified tests	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
3. Sufficient volume recvd for analysis:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4. Compositing instructions clear:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5. Filtering instructions clear:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

3.1  
3

# Summa Canister and Flow Controller Log

**Job Number:** JB41056  
**Account:** PROVLABR Providence Engineering  
**Project:** Valero-CAMS, Baton Rouge, LA  
**Received:** 07/01/13

32  
3

SUMMA CANISTERS													
Shipping							Receiving						
Summa ID	L	Vac " Hg	Date Out	By	SCC Batch	SCC FileID	Sample Number	Date In	By	Vac " Hg	Pres psig	Final psig	Dil Fact
A239	6	29.4	05/31/13	RC	CP6218	3W33756.D	JB41056-1	07/01/13	RC	7			1

**Accutest Bottle Order(s):**  
 VP-5/30/2013-17

**Prep Date**      **Room Temp(F)**      **Bar Pres "Hg**  
 05/31/13          70                                  29.92