

## Technical Report for

### Providence Engineering

Valero-CAMS, Baton Rouge, LA

712-001

Accutest Job Number: JB39031

Sampling Date: 06/04/13

#### Report to:

Providence Engineering

kevincalhoun@providenceeng.com

ATTN: Kevin Calhoun

Total number of pages in report: **10**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.



**Nancy Cole**  
Laboratory Director

**Client Service contact: Victoria Pushkova 732-329-0200**

Certifications: NJ(12129), NY(10983), CA, CT, DE, FL, IL, IN, KS, KY, LA, MA, MD, MI, MT, NC, OH VAP (CL0056), PA, RI, SC, TN, VA, WV

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.  
Test results relate only to samples analyzed.

# Table of Contents

-1-

|  |           |
|--|-----------|
| <b>Section 1: Sample Summary</b> .....                   | <b>3</b>  |
| <b>Section 2: Sample Results</b> .....                   | <b>4</b>  |
| <b>2.1: JB39031-1: CAMS 109</b> .....                    | <b>5</b>  |
| <b>Section 3: Misc. Forms</b> .....                      | <b>7</b>  |
| <b>3.1: Chain of Custody</b> .....                       | <b>8</b>  |
| <b>3.2: Summa Canister and Flow Controller Log</b> ..... | <b>10</b> |



## Sample Summary

**Providence Engineering**

**Job No: JB39031**

**Valero-CAMS, Baton Rouge, LA**

**Project No: 712-001**

| Sample Number | Collected Date | Time By  | Received | Matrix Code | Type             | Client Sample ID |
|---------------|----------------|----------|----------|-------------|------------------|------------------|
| JB39031-1     | 06/04/13       | 13:00 KH | 06/07/13 | AIR         | Ambient Air Grab | CAMS 109         |

**Sample Results**

---

**Report of Analysis**

---

## Report of Analysis

|                   |                                       |                 |          |
|-------------------|---------------------------------------|-----------------|----------|
| Client Sample ID: | CAMS 109                              | Date Sampled:   | 06/04/13 |
| Lab Sample ID:    | JB39031-1                             | Date Received:  | 06/07/13 |
| Matrix:           | AIR - Ambient Air Grab Summa ID: A247 | Percent Solids: | n/a      |
| Method:           | TO-15                                 |                 |          |
| Project:          | Valero-CAMS, Baton Rouge, LA          |                 |          |

| Run #  | File ID   | DF | Analyzed | By  | Prep Date | Prep Batch | Analytical Batch |
|--------|-----------|----|----------|-----|-----------|------------|------------------|
| Run #1 | 3W34262.D | 1  | 06/10/13 | YMH | n/a       | n/a        | V3W1324          |
| Run #2 |           |    |          |     |           |            |                  |

| Run #  | Initial Volume |
|--------|----------------|
| Run #1 | 400 ml         |
| Run #2 |                |

## VOA TO15 List

| CAS No.    | MW    | Compound                   | Result | RL   | MDL   | Units | Q | Result | RL   | MDL   | Units |
|------------|-------|----------------------------|--------|------|-------|-------|---|--------|------|-------|-------|
| 67-64-1    | 58.08 | Acetone                    | 4.9    | 0.20 | 0.034 | ppbv  |   | 12     | 0.48 | 0.081 | ug/m3 |
| 106-99-0   | 54.09 | 1,3-Butadiene              | ND     | 0.20 | 0.020 | ppbv  |   | ND     | 0.44 | 0.044 | ug/m3 |
| 71-43-2    | 78.11 | Benzene                    | 0.18   | 0.20 | 0.021 | ppbv  | J | 0.58   | 0.64 | 0.067 | ug/m3 |
| 75-27-4    | 163.8 | Bromodichloromethane       | ND     | 0.20 | 0.025 | ppbv  |   | ND     | 1.3  | 0.17  | ug/m3 |
| 75-25-2    | 252.8 | Bromoform                  | ND     | 0.20 | 0.022 | ppbv  |   | ND     | 2.1  | 0.23  | ug/m3 |
| 74-83-9    | 94.94 | Bromomethane               | ND     | 0.20 | 0.017 | ppbv  |   | ND     | 0.78 | 0.066 | ug/m3 |
| 593-60-2   | 106.9 | Bromoethene                | ND     | 0.20 | 0.014 | ppbv  |   | ND     | 0.87 | 0.061 | ug/m3 |
| 100-44-7   | 126   | Benzyl Chloride            | ND     | 0.20 | 0.025 | ppbv  |   | ND     | 1.0  | 0.13  | ug/m3 |
| 75-15-0    | 76.14 | Carbon disulfide           | 0.24   | 0.20 | 0.017 | ppbv  |   | 0.75   | 0.62 | 0.053 | ug/m3 |
| 108-90-7   | 112.6 | Chlorobenzene              | ND     | 0.20 | 0.025 | ppbv  |   | ND     | 0.92 | 0.12  | ug/m3 |
| 75-00-3    | 64.52 | Chloroethane               | ND     | 0.20 | 0.020 | ppbv  |   | ND     | 0.53 | 0.053 | ug/m3 |
| 67-66-3    | 119.4 | Chloroform                 | ND     | 0.20 | 0.019 | ppbv  |   | ND     | 0.98 | 0.093 | ug/m3 |
| 74-87-3    | 50.49 | Chloromethane              | 0.82   | 0.20 | 0.034 | ppbv  |   | 1.7    | 0.41 | 0.070 | ug/m3 |
| 107-05-1   | 76.53 | 3-Chloropropene            | ND     | 0.20 | 0.028 | ppbv  |   | ND     | 0.63 | 0.088 | ug/m3 |
| 95-49-8    | 126.6 | 2-Chlorotoluene            | ND     | 0.20 | 0.020 | ppbv  |   | ND     | 1.0  | 0.10  | ug/m3 |
| 56-23-5    | 153.8 | Carbon tetrachloride       | ND     | 0.20 | 0.011 | ppbv  |   | ND     | 1.3  | 0.069 | ug/m3 |
| 110-82-7   | 84.16 | Cyclohexane                | 0.14   | 0.20 | 0.058 | ppbv  | J | 0.48   | 0.69 | 0.20  | ug/m3 |
| 75-34-3    | 98.96 | 1,1-Dichloroethane         | ND     | 0.20 | 0.016 | ppbv  |   | ND     | 0.81 | 0.065 | ug/m3 |
| 75-35-4    | 96.94 | 1,1-Dichloroethylene       | ND     | 0.20 | 0.021 | ppbv  |   | ND     | 0.79 | 0.083 | ug/m3 |
| 106-93-4   | 187.9 | 1,2-Dibromoethane          | ND     | 0.20 | 0.027 | ppbv  |   | ND     | 1.5  | 0.21  | ug/m3 |
| 107-06-2   | 98.96 | 1,2-Dichloroethane         | ND     | 0.20 | 0.016 | ppbv  |   | ND     | 0.81 | 0.065 | ug/m3 |
| 78-87-5    | 113   | 1,2-Dichloropropane        | ND     | 0.20 | 0.040 | ppbv  |   | ND     | 0.92 | 0.18  | ug/m3 |
| 123-91-1   | 88.12 | 1,4-Dioxane                | ND     | 0.20 | 0.060 | ppbv  |   | ND     | 0.72 | 0.22  | ug/m3 |
| 75-71-8    | 120.9 | Dichlorodifluoromethane    | 0.58   | 0.20 | 0.015 | ppbv  |   | 2.9    | 0.99 | 0.074 | ug/m3 |
| 124-48-1   | 208.3 | Dibromochloromethane       | ND     | 0.20 | 0.029 | ppbv  |   | ND     | 1.7  | 0.25  | ug/m3 |
| 156-60-5   | 96.94 | trans-1,2-Dichloroethylene | ND     | 0.20 | 0.015 | ppbv  |   | ND     | 0.79 | 0.059 | ug/m3 |
| 156-59-2   | 96.94 | cis-1,2-Dichloroethylene   | ND     | 0.20 | 0.028 | ppbv  |   | ND     | 0.79 | 0.11  | ug/m3 |
| 10061-01-5 | 111   | cis-1,3-Dichloropropene    | ND     | 0.20 | 0.019 | ppbv  |   | ND     | 0.91 | 0.086 | ug/m3 |
| 541-73-1   | 147   | m-Dichlorobenzene          | ND     | 0.20 | 0.025 | ppbv  |   | ND     | 1.2  | 0.15  | ug/m3 |
| 95-50-1    | 147   | o-Dichlorobenzene          | ND     | 0.20 | 0.029 | ppbv  |   | ND     | 1.2  | 0.17  | ug/m3 |
| 106-46-7   | 147   | p-Dichlorobenzene          | ND     | 0.20 | 0.022 | ppbv  |   | ND     | 1.2  | 0.13  | ug/m3 |
| 10061-02-6 | 111   | trans-1,3-Dichloropropene  | ND     | 0.20 | 0.021 | ppbv  |   | ND     | 0.91 | 0.095 | ug/m3 |

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

### Report of Analysis

|  |                       |                                |
|--|-----------------------|--------------------------------|
| <b>Client Sample ID:</b> CAMS 109            |                       |                                |
| <b>Lab Sample ID:</b> JB39031-1              |                       | <b>Date Sampled:</b> 06/04/13  |
| <b>Matrix:</b> AIR - Ambient Air Grab        | <b>Summa ID:</b> A247 | <b>Date Received:</b> 06/07/13 |
| <b>Method:</b> TO-15                         |                       | <b>Percent Solids:</b> n/a     |
| <b>Project:</b> Valero-CAMS, Baton Rouge, LA |                       |                                |

VOA TO15 List

| CAS No.   | MW     | Compound                  | Result | RL    | MDL   | Units | Q | Result | RL   | MDL   | Units |
|-----------|--------|---------------------------|--------|-------|-------|-------|---|--------|------|-------|-------|
| 64-17-5   | 46.07  | Ethanol                   | 2.6    | 0.50  | 0.19  | ppbv  |   | 4.9    | 0.94 | 0.36  | ug/m3 |
| 100-41-4  | 106.2  | Ethylbenzene              | 0.12   | 0.20  | 0.020 | ppbv  | J | 0.52   | 0.87 | 0.087 | ug/m3 |
| 141-78-6  | 88     | Ethyl Acetate             | ND     | 0.20  | 0.057 | ppbv  |   | ND     | 0.72 | 0.21  | ug/m3 |
| 622-96-8  | 120.2  | 4-Ethyltoluene            | ND     | 0.20  | 0.015 | ppbv  |   | ND     | 0.98 | 0.074 | ug/m3 |
| 76-13-1   | 187.4  | Freon 113                 | ND     | 0.20  | 0.021 | ppbv  |   | ND     | 1.5  | 0.16  | ug/m3 |
| 76-14-2   | 170.9  | Freon 114                 | ND     | 0.20  | 0.021 | ppbv  |   | ND     | 1.4  | 0.15  | ug/m3 |
| 142-82-5  | 100.2  | Heptane                   | 0.20   | 0.20  | 0.020 | ppbv  |   | 0.82   | 0.82 | 0.082 | ug/m3 |
| 87-68-3   | 260.8  | Hexachlorobutadiene       | ND     | 0.20  | 0.063 | ppbv  |   | ND     | 2.1  | 0.67  | ug/m3 |
| 110-54-3  | 86.17  | Hexane                    | 0.55   | 0.20  | 0.016 | ppbv  |   | 1.9    | 0.70 | 0.056 | ug/m3 |
| 591-78-6  | 100    | 2-Hexanone                | ND     | 0.20  | 0.025 | ppbv  |   | ND     | 0.82 | 0.10  | ug/m3 |
| 67-63-0   | 60.1   | Isopropyl Alcohol         | 0.84   | 0.20  | 0.039 | ppbv  |   | 2.1    | 0.49 | 0.096 | ug/m3 |
| 75-09-2   | 84.94  | Methylene chloride        | 0.36   | 0.20  | 0.047 | ppbv  |   | 1.3    | 0.69 | 0.16  | ug/m3 |
| 78-93-3   | 72.11  | Methyl ethyl ketone       | 0.68   | 0.20  | 0.058 | ppbv  |   | 2.0    | 0.59 | 0.17  | ug/m3 |
| 108-10-1  | 100.2  | Methyl Isobutyl Ketone    | ND     | 0.20  | 0.029 | ppbv  |   | ND     | 0.82 | 0.12  | ug/m3 |
| 1634-04-4 | 88.15  | Methyl Tert Butyl Ether   | ND     | 0.20  | 0.017 | ppbv  |   | ND     | 0.72 | 0.061 | ug/m3 |
| 80-62-6   | 100.12 | Methylmethacrylate        | ND     | 0.20  | 0.040 | ppbv  |   | ND     | 0.82 | 0.16  | ug/m3 |
| 115-07-1  | 42     | Propylene                 | ND     | 0.50  | 0.031 | ppbv  |   | ND     | 0.86 | 0.053 | ug/m3 |
| 100-42-5  | 104.1  | Styrene                   | 0.40   | 0.20  | 0.020 | ppbv  |   | 1.7    | 0.85 | 0.085 | ug/m3 |
| 71-55-6   | 133.4  | 1,1,1-Trichloroethane     | ND     | 0.20  | 0.016 | ppbv  |   | ND     | 1.1  | 0.087 | ug/m3 |
| 79-34-5   | 167.9  | 1,1,2,2-Tetrachloroethane | ND     | 0.20  | 0.030 | ppbv  |   | ND     | 1.4  | 0.21  | ug/m3 |
| 79-00-5   | 133.4  | 1,1,2-Trichloroethane     | ND     | 0.20  | 0.031 | ppbv  |   | ND     | 1.1  | 0.17  | ug/m3 |
| 120-82-1  | 181.5  | 1,2,4-Trichlorobenzene    | ND     | 0.20  | 0.079 | ppbv  |   | ND     | 1.5  | 0.59  | ug/m3 |
| 95-63-6   | 120.2  | 1,2,4-Trimethylbenzene    | 0.13   | 0.20  | 0.017 | ppbv  | J | 0.64   | 0.98 | 0.084 | ug/m3 |
| 108-67-8  | 120.2  | 1,3,5-Trimethylbenzene    | ND     | 0.20  | 0.015 | ppbv  |   | ND     | 0.98 | 0.074 | ug/m3 |
| 540-84-1  | 114.2  | 2,2,4-Trimethylpentane    | 2.8    | 0.20  | 0.021 | ppbv  |   | 13     | 0.93 | 0.098 | ug/m3 |
| 75-65-0   | 74.12  | Tertiary Butyl Alcohol    | 0.38   | 0.20  | 0.044 | ppbv  |   | 1.2    | 0.61 | 0.13  | ug/m3 |
| 127-18-4  | 165.8  | Tetrachloroethylene       | ND     | 0.040 | 0.029 | ppbv  |   | ND     | 0.27 | 0.20  | ug/m3 |
| 109-99-9  | 72.11  | Tetrahydrofuran           | ND     | 0.20  | 0.045 | ppbv  |   | ND     | 0.59 | 0.13  | ug/m3 |
| 108-88-3  | 92.14  | Toluene                   | 0.59   | 0.20  | 0.020 | ppbv  |   | 2.2    | 0.75 | 0.075 | ug/m3 |
| 79-01-6   | 131.4  | Trichloroethylene         | ND     | 0.040 | 0.019 | ppbv  |   | ND     | 0.21 | 0.10  | ug/m3 |
| 75-69-4   | 137.4  | Trichlorofluoromethane    | 0.28   | 0.20  | 0.014 | ppbv  |   | 1.6    | 1.1  | 0.079 | ug/m3 |
| 75-01-4   | 62.5   | Vinyl chloride            | ND     | 0.20  | 0.017 | ppbv  |   | ND     | 0.51 | 0.043 | ug/m3 |
| 108-05-4  | 86     | Vinyl Acetate             | ND     | 0.20  | 0.058 | ppbv  |   | ND     | 0.70 | 0.20  | ug/m3 |
|           | 106.2  | m,p-Xylene                | 0.35   | 0.20  | 0.032 | ppbv  |   | 1.5    | 0.87 | 0.14  | ug/m3 |
| 95-47-6   | 106.2  | o-Xylene                  | 0.15   | 0.20  | 0.019 | ppbv  | J | 0.65   | 0.87 | 0.083 | ug/m3 |
| 1330-20-7 | 106.2  | Xylenes (total)           | 0.50   | 0.20  | 0.019 | ppbv  |   | 2.2    | 0.87 | 0.083 | ug/m3 |

| CAS No.  | Surrogate Recoveries | Run# 1 | Run# 2 | Limits  |
|----------|----------------------|--------|--------|---------|
| 460-00-4 | 4-Bromofluorobenzene | 88%    |        | 65-128% |

ND = Not detected      MDL - Method Detection Limit      J = Indicates an estimated value  
 RL = Reporting Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound

## Misc. Forms

---

### Custody Documents and Other Forms

---

**Includes the following where applicable:**

- Chain of Custody
- Summa Canister and Flow Controller Log

# CHAIN OF CUSTODY

## Air Sampling Field Data Sheet



2235 US Highway 130, Dayton, NJ 08810  
 V: 732.329.0200 F: 732.329.3499 www.accutest.com

FED-EX Tracking # 8026-9619 6717  
 Lab Quote #

Bottle Order Control #  
 Lab Job # JB39031

PAGE 1 OF 1

| Client / Reporting Information                   |  |  | Project Information           |  |  | Weather Parameters                  |  |  | Requested Analysis     |  |  |
|--|--|--|-------------------------------|--|--|-------------------------------------|--|--|------------------------|--|--|
| Company Name: Providence Engr                    |  |  | Project Name: Valero Refining |  |  | Temperature (Fahrenheit)            |  |  |                        |  |  |
| Address: 1201 Main St                            |  |  | Street:                       |  |  | Start: Maximum:                     |  |  |                        |  |  |
| City: BR State: LA Zip: 70802                    |  |  | City: Meroux State: LA        |  |  | Stop: Minimum:                      |  |  |                        |  |  |
| Project Contact: Paul Hollis @ providenceeng.com |  |  | Project #: 712-001            |  |  | Atmospheric Pressure (inches of Hg) |  |  |                        |  |  |
| Phone #: 225-766-7400 Fax #: -7410               |  |  | Client Purchase Order #:      |  |  | Start: Maximum:                     |  |  |                        |  |  |
| Sampler(s) Name(s): K Hudson                     |  |  |                               |  |  | Stop: Minimum:                      |  |  | Other weather comment: |  |  |

| Lab Sample # | Field ID / Point of Collection | Air Type | Sampling Equipment Info           |                   |                        | Start Sampling Information |      |                   |                         |                   | Stop Sampling Information |      |                   |                         |                   |
|--------------|--------------------------------|----------|-----------------------------------|-------------------|------------------------|----------------------------|------|-------------------|-------------------------|-------------------|---------------------------|------|-------------------|-------------------------|-------------------|
|              |                                |          | Indoor(I) Soil Vap(SV) Ambient(A) | Canister Serial # | Canister Size 6L or 1L | Flow Controller Serial #   | Date | Time (24hr clock) | Canister Pressure ("Hg) | Interior Temp (F) | Sampler Init.             | Date | Time (24hr clock) | Canister Pressure ("Hg) | Interior Temp (F) |
| 1            | Cams 109                       | A        | A247                              | 6L                | -                      | 6-3                        | 1300 | 0.38              | 75                      | 1CH               | 6-4                       | 1300 | 11.99             | 75                      | 1CH               |
|              |                                |          |                                   |                   |                        |                            |      |                   |                         |                   |                           |      |                   |                         |                   |
|              |                                |          |                                   |                   |                        |                            |      |                   |                         |                   |                           |      |                   |                         |                   |
|              |                                |          |                                   |                   |                        |                            |      |                   |                         |                   |                           |      |                   |                         |                   |
|              |                                |          |                                   |                   |                        |                            |      |                   |                         |                   |                           |      |                   |                         |                   |
|              |                                |          |                                   |                   |                        |                            |      |                   |                         |                   |                           |      |                   |                         |                   |
|              |                                |          |                                   |                   |                        |                            |      |                   |                         |                   |                           |      |                   |                         |                   |
|              |                                |          |                                   |                   |                        |                            |      |                   |                         |                   |                           |      |                   |                         |                   |
|              |                                |          |                                   |                   |                        |                            |      |                   |                         |                   |                           |      |                   |                         |                   |
|              |                                |          |                                   |                   |                        |                            |      |                   |                         |                   |                           |      |                   |                         |                   |
|              |                                |          |                                   |                   |                        |                            |      |                   |                         |                   |                           |      |                   |                         |                   |

| Turnaround Time (Business days) |                                     | Data Deliverable Information |                                      | Comments / Remarks                     |  |
|---------------------------------|-------------------------------------|------------------------------|--------------------------------------|--|--|
| Standard - 15 Days              | <input checked="" type="checkbox"/> | Approved By: _____           | All NJDEP TO-15 is mandatory Full T1 | Received at Baton Rouge Service Center |  |
| 10 Day                          | <input type="checkbox"/>            | Date: _____                  | Comm A                               |  |  |
| 5 Day                           | <input type="checkbox"/>            |                              | Comm B                               |  |  |
| 3 Day                           | <input type="checkbox"/>            |                              | Reduced T2                           |  |  |
| 2 Day                           | <input type="checkbox"/>            |                              | Full T1                              |  |  |
| 1 Day                           | <input type="checkbox"/>            |                              | Other: _____                         |  |  |
| Other                           | <input type="checkbox"/>            |                              |                                      |  |  |

| Sample Custody must be documented below each time samples change possession, including courier delivery. |            |                                 |                                     |                          |                                 |
|--|------------|---------------------------------|-------------------------------------|--------------------------|---------------------------------|
| Relinquished by Laboratory: 1  | Date Time: | Received By: <i>[Signature]</i> | Relinquished By: <i>[Signature]</i> | Date Time: 6/11/13 12:05 | Received By: <i>[Signature]</i> |
| Relinquished by: <i>[Signature]</i>  | Date Time: | Received By: <i>[Signature]</i> | Relinquished By: <i>[Signature]</i> | Date Time: 6/11/13 10:00 | Received By: <i>[Signature]</i> |
| Relinquished by: <i>[Signature]</i>  | Date Time: | Received By: <i>[Signature]</i> | Custody Seal #                      |                          |                                 |



**Accutest Job Number:** JB39031      **Client:** \_\_\_\_\_      **Project:** \_\_\_\_\_  
**Date / Time Received:** 6/7/2013      **Delivery Method:** \_\_\_\_\_      **Airbill #'s:** \_\_\_\_\_

**Cooler Temps (Initial/Adjusted):**

| <u>Cooler Security</u>    | <u>Y</u>                            | <u>or</u> | <u>N</u>                 |                       | <u>Y</u>                            | <u>or</u> | <u>N</u>                 |
|---------------------------|-------------------------------------|-----------|--------------------------|-----------------------|-------------------------------------|-----------|--------------------------|
| 1. Custody Seals Present: | <input checked="" type="checkbox"/> |           | <input type="checkbox"/> | 3. COC Present:       | <input checked="" type="checkbox"/> |           | <input type="checkbox"/> |
| 2. Custody Seals Intact:  | <input checked="" type="checkbox"/> |           | <input type="checkbox"/> | 4. Smpl Dates/Time OK | <input checked="" type="checkbox"/> |           | <input type="checkbox"/> |

| <u>Cooler Temperature</u>    | <u>Y</u>                            | <u>or</u> | <u>N</u>                 |
|------------------------------|-------------------------------------|-----------|--------------------------|
| 1. Temp criteria achieved:   | <input checked="" type="checkbox"/> |           | <input type="checkbox"/> |
| 2. Cooler temp verification: | _____                               |           |                          |
| 3. Cooler media:             | _____                               |           |                          |
| 4. No. Coolers:              | 0                                   |           |                          |

| <u>Quality Control Preservatio</u> | <u>Y</u>                            | <u>or</u> | <u>N</u>                            | <u>N/A</u>                          |
|------------------------------------|-------------------------------------|-----------|-------------------------------------|-------------------------------------|
| 1. Trip Blank present / cooler:    | <input type="checkbox"/>            |           | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| 2. Trip Blank listed on COC:       | <input type="checkbox"/>            |           | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| 3. Samples preserved properly:     | <input checked="" type="checkbox"/> |           | <input type="checkbox"/>            |                                     |
| 4. VOCs headspace free:            | <input type="checkbox"/>            |           | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |

| <u>Sample Integrity - Documentation</u> | <u>Y</u>                            | <u>or</u> | <u>N</u>                 |
|---|-------------------------------------|-----------|--------------------------|
| 1. Sample labels present on bottles:    | <input checked="" type="checkbox"/> |           | <input type="checkbox"/> |
| 2. Container labeling complete:         | <input checked="" type="checkbox"/> |           | <input type="checkbox"/> |
| 3. Sample container label / COC agree:  | <input checked="" type="checkbox"/> |           | <input type="checkbox"/> |

| <u>Sample Integrity - Condition</u> | <u>Y</u>                            | <u>or</u> | <u>N</u>                 |
|-------------------------------------|-------------------------------------|-----------|--------------------------|
| 1. Sample recvd within HT:          | <input checked="" type="checkbox"/> |           | <input type="checkbox"/> |
| 2. All containers accounted for:    | <input checked="" type="checkbox"/> |           | <input type="checkbox"/> |
| 3. Condition of sample:             | Intact                              |           |                          |

| <u>Sample Integrity - Instructions</u>    | <u>Y</u>                            | <u>or</u> | <u>N</u>                            | <u>N/A</u>                          |
|---|-------------------------------------|-----------|-------------------------------------|-------------------------------------|
| 1. Analysis requested is clear:           | <input checked="" type="checkbox"/> |           | <input type="checkbox"/>            |                                     |
| 2. Bottles received for unspecified tests | <input type="checkbox"/>            |           | <input checked="" type="checkbox"/> |                                     |
| 3. Sufficient volume recvd for analysis:  | <input checked="" type="checkbox"/> |           | <input type="checkbox"/>            |                                     |
| 4. Compositing instructions clear:        | <input type="checkbox"/>            |           | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| 5. Filtering instructions clear:          | <input type="checkbox"/>            |           | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |

Comments

# Summa Canister and Flow Controller Log

**Job Number:** JB39031  
**Account:** PROVLABR Providence Engineering  
**Project:** Valero-CAMS, Baton Rouge, LA  
**Received:** 06/07/13

32  
3

| SUMMA CANISTERS |       |           |          |    |           |            |               |         |    |          |           |            |          |
|-----------------|-------|-----------|----------|----|-----------|------------|---------------|---------|----|----------|-----------|------------|----------|
| Shipping        |       |           |          |    |           |            | Receiving     |         |    |          |           |            |          |
| Summa ID        | Vac L | Date " Hg | Date Out | By | SCC Batch | SCC FileID | Sample Number | Date In | By | Vac " Hg | Pres psig | Final psig | Dil Fact |

|      |   |      |          |     |        |          |           |          |    |   |  |  |   |
|------|---|------|----------|-----|--------|----------|-----------|----------|----|---|--|--|---|
| A247 | 6 | 29.4 | 05/03/13 | YXC | CP6179 | W41650.D | JB39031-1 | 06/07/13 | RC | 6 |  |  | 1 |
|------|---|------|----------|-----|--------|----------|-----------|----------|----|---|--|--|---|

**Accutest Bottle Order(s):**  
 VP-5/3/2013-8

|                  |                     |                     |
|------------------|---------------------|---------------------|
| <b>Prep Date</b> | <b>Room Temp(F)</b> | <b>Bar Pres "Hg</b> |
| 05/03/13         | 70                  | 29.92               |