

Technical Report for

Providence Engineering

Valero-CAMS, Baton Rouge, LA

712-001

Accutest Job Number: JB11310

Sampling Date: 07/11/12

Report to:

Providence Engineering

kevincalhoun@providenceeng.com

ATTN: Kevin Calhoun

Total number of pages in report: 10



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.



Paul Ioannidis
Lab Director

Client Service contact: Kristyn Morrison 732-329-0200

Certifications: NJ(12129), NY(10983), CA, CT, DE, FL, IL, IN, KS, KY, LA, MA, MD, MI, MT, NC, OH VAP (CL0056), PA, RI, SC, TN, VA, WV

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Sample Results	4
2.1: JB11310-1: CAMS 055	5
Section 3: Misc. Forms	7
3.1: Chain of Custody	8
3.2: Summa Canister and Flow Controller Log	10



Sample Summary

Providence Engineering

Job No: JB11310

Valero-CAMS, Baton Rouge, LA
Project No: 712-001

Sample Number	Collected		Received	Matrix		Client Sample ID
	Date	Time By		Code	Type	
JB11310-1	07/11/12	13:00 KH	07/16/12	AIR	Ambient Air Grab	CAMS 055

Sample Results

Report of Analysis

Report of Analysis

Page 1 of 2

Client Sample ID:	CAMS 055	Date Sampled:	07/11/12
Lab Sample ID:	JB11310-1	Date Received:	07/16/12
Matrix:	AIR - Ambient Air Grab Summa ID: A875	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero-CAMS, Baton Rouge, LA		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3W29187.D	1	07/19/12	YXC	n/a	n/a	V3W1139
Run #2							

Run #	Initial Volume
Run #1	400 ml
Run #2	

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
67-64-1	58.08	Acetone	6.5	0.20	0.036	ppbv		15	0.48	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	0.20	0.024	ppbv		ND	0.44	ug/m3
71-43-2	78.11	Benzene	1.1	0.20	0.046	ppbv		3.5	0.64	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	0.20	0.030	ppbv		ND	1.3	ug/m3
75-25-2	252.8	Bromoform	ND	0.20	0.037	ppbv		ND	2.1	ug/m3
74-83-9	94.94	Bromomethane	ND	0.20	0.037	ppbv		ND	0.78	ug/m3
593-60-2	106.9	Bromoethene	ND	0.20	0.037	ppbv		ND	0.87	ug/m3
100-44-7	126	Benzyl Chloride	ND	0.20	0.041	ppbv		ND	1.0	ug/m3
75-15-0	76.14	Carbon disulfide	0.37	0.20	0.032	ppbv		1.2	0.62	ug/m3
108-90-7	112.6	Chlorobenzene	ND	0.20	0.027	ppbv		ND	0.92	ug/m3
75-00-3	64.52	Chloroethane	ND	0.20	0.039	ppbv		ND	0.53	ug/m3
67-66-3	119.4	Chloroform	ND	0.20	0.028	ppbv		ND	0.98	ug/m3
74-87-3	50.49	Chloromethane	0.65	0.20	0.037	ppbv		1.3	0.41	ug/m3
107-05-1	76.53	3-Chloropropene	ND	0.20	0.041	ppbv		ND	0.63	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	0.20	0.031	ppbv		ND	1.0	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	0.20	0.040	ppbv		ND	1.3	ug/m3
110-82-7	84.16	Cyclohexane	0.18	0.20	0.034	ppbv	J	0.62	0.69	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.20	0.028	ppbv		ND	0.81	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	ND	0.20	0.046	ppbv		ND	0.79	ug/m3
106-93-4	187.9	1,2-Dibromoethane	ND	0.20	0.027	ppbv		ND	1.5	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	0.20	0.043	ppbv		ND	0.81	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	0.20	0.038	ppbv		ND	0.92	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	0.20	0.056	ppbv		ND	0.72	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	0.43	0.20	0.038	ppbv		2.1	0.99	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	0.20	0.027	ppbv		ND	1.7	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.20	0.033	ppbv		ND	0.79	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	ND	0.20	0.038	ppbv		ND	0.79	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.20	0.043	ppbv		ND	0.91	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	0.20	0.037	ppbv		ND	1.2	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.20	0.027	ppbv		ND	1.2	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	0.20	0.025	ppbv		ND	1.2	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.20	0.039	ppbv		ND	0.91	ug/m3

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	CAMS 055	Date Sampled:	07/11/12
Lab Sample ID:	JB11310-1	Date Received:	07/16/12
Matrix:	AIR - Ambient Air Grab Summa ID: A875	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero-CAMS, Baton Rouge, LA		

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
64-17-5	46.07	Ethanol	4.9	0.50	0.095	ppbv		9.2	0.94	ug/m3
100-41-4	106.2	Ethylbenzene	1.8	0.20	0.031	ppbv		7.8	0.87	ug/m3
141-78-6	88	Ethyl Acetate	1.5	0.20	0.061	ppbv		5.4	0.72	ug/m3
622-96-8	120.2	4-Ethyltoluene	ND	0.20	0.024	ppbv		ND	0.98	ug/m3
76-13-1	187.4	Freon 113	ND	0.20	0.034	ppbv		ND	1.5	ug/m3
76-14-2	170.9	Freon 114	ND	0.20	0.031	ppbv		ND	1.4	ug/m3
142-82-5	100.2	Heptane	0.27	0.20	0.033	ppbv		1.1	0.82	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.20	0.046	ppbv		ND	2.1	ug/m3
110-54-3	86.17	Hexane	1.9	0.20	0.044	ppbv		6.7	0.70	ug/m3
591-78-6	100	2-Hexanone	ND	0.20	0.043	ppbv		ND	0.82	ug/m3
67-63-0	60.1	Isopropyl Alcohol	0.74	0.20	0.059	ppbv		1.8	0.49	ug/m3
75-09-2	84.94	Methylene chloride	2.1	0.20	0.027	ppbv		7.3	0.69	ug/m3
78-93-3	72.11	Methyl ethyl ketone	0.55	0.20	0.048	ppbv		1.6	0.59	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	0.15	0.20	0.036	ppbv	J	0.61	0.82	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	1.1	0.20	0.027	ppbv		4.0	0.72	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.20	0.043	ppbv		ND	0.82	ug/m3
115-07-1	42	Propylene	2.2	0.50	0.070	ppbv		3.8	0.86	ug/m3
100-42-5	104.1	Styrene	0.18	0.20	0.027	ppbv	J	0.77	0.85	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.20	0.022	ppbv		ND	1.1	ug/m3
79-34-5	167.9	1,1,2,2-Tetrachloroethane	ND	0.20	0.030	ppbv		ND	1.4	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.20	0.030	ppbv		ND	1.1	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.20	0.051	ppbv		ND	1.5	ug/m3
95-63-6	120.2	1,2,4-Trimethylbenzene	0.34	0.20	0.024	ppbv		1.7	0.98	ug/m3
108-67-8	120.2	1,3,5-Trimethylbenzene	ND	0.20	0.028	ppbv		ND	0.98	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	0.21	0.20	0.028	ppbv		0.98	0.93	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	0.68	0.20	0.032	ppbv		2.1	0.61	ug/m3
127-18-4	165.8	Tetrachloroethylene	ND	0.040	0.028	ppbv		ND	0.27	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	0.20	0.047	ppbv		ND	0.59	ug/m3
108-88-3	92.14	Toluene	2.6	0.20	0.040	ppbv		9.8	0.75	ug/m3
79-01-6	131.4	Trichloroethylene	ND	0.040	0.033	ppbv		ND	0.21	ug/m3
75-69-4	137.4	Trichlorofluoromethane	0.46	0.20	0.042	ppbv		2.6	1.1	ug/m3
75-01-4	62.5	Vinyl chloride	ND	0.20	0.032	ppbv		ND	0.51	ug/m3
108-05-4	86	Vinyl Acetate	ND	0.20	0.057	ppbv		ND	0.70	ug/m3
	106.2	m,p-Xylene	4.2	0.20	0.031	ppbv		18	0.87	ug/m3
95-47-6	106.2	o-Xylene	2.1	0.20	0.031	ppbv		9.1	0.87	ug/m3
1330-20-7	106.2	Xylenes (total)	6.3	0.20	0.031	ppbv		27	0.87	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	101%		65-128%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody
- Summa Canister and Flow Controller Log

800325179905 7/16/12

FED-EX Tracking # 800325179905	Bottle Order Control #
Lab Quote #	Lab Job # JB11310

Company Name Providence Engr						Project Name Valero Refining						Weather Parameters					Requested Analysis																																															
Address 1201 Main St						Street						Temperature (Fahrenheit)																																																				
City BR						City Meraux						Start: Maximum:																																																				
State LA						State LA						Stop: Minimum:																																																				
Zip 70802												Atmospheric Pressure (inches of Hg)																																																				
Project Contact Paul Hollis						Project # 712-001						Start: Maximum:																																																				
E-mail paul.hollis@providenceengr.com						Client Purchase Order #						Stop: Minimum:																																																				
Phone # 225-766-7400												Other weather comment:																																																				
Fax # -7440																																																																
Samples (Name(s)) Karen Hudson																																																																
Lab Sample #	Field ID / Point of Collection	Air Type			Sampling Equipment Info			Start Sampling Information					Stop Sampling Information																																																			
		Indoor (I) Soil Vap (SV) Ambient (A)	Canister Serial #	Canister Size 6L or 1L	Flow Controller Serial #	Date	Time (24 hr clock)	Canister Pressure (Hg)	Interior Temp (F)	Sampler Init.	Date	Time (24 hr clock)	Canister Pressure (Hg)	Interior Temp (F)	Sampler Init.																																																	
-1	CAMS 055	A	A875	6L	-	7-10	1300	0.16	75	KL	7-11	1300	11.92	75	KL																																																	
<table border="1"> <tr> <th colspan="3">Turnaround Time (Business Days)</th> <th colspan="3">Data Deliverable Information</th> <th colspan="6">Comments / Remarks</th> </tr> <tr> <td>Standard - 15 Days</td> <td><input checked="" type="checkbox"/></td> <td rowspan="6">Approved By: _____ Date: _____</td> <td colspan="3" rowspan="6">All NJDEP TO-15 is mandatory Full T1</td> <td colspan="6" rowspan="6"> <p>Received at Baton Rouge Service Center</p> </td> </tr> <tr> <td>10 Day</td> <td><input type="checkbox"/></td> </tr> <tr> <td>5 Day</td> <td><input type="checkbox"/></td> </tr> <tr> <td>3 Day</td> <td><input type="checkbox"/></td> </tr> <tr> <td>2 Day</td> <td><input type="checkbox"/></td> </tr> <tr> <td>1 Day</td> <td><input type="checkbox"/></td> </tr> <tr> <td>Other</td> <td><input type="checkbox"/></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>																Turnaround Time (Business Days)			Data Deliverable Information			Comments / Remarks						Standard - 15 Days	<input checked="" type="checkbox"/>	Approved By: _____ Date: _____	All NJDEP TO-15 is mandatory Full T1			<p>Received at Baton Rouge Service Center</p>						10 Day	<input type="checkbox"/>	5 Day	<input type="checkbox"/>	3 Day	<input type="checkbox"/>	2 Day	<input type="checkbox"/>	1 Day	<input type="checkbox"/>	Other	<input type="checkbox"/>													
Turnaround Time (Business Days)			Data Deliverable Information			Comments / Remarks																																																										
Standard - 15 Days	<input checked="" type="checkbox"/>	Approved By: _____ Date: _____	All NJDEP TO-15 is mandatory Full T1			<p>Received at Baton Rouge Service Center</p>																																																										
10 Day	<input type="checkbox"/>																																																															
5 Day	<input type="checkbox"/>																																																															
3 Day	<input type="checkbox"/>																																																															
2 Day	<input type="checkbox"/>																																																															
1 Day	<input type="checkbox"/>																																																															
Other	<input type="checkbox"/>																																																															
Sample Custody must be documented below each time samples change possession, including courier delivery.																																																																
Relinquished by Laboratory:		Date Time:		Received by:		Date Time:		Relinquished by:		Date Time:		Received by:		Date Time:																																																		
1				[Signature]		7/16/12 11:53		[Signature]		7/16/12 11:53		[Signature]		7/16/12 11:53																																																		
3				[Signature]		7/16/12 11:53		[Signature]		7/16/12 11:53		[Signature]		7/16/12 11:53																																																		
5				[Signature]		7/16/12 11:53		[Signature]		7/16/12 11:53		[Signature]		7/16/12 11:53																																																		

31
3

Accutest Laboratories Sample Receipt Summary

Accutest Job Number: JB11310 **Client:** _____ **Project:** _____
Date / Time Received: 7/16/2012 **Delivery Method:** _____ **Airbill #'s:** _____

Cooler Temps (Initial/Adjusted):

Cooler Security	<u>Y or N</u>		<u>Y or N</u>
1. Custody Seals Present:	<input checked="" type="checkbox"/> <input type="checkbox"/>	3. COC Present:	<input checked="" type="checkbox"/> <input type="checkbox"/>
2. Custody Seals Intact:	<input checked="" type="checkbox"/> <input type="checkbox"/>	4. SmpI Dates/Time OK	<input checked="" type="checkbox"/> <input type="checkbox"/>

Cooler Temperature	<u>Y or N</u>
1. Temp criteria achieved:	<input checked="" type="checkbox"/> <input type="checkbox"/>
2. Cooler temp verification:	_____
3. Cooler media:	_____
4. No. Coolers:	0

Quality Control Preservation	<u>Y</u>	<u>or</u>	<u>N</u>	<u>N/A</u>
1. Trip Blank present / cooler:	<input type="checkbox"/>		<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. Trip Blank listed on COC:	<input type="checkbox"/>		<input checked="" type="checkbox"/>	<input type="checkbox"/>
3. Samples preserved properly:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
4. VOCs headspace free:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>

Sample Integrity - Documentation	<u>Y</u>	<u>or</u>	<u>N</u>
1. Sample labels present on bottles:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. Container labeling complete:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
3. Sample container label / COC agree:	<input checked="" type="checkbox"/>		<input type="checkbox"/>

Sample Integrity - Condition	<u>Y</u>	<u>or</u>	<u>N</u>
1. Sample recvd within HT:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. All containers accounted for:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
3. Condition of sample:	Intact		

Sample Integrity - Instructions	<u>Y</u>	<u>or</u>	<u>N</u>	<u>N/A</u>
1. Analysis requested is clear:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
2. Bottles received for unspecified tests	<input type="checkbox"/>		<input checked="" type="checkbox"/>	
3. Sufficient volume recvd for analysis:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
4. Compositing instructions clear:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>
5. Filtering instructions clear:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>

Comments

Summa Canister and Flow Controller Log

Job Number: JB11310
Account: PROVLABR Providence Engineering
Project: Valero-CAMS, Baton Rouge, LA
Received: 07/16/12

32
3

SUMMA CANISTERS													
Shipping							Receiving						
Summa ID	Vac L	Date " Hg	Date Out	By	SCC Batch	SCC FileID	Sample Number	Date In	By	Vac " Hg	Pres psig	Final psig	Dil Fact
A875	6	29.4	05/30/12	HT	CP5457	3W28210.D	JB11310-1	07/16/12	DR	6			1

Accutest Bottle Order(s):
 KB-5/30/2012-2

Prep Date **Room Temp(F)** **Bar Pres "Hg**
 05/30/12 70 29.92