

Technical Report for

Providence Engineering

Valero-CAMS, Baton Rouge, LA

712-001

Accutest Job Number: JB73171

Sampling Date: 07/21/14

Report to:

Providence Engineering

kevincalhoun@providenceeng.com

ATTN: Kevin Calhoun

Total number of pages in report: **10**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.



Nancy Cole
Laboratory Director

Client Service contact: Victoria Pushkova 732-329-0200

Certifications: NJ(12129), NY(10983), CA, CT, DE, FL, IL, IN, KS, KY, LA, MA, MD, MI, MT, NC, OH VAP (CL0056), PA, RI, SC, TN, VA, WV, DoD ELAP (L-A-B L2248)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Sample Results	4
2.1: JB73171-1: CAMS 178	5
Section 3: Misc. Forms	7
3.1: Chain of Custody	8
3.2: Summa Canister and Flow Controller Log	10

1

2

3



Sample Summary

Providence Engineering

Job No: JB73171

Valero-CAMS, Baton Rouge, LA
Project No: 712-001

Sample Number	Collected		Received	Matrix		Client Sample ID
	Date	Time By		Code	Type	
JB73171-1	07/21/14	13:00	ICH	08/04/14	AIR Ambient Air Grab	CAMS 178

Sample Results

Report of Analysis

Report of Analysis

Client Sample ID:	CAMS 178	Date Sampled:	07/21/14
Lab Sample ID:	JB73171-1	Date Received:	08/04/14
Matrix:	AIR - Ambient Air Grab Summa ID: A654	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero-CAMS, Baton Rouge, LA		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	5W6405.D	1	08/09/14	ML	n/a	n/a	V5W244
Run #2							

Run #	Initial Volume
Run #1	400 ml
Run #2	

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone	12.8	0.20	0.11	ppbv		30.4	0.48	0.26	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	0.20	0.034	ppbv		ND	0.44	0.075	ug/m3
71-43-2	78.11	Benzene	0.90	0.20	0.025	ppbv		2.9	0.64	0.080	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	0.20	0.029	ppbv		ND	1.3	0.19	ug/m3
75-25-2	252.8	Bromoform	ND	0.20	0.035	ppbv		ND	2.1	0.36	ug/m3
74-83-9	94.94	Bromomethane	ND	0.20	0.033	ppbv		ND	0.78	0.13	ug/m3
593-60-2	106.9	Bromoethene	ND	0.20	0.035	ppbv		ND	0.87	0.15	ug/m3
100-44-7	126	Benzyl Chloride	ND	0.20	0.047	ppbv		ND	1.0	0.24	ug/m3
75-15-0	76.14	Carbon disulfide	0.35	0.20	0.031	ppbv		1.1	0.62	0.097	ug/m3
108-90-7	112.6	Chlorobenzene	ND	0.20	0.034	ppbv		ND	0.92	0.16	ug/m3
75-00-3	64.52	Chloroethane	ND	0.20	0.042	ppbv		ND	0.53	0.11	ug/m3
67-66-3	119.4	Chloroform	0.13	0.20	0.024	ppbv	J	0.63	0.98	0.12	ug/m3
74-87-3	50.49	Chloromethane	1.5	0.20	0.079	ppbv		3.1	0.41	0.16	ug/m3
107-05-1	76.53	3-Chloropropene	ND	0.20	0.037	ppbv		ND	0.63	0.12	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	0.20	0.032	ppbv		ND	1.0	0.17	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	0.20	0.025	ppbv		ND	1.3	0.16	ug/m3
110-82-7	84.16	Cyclohexane	1.0	0.20	0.027	ppbv		3.4	0.69	0.093	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.20	0.027	ppbv		ND	0.81	0.11	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	ND	0.20	0.052	ppbv		ND	0.79	0.21	ug/m3
106-93-4	187.9	1,2-Dibromoethane	ND	0.20	0.027	ppbv		ND	1.5	0.21	ug/m3
107-06-2	98.96	1,2-Dichloroethane	0.15	0.20	0.023	ppbv	J	0.61	0.81	0.093	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	0.20	0.029	ppbv		ND	0.92	0.13	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	0.20	0.12	ppbv		ND	0.72	0.43	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	0.51	0.20	0.030	ppbv		2.5	0.99	0.15	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	0.20	0.038	ppbv		ND	1.7	0.32	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.20	0.070	ppbv		ND	0.79	0.28	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	ND	0.20	0.023	ppbv		ND	0.79	0.091	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.20	0.025	ppbv		ND	0.91	0.11	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	0.20	0.033	ppbv		ND	1.2	0.20	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.20	0.029	ppbv		ND	1.2	0.17	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	0.20	0.037	ppbv		ND	1.2	0.22	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.20	0.025	ppbv		ND	0.91	0.11	ug/m3

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	CAMS 178	Date Sampled:	07/21/14
Lab Sample ID:	JB73171-1	Date Received:	08/04/14
Matrix:	AIR - Ambient Air Grab Summa ID: A654	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero-CAMS, Baton Rouge, LA		

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	495	0.50	0.17	ppbv	E	933	0.94	0.32	ug/m3
100-41-4	106.2	Ethylbenzene	0.87	0.20	0.035	ppbv		3.8	0.87	0.15	ug/m3
141-78-6	88	Ethyl Acetate	7.6	0.20	0.061	ppbv		27	0.72	0.22	ug/m3
622-96-8	120.2	4-Ethyltoluene	0.39	0.20	0.032	ppbv		1.9	0.98	0.16	ug/m3
76-13-1	187.4	Freon 113	ND	0.20	0.040	ppbv		ND	1.5	0.31	ug/m3
76-14-2	170.9	Freon 114	ND	0.20	0.031	ppbv		ND	1.4	0.22	ug/m3
142-82-5	100.2	Heptane	0.21	0.20	0.021	ppbv		0.86	0.82	0.086	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.20	0.051	ppbv		ND	2.1	0.54	ug/m3
110-54-3	86.17	Hexane	1.7	0.20	0.042	ppbv		6.0	0.70	0.15	ug/m3
591-78-6	100	2-Hexanone	ND	0.20	0.064	ppbv		ND	0.82	0.26	ug/m3
67-63-0	60.1	Isopropyl Alcohol	2.0	0.20	0.066	ppbv		4.9	0.49	0.16	ug/m3
75-09-2	84.94	Methylene chloride	0.51	0.20	0.13	ppbv		1.8	0.69	0.45	ug/m3
78-93-3	72.11	Methyl ethyl ketone	1.5	0.20	0.040	ppbv		4.4	0.59	0.12	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	0.21	0.20	0.042	ppbv		0.86	0.82	0.17	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	0.66	0.20	0.041	ppbv		2.4	0.72	0.15	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.20	0.036	ppbv		ND	0.82	0.15	ug/m3
115-07-1	42	Propylene	ND	0.50	0.048	ppbv		ND	0.86	0.082	ug/m3
100-42-5	104.1	Styrene	0.47	0.20	0.033	ppbv		2.0	0.85	0.14	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.20	0.024	ppbv		ND	1.1	0.13	ug/m3
79-34-5	167.9	1,1,2,2-Tetrachloroethane	ND	0.20	0.040	ppbv		ND	1.4	0.27	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.20	0.035	ppbv		ND	1.1	0.19	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.20	0.061	ppbv		ND	1.5	0.45	ug/m3
95-63-6	120.2	1,2,4-Trimethylbenzene	1.3	0.20	0.029	ppbv		6.4	0.98	0.14	ug/m3
108-67-8	120.2	1,3,5-Trimethylbenzene	0.35	0.20	0.029	ppbv		1.7	0.98	0.14	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	0.16	0.20	0.025	ppbv	J	0.75	0.93	0.12	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	1.1	0.20	0.044	ppbv		3.3	0.61	0.13	ug/m3
127-18-4	165.8	Tetrachloroethylene	0.21	0.040	0.037	ppbv		1.4	0.27	0.25	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	0.20	0.049	ppbv		ND	0.59	0.14	ug/m3
108-88-3	92.14	Toluene	4.8	0.20	0.030	ppbv		18	0.75	0.11	ug/m3
79-01-6	131.4	Trichloroethylene	ND	0.040	0.030	ppbv		ND	0.21	0.16	ug/m3
75-69-4	137.4	Trichlorofluoromethane	0.26	0.20	0.029	ppbv		1.5	1.1	0.16	ug/m3
75-01-4	62.5	Vinyl chloride	ND	0.20	0.031	ppbv		ND	0.51	0.079	ug/m3
108-05-4	86	Vinyl Acetate	ND	0.20	0.095	ppbv		ND	0.70	0.33	ug/m3
	106.2	m,p-Xylene	2.1	0.20	0.069	ppbv		9.1	0.87	0.30	ug/m3
95-47-6	106.2	o-Xylene	0.97	0.20	0.034	ppbv		4.2	0.87	0.15	ug/m3
1330-20-7	106.2	Xylenes (total)	3.0	0.20	0.034	ppbv		13	0.87	0.15	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	110%		65-128%

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody
- Summa Canister and Flow Controller Log



CHAIN OF CUSTODY

Air Sampling Field Data Sheet

FED-EX Tracking # 77673574 3240
Lab Quote #

Order Control # VP-10/28/2013-5
Lab Job # JB 73171

PAGE 1 OF 1

Client / Reporting Information				Weather Parameters					Requested Analysis										
Company Name: Providence Engr			Project Name: Valero Refining		Temperature (Fahrenheit)		Start: Maximum:												
Address: 1201 Main St			Street		Stop: Minimum:		Atmospheric Pressure (inches of Hg)												
City: Bkr State: LA Zip: 70802			City: Meraux LA State		Start: Maximum:		Stop: Minimum:												
Project Contact: Paul Hollis e: prov@denveeng.com			Project # HZ-001		Other weather comment:														
Phone # 225 766 7400 Fax # -7440			Client Purchase Order #																
Sampler(s) Name(s): Karen Hudson																			
Lab Sample #	Field ID / Point of Collection	Air Type			Start Sampling Information					Stop Sampling Information									
		Indoor(I) Soil Vap(SV) Ambient(A)	Canister Serial #	Canister Size 6L or 1L	Flow Controller Serial #	Date	Time (24hr clock)	Canister Pressure (H _g)	Interior Temp (F)	Sampler Init.	Date	Time (24hr clock)	Canister Pressure (H _g)	Interior Temp (F)	Sampler Init.				
1	CAMS 178	A	A654	6L	-	7-20	1300	1.06	75	KH	7-21	1300	12.53	75	KH	✓			
Turnaround Time (Business days): Standard - 15 Days, 10 Day, 5 Day, 3 Day, 2 Day, 1 Day, Other										Data Deliverable Information: All NJDEP TO-15 is mandatory Full T1, Comm A, Comm B, Reduced T2, Full T1, Other:					Comments / Remarks: Received at Baton Rouge Service Center				
Approved By: _____ Date: _____										Sample Custody must be documented below each time samples change possession, including courier delivery.									
Relinquished by Laboratory: 1 [Signature]	Date/Time: 10/28/12 14:20	Received By: 1 FedEx	Relinquished By: 2 FedEx	Date/Time: 11/30/12	Received By: 3 [Signature]	Relinquished By: 4 FedEx	Date/Time: 1/31/14	Received By: 4 FedEx	Custody Seal #										
Relinquished by: 3 [Signature]	Date/Time: 7/31/14 12:52	Received By: 5 [Signature]																	
Relinquished by: 5 FedEx	Date/Time: 8/14/14 9:40																		

31
3

JB73171: Chain of Custody

Page 1 of 2

Accutest Laboratories Sample Receipt Summary

Accutest Job Number: JB73171 Client: _____ Project: _____

Date / Time Received: 8/4/2014 Delivery Method: _____ Airbill #'s: _____

Cooler Temps (Initial/Adjusted):

Cooler Security		<u>Y or N</u>	<u>Y or N</u>
1. Custody Seals Present:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	3. COC Present: <input checked="" type="checkbox"/> <input type="checkbox"/>
2. Custody Seals Intact:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	4. Smpl Dates/Time OK <input checked="" type="checkbox"/> <input type="checkbox"/>

Cooler Temperature		<u>Y or N</u>
1. Temp criteria achieved:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. Cooler temp verification:	_____	
3. Cooler media:	_____	
4. No. Coolers:	0	

Quality Control Preservation			<u>Y or N</u>	<u>N/A</u>
1. Trip Blank present / cooler:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
2. Trip Blank listed on COC:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
3. Samples preserved properly:	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
4. VOCs headspace free:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

Sample Integrity - Documentation		<u>Y or N</u>
1. Sample labels present on bottles:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. Container labeling complete:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3. Sample container label / COC agree:	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Sample Integrity - Condition		<u>Y or N</u>
1. Sample recvd within HT:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. All containers accounted for:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3. Condition of sample:	Intact	

Sample Integrity - Instructions			<u>Y or N</u>	<u>N/A</u>
1. Analysis requested is clear:	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
2. Bottles received for unspecified tests:	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
3. Sufficient volume recvd for analysis:	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
4. Compositing instructions clear:	<input type="checkbox"/>	<input type="checkbox"/>		<input checked="" type="checkbox"/>
5. Filtering instructions clear:	<input type="checkbox"/>	<input type="checkbox"/>		<input checked="" type="checkbox"/>

Comments

Summa Canister and Flow Controller Log

Job Number: JB73171
Account: PROVLABR Providence Engineering
Project: Valero-CAMS, Baton Rouge, LA
Received: 08/04/14

32
3

SUMMA CANISTERS													
Shipping							Receiving						
Summa ID	L	Vac " Hg	Date Out	By	SCC Batch	SCC FileID	Sample Number	Date In	By	Vac " Hg	Pres psig	Final psig	Dil Fact
A654	6	29.4	06/12/14	AK	CP7063	5W5122.D	JB73171-1	08/04/14	RC	5			1

Accutest Bottle Order(s):
 VP-6/12/2014-3

Prep Date **Room Temp(F)** **Bar Pres "Hg**
 06/12/14 70 29.92