

**Technical Report for**

**Providence Engineering**

**Valero-CAMS, Baton Rouge, LA**

**712-001**

**Accutest Job Number: JB75905**

**Sampling Date: 09/01/14**

**Report to:**

**Providence Engineering**

**kevincalhoun@providenceeng.com**

**ATTN: Kevin Calhoun**

**Total number of pages in report: 10**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

*Nancy F. Cole*

**Nancy Cole**  
**Laboratory Director**

**Client Service contact: Victoria Pushkova 732-329-0200**

Certifications: NJ(12129), NY(10983), CA, CT, DE, FL, IL, IN, KS, KY, LA, MA, MD, MI, MT, NC, OH VAP (CL0056), PA, RI, SC, TN, VA, WV, DoD ELAP (L-A-B L2248)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.  
Test results relate only to samples analyzed.

# Table of Contents

-1-

<b>Section 1: Sample Summary</b> .....	<b>3</b>
<b>Section 2: Sample Results</b> .....	<b>4</b>
<b>2.1: JB75905-1: CAMS 185</b> .....	<b>5</b>
<b>Section 3: Misc. Forms</b> .....	<b>7</b>
<b>3.1: Chain of Custody</b> .....	<b>8</b>
<b>3.2: Summa Canister and Flow Controller Log</b> .....	<b>10</b>



## Sample Summary

**Providence Engineering**

**Job No: JB75905**

**Valero-CAMS, Baton Rouge, LA**  
**Project No: 712-001**

Sample Number	Collected		Received	Matrix		Client Sample ID
	Date	Time By		Code	Type	
JB75905-1	09/01/14	13:00 KH	09/08/14	AIR	Ambient Air Grab	CAMS 185

**Sample Results**

---

**Report of Analysis**

---

## Report of Analysis

Client Sample ID:	CAMS 185	Date Sampled:	09/01/14
Lab Sample ID:	JB75905-1	Date Received:	09/08/14
Matrix:	AIR - Ambient Air Grab Summa ID: A353	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero-CAMS, Baton Rouge, LA		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3W42851.D	1	09/08/14	YMH	n/a	n/a	V3W1625
Run #2							

Run #	Initial Volume
Run #1	400 ml
Run #2	

## VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone	5.0	0.20	0.11	ppbv		12	0.48	0.26	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	0.20	0.034	ppbv		ND	0.44	0.075	ug/m3
71-43-2	78.11	Benzene	0.23	0.20	0.025	ppbv		0.73	0.64	0.080	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	0.20	0.029	ppbv		ND	1.3	0.19	ug/m3
75-25-2	252.8	Bromoform	ND	0.20	0.035	ppbv		ND	2.1	0.36	ug/m3
74-83-9	94.94	Bromomethane	ND	0.20	0.033	ppbv		ND	0.78	0.13	ug/m3
593-60-2	106.9	Bromoethene	ND	0.20	0.035	ppbv		ND	0.87	0.15	ug/m3
100-44-7	126	Benzyl Chloride	ND	0.20	0.047	ppbv		ND	1.0	0.24	ug/m3
75-15-0	76.14	Carbon disulfide	0.13	0.20	0.031	ppbv	J	0.40	0.62	0.097	ug/m3
108-90-7	112.6	Chlorobenzene	ND	0.20	0.034	ppbv		ND	0.92	0.16	ug/m3
75-00-3	64.52	Chloroethane	ND	0.20	0.042	ppbv		ND	0.53	0.11	ug/m3
67-66-3	119.4	Chloroform	ND	0.20	0.024	ppbv		ND	0.98	0.12	ug/m3
74-87-3	50.49	Chloromethane	0.68	0.20	0.079	ppbv		1.4	0.41	0.16	ug/m3
107-05-1	76.53	3-Chloropropene	ND	0.20	0.037	ppbv		ND	0.63	0.12	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	0.20	0.032	ppbv		ND	1.0	0.17	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	0.20	0.025	ppbv		ND	1.3	0.16	ug/m3
110-82-7	84.16	Cyclohexane	0.24	0.20	0.027	ppbv		0.83	0.69	0.093	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.20	0.027	ppbv		ND	0.81	0.11	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	ND	0.20	0.052	ppbv		ND	0.79	0.21	ug/m3
106-93-4	187.9	1,2-Dibromoethane	ND	0.20	0.027	ppbv		ND	1.5	0.21	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	0.20	0.023	ppbv		ND	0.81	0.093	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	0.20	0.029	ppbv		ND	0.92	0.13	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	0.20	0.12	ppbv		ND	0.72	0.43	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	0.51	0.20	0.030	ppbv		2.5	0.99	0.15	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	0.20	0.038	ppbv		ND	1.7	0.32	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.20	0.070	ppbv		ND	0.79	0.28	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	ND	0.20	0.023	ppbv		ND	0.79	0.091	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.20	0.025	ppbv		ND	0.91	0.11	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	0.20	0.033	ppbv		ND	1.2	0.20	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.20	0.029	ppbv		ND	1.2	0.17	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	0.20	0.037	ppbv		ND	1.2	0.22	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.20	0.025	ppbv		ND	0.91	0.11	ug/m3

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

Client Sample ID:	CAMS 185	Date Sampled:	09/01/14
Lab Sample ID:	JB75905-1	Date Received:	09/08/14
Matrix:	AIR - Ambient Air Grab Summa ID: A353	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero-CAMS, Baton Rouge, LA		

## VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	3.8	0.50	0.17	ppbv		7.2	0.94	0.32	ug/m3
100-41-4	106.2	Ethylbenzene	0.12	0.20	0.035	ppbv	J	0.52	0.87	0.15	ug/m3
141-78-6	88	Ethyl Acetate	0.69	0.20	0.061	ppbv		2.5	0.72	0.22	ug/m3
622-96-8	120.2	4-Ethyltoluene	ND	0.20	0.032	ppbv		ND	0.98	0.16	ug/m3
76-13-1	187.4	Freon 113	ND	0.20	0.040	ppbv		ND	1.5	0.31	ug/m3
76-14-2	170.9	Freon 114	ND	0.20	0.031	ppbv		ND	1.4	0.22	ug/m3
142-82-5	100.2	Heptane	0.30	0.20	0.021	ppbv		1.2	0.82	0.086	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.20	0.051	ppbv		ND	2.1	0.54	ug/m3
110-54-3	86.17	Hexane	0.74	0.20	0.042	ppbv		2.6	0.70	0.15	ug/m3
591-78-6	100	2-Hexanone	ND	0.20	0.064	ppbv		ND	0.82	0.26	ug/m3
67-63-0	60.1	Isopropyl Alcohol	0.72	0.20	0.066	ppbv		1.8	0.49	0.16	ug/m3
75-09-2	84.94	Methylene chloride	0.46	0.20	0.13	ppbv		1.6	0.69	0.45	ug/m3
78-93-3	72.11	Methyl ethyl ketone	0.42	0.20	0.040	ppbv		1.2	0.59	0.12	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	0.13	0.20	0.042	ppbv	J	0.53	0.82	0.17	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.20	0.041	ppbv		ND	0.72	0.15	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.20	0.036	ppbv		ND	0.82	0.15	ug/m3
115-07-1	42	Propylene	ND	0.50	0.048	ppbv		ND	0.86	0.082	ug/m3
100-42-5	104.1	Styrene	0.16	0.20	0.033	ppbv	J	0.68	0.85	0.14	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.20	0.024	ppbv		ND	1.1	0.13	ug/m3
79-34-5	167.9	1,1,2,2-Tetrachloroethane	ND	0.20	0.040	ppbv		ND	1.4	0.27	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.20	0.035	ppbv		ND	1.1	0.19	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.20	0.061	ppbv		ND	1.5	0.45	ug/m3
95-63-6	120.2	1,2,4-Trimethylbenzene	0.17	0.20	0.029	ppbv	J	0.84	0.98	0.14	ug/m3
108-67-8	120.2	1,3,5-Trimethylbenzene	ND	0.20	0.029	ppbv		ND	0.98	0.14	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	0.29	0.20	0.025	ppbv		1.4	0.93	0.12	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	0.27	0.20	0.044	ppbv		0.82	0.61	0.13	ug/m3
127-18-4	165.8	Tetrachloroethylene	ND	0.040	0.037	ppbv		ND	0.27	0.25	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	0.20	0.049	ppbv		ND	0.59	0.14	ug/m3
108-88-3	92.14	Toluene	0.69	0.20	0.030	ppbv		2.6	0.75	0.11	ug/m3
79-01-6	131.4	Trichloroethylene	ND	0.040	0.030	ppbv		ND	0.21	0.16	ug/m3
75-69-4	137.4	Trichlorofluoromethane	0.26	0.20	0.029	ppbv		1.5	1.1	0.16	ug/m3
75-01-4	62.5	Vinyl chloride	ND	0.20	0.031	ppbv		ND	0.51	0.079	ug/m3
108-05-4	86	Vinyl Acetate	ND	0.20	0.095	ppbv		ND	0.70	0.33	ug/m3
	106.2	m,p-Xylene	0.39	0.20	0.069	ppbv		1.7	0.87	0.30	ug/m3
95-47-6	106.2	o-Xylene	0.16	0.20	0.034	ppbv	J	0.69	0.87	0.15	ug/m3
1330-20-7	106.2	Xylenes (total)	0.55	0.20	0.034	ppbv		2.4	0.87	0.15	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	89%		65-128%

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Misc. Forms

---

### Custody Documents and Other Forms

---

**Includes the following where applicable:**

- Chain of Custody
- Summa Canister and Flow Controller Log

# CHAIN OF CUSTODY

## Air Sampling Field Data Sheet

*AKC*



2235 US Highway 130, Dayton, NJ 08810  
 V: 732.329.0200 F: 732.329.3499 www.accutest.com

FED-EX Tracking # **7710 46846670** Bottle Order Control #  
 Lab Quote # **JB 75905** Lab Job #

PAGE 1 OF 1

Client / Reporting Information			Project Information			Weather Parameters			Requested Analysis		
Company Name: <b>Providence Engr</b>			Project Name: <b>Valero Refining</b>			Temperature (Fahrenheit)			TO-15		
Address: <b>1201 Main St</b>			Street:			Start: _____ Maximum: _____					
City: <b>BR</b> State: <b>LA</b> Zip: <b>70802</b>			City: <b>Meraux</b> State: <b>LA</b>			Stop: _____ Minimum: _____					
Project Contact: <b>Paul Hollis @ providenceeng.com</b> E-mail			Project #: <b>712-001</b>			Atmospheric Pressure (inches of Hg)					
Phone #: <b>225-766-7400</b> Fax #: <b>-7440</b>			Client Purchase Order #:			Start: _____ Maximum: _____					
Sampler(s) Name(s): <b>K Hudson</b>						Stop: _____ Minimum: _____			Other weather comment:		

Lab Sample #	Field ID / Point of Collection	Air Type			Sampling Equipment Info					Start Sampling Information					Stop Sampling Information				
		Indoor(I) Soil Vap(SV) Ambient(A)	Canister Serial #	Canister Size 6L or 1L	Flow Controller Serial #	Date	Time (24hr clock)	Canister Pressure (\"Hg)	Interior Temp (F)	Sampler Init.	Date	Time (24hr clock)	Canister Pressure (\"Hg)	Interior Temp (F)	Sampler Init.				
7	CAMS 185	A	A3536L	-	8-31	1300	0.23	75	KH	9-1	1300	11.69	75	KH					
(Remaining rows are crossed out with a diagonal line)																			

Turnaround Time (Business days)	Data Deliverable Information	Comments / Remarks
<input checked="" type="checkbox"/> Standard - 15 Days <input type="checkbox"/> 10 Day <input type="checkbox"/> 5 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> 2 Day <input type="checkbox"/> 1 Day <input type="checkbox"/> Other	Approved By: _____ Date: _____ All NJDEP TO-15 is mandatory Full T1 Comm A _____ Comm B _____ Reduced T2 _____ Full T1 _____ Other: _____	SUMMA Received at Baton Rouge Service Center

Sample Custody must be documented below each time samples change possession, including courier delivery.					
Relinquished by Laboratory:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1		1 <i>[Signature]</i>	2 <i>[Signature]</i>	9/8/14 11:45	2 <i>[Signature]</i>
3		3 FedEx	4 FedEx	9/8/14 10:10	4 <i>[Signature]</i>
5		5	Custody Seal #		

*FANS*

*NS*

JB75905: Chain of Custody

Page 1 of 2





# Accutest Laboratories Sample Receipt Summary

Accutest Job Number: JB75905      Client: \_\_\_\_\_      Project: \_\_\_\_\_  
 Date / Time Received: 9/8/2014      Delivery Method: \_\_\_\_\_      Airbill #'s: \_\_\_\_\_

### Cooler Temps (Initial/Adjusted):

- |                           |  |                       |  |
|---------------------------|--|-----------------------|--|
| <b>Cooler Security</b>    | <u>Y or N</u>  |                       | <u>Y or N</u>  |
| 1. Custody Seals Present: | <input checked="" type="checkbox"/> <input type="checkbox"/> | 3. COC Present:       | <input checked="" type="checkbox"/> <input type="checkbox"/> |
| 2. Custody Seals Intact:  | <input checked="" type="checkbox"/> <input type="checkbox"/> | 4. Smpl Dates/Time OK | <input checked="" type="checkbox"/> <input type="checkbox"/> |

- |                              |  |
|------------------------------|--|
| <b>Cooler Temperature</b>    | <u>Y or N</u>  |
| 1. Temp criteria achieved:   | <input checked="" type="checkbox"/> <input type="checkbox"/> |
| 2. Cooler temp verification: | _____  |
| 3. Cooler media:             | _____  |
| 4. No. Coolers:              | 0  |

- |                                     |                                     |                          |                                     |            |
|-------------------------------------|-------------------------------------|--------------------------|-------------------------------------|------------|
| <b>Quality Control Preservation</b> | <u>Y</u>                            | <u>or</u>                | <u>N</u>                            | <u>N/A</u> |
| 1. Trip Blank present / cooler:     | <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> |            |
| 2. Trip Blank listed on COC:        | <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> |            |
| 3. Samples preserved properly:      | <input checked="" type="checkbox"/> | <input type="checkbox"/> |                                     |            |
| 4. VOCs headspace free:             | <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> |            |

- |   |                                     |                          |          |
|---|-------------------------------------|--------------------------|----------|
| <b>Sample Integrity - Documentation</b> | <u>Y</u>                            | <u>or</u>                | <u>N</u> |
| 1. Sample labels present on bottles:    | <input checked="" type="checkbox"/> | <input type="checkbox"/> |          |
| 2. Container labeling complete:         | <input checked="" type="checkbox"/> | <input type="checkbox"/> |          |
| 3. Sample container label / COC agree:  | <input checked="" type="checkbox"/> | <input type="checkbox"/> |          |

- |                                     |                                     |                          |          |
|-------------------------------------|-------------------------------------|--------------------------|----------|
| <b>Sample Integrity - Condition</b> | <u>Y</u>                            | <u>or</u>                | <u>N</u> |
| 1. Sample recvd within HT:          | <input checked="" type="checkbox"/> | <input type="checkbox"/> |          |
| 2. All containers accounted for:    | <input checked="" type="checkbox"/> | <input type="checkbox"/> |          |
| 3. Condition of sample:             | Intact                              |                          |          |

- |   |                                     |                                     |          |                                     |
|---|-------------------------------------|-------------------------------------|----------|-------------------------------------|
| <b>Sample Integrity - Instructions</b>    | <u>Y</u>                            | <u>or</u>                           | <u>N</u> | <u>N/A</u>                          |
| 1. Analysis requested is clear:           | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |          |                                     |
| 2. Bottles received for unspecified tests | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |          |                                     |
| 3. Sufficient volume recvd for analysis:  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |          |                                     |
| 4. Compositing instructions clear:        | <input type="checkbox"/>            | <input type="checkbox"/>            |          | <input checked="" type="checkbox"/> |
| 5. Filtering instructions clear:          | <input type="checkbox"/>            | <input type="checkbox"/>            |          | <input checked="" type="checkbox"/> |

Comments

Accutest Laboratories  
V: 732.329.0200

2235 US Highway 130  
F: 732.329.3499

Dayton, New Jersey  
www.accutest.com

3.1  
3

# Summa Canister and Flow Controller Log

**Job Number:** JB75905  
**Account:** PROVLABR Providence Engineering  
**Project:** Valero-CAMS, Baton Rouge, LA  
**Received:** 09/08/14

32  
3

SUMMA CANISTERS													
Shipping							Receiving						
Summa ID	L	Vac " Hg	Date Out	By	SCC Batch	SCC FileID	Sample Number	Date In	By	Vac " Hg	Pres psig	Final psig	Dil Fact
A353	6	29.4	07/02/14	RC	CP7082	3W41500.D	JB75905-1	09/08/14	RC	6.5			1

**Accutest Bottle Order(s):**  
 KP-7/2/2014-6

**Prep Date**      **Room Temp(F)**      **Bar Pres "Hg**  
 07/02/14      70      29.92