

The results set forth herein are provided by SGS North America Inc.

e-Hardcopy 2.0
Automated Report

Technical Report for

Providence Engineering

Valero-CAMS, Baton Rouge, LA

712-001

SGS Job Number: JD56263

Sampling Date: 11/20/22

Report to:

Providence Engineering

kevincalhoun@providenceeng.com

ATTN: Kevin Calhoun

Total number of pages in report: 10



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

A blue ink signature of David Chastain.

David Chastain
General Manager

Client Service contact: Schuyler E. Weiss 732-329-0200

Certifications: NJ(12129), NY(10983), CA, CT, FL, IL, IN, KS, KY, LA, MA, MD, ME, MN, NC, OH VAP (CL0056), AK (UST-103), AZ (AZ0786), PA(68-00408), RI, SC, TX, UT, VA, WV

This report shall not be reproduced, except in its entirety, without the written approval of SGS.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Sample Results	4
2.1: JD56263-1: CAMS 685	5
Section 3: Misc. Forms	7
3.1: Chain of Custody	8
3.2: Summa Canister and Flow Controller Log	10



Sample Summary

Providence Engineering

Job No: JD56263

Valero-CAMS, Baton Rouge, LA
Project No: 712-001

Sample Number	Collected Date	Time By	Received	Matrix Code Type	Client Sample ID
---------------	----------------	---------	----------	------------------	------------------

This report contains results reported as ND = Not detected. The following applies:
Organics ND = Not detected above the MDL

JD56263-1	11/20/22	08:30	TSK	11/28/22	AIR	Ambient Air Comp.	CAMS 685
-----------	----------	-------	-----	----------	-----	-------------------	----------

Sample Results

Report of Analysis

Report of Analysis

Client Sample ID: CAMS 685	Date Sampled: 11/20/22
Lab Sample ID: JD56263-1	Date Received: 11/28/22
Matrix: AIR - Ambient Air Comp. Summa ID: A2012	Percent Solids: n/a
Method: TO-15	
Project: Valero-CAMS, Baton Rouge, LA	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	6W27525.D	1	12/08/22 14:01	TCH	n/a	n/a	V6W1159
Run #2							

Run #	Initial Volume
Run #1	100 ml
Run #2	

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone (2-Propanone)	ND	0.80	0.58	ppbv		ND	1.9	1.4	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	0.80	0.34	ppbv		ND	1.8	0.75	ug/m3
71-43-2	78.11	Benzene	1.8	0.80	0.25	ppbv		5.8	2.6	0.80	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	0.80	0.12	ppbv		ND	5.4	0.80	ug/m3
75-25-2	252.8	Bromoform	ND	0.80	0.28	ppbv		ND	8.3	2.9	ug/m3
74-83-9	94.94	Bromomethane	ND	0.80	0.28	ppbv		ND	3.1	1.1	ug/m3
593-60-2	106.9	Bromoethene	ND	0.80	0.24	ppbv		ND	3.5	1.0	ug/m3
100-44-7	126	Benzyl Chloride	ND	0.80	0.50	ppbv		ND	4.1	2.6	ug/m3
75-15-0	76.14	Carbon disulfide	ND	0.80	0.18	ppbv		ND	2.5	0.56	ug/m3
108-90-7	112.6	Chlorobenzene	ND	0.80	0.30	ppbv		ND	3.7	1.4	ug/m3
75-00-3	64.52	Chloroethane	ND	0.80	0.27	ppbv		ND	2.1	0.71	ug/m3
67-66-3	119.4	Chloroform	ND	0.80	0.15	ppbv		ND	3.9	0.73	ug/m3
74-87-3	50.49	Chloromethane	ND	0.80	0.36	ppbv		ND	1.7	0.74	ug/m3
107-05-1	76.53	3-Chloropropene	ND	0.80	0.33	ppbv		ND	2.5	1.0	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	0.80	0.29	ppbv		ND	4.1	1.5	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	0.80	0.16	ppbv		ND	5.0	1.0	ug/m3
110-82-7	84.16	Cyclohexane	10.9	0.80	0.44	ppbv		37.5	2.8	1.5	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.80	0.23	ppbv		ND	3.2	0.93	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	ND	0.80	0.24	ppbv		ND	3.2	0.95	ug/m3
106-93-4	187.9	1,2-Dibromoethane (EDB)	ND	0.80	0.39	ppbv		ND	6.1	3.0	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	0.80	0.28	ppbv		ND	3.2	1.1	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	0.80	0.25	ppbv		ND	3.7	1.2	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	0.80	0.47	ppbv		ND	2.9	1.7	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	0.54	0.80	0.13	ppbv	J	2.7	4.0	0.64	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	0.80	0.21	ppbv		ND	6.8	1.8	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.80	0.28	ppbv		ND	3.2	1.1	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	ND	0.80	0.31	ppbv		ND	3.2	1.2	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.80	0.25	ppbv		ND	3.6	1.1	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	0.80	0.16	ppbv		ND	4.8	0.96	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.80	0.62	ppbv		ND	4.8	3.7	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	0.80	0.76	ppbv		ND	4.8	4.6	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.80	0.40	ppbv		ND	3.6	1.8	ug/m3

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	CAMS 685	Date Sampled:	11/20/22
Lab Sample ID:	JD56263-1	Date Received:	11/28/22
Matrix:	AIR - Ambient Air Comp. Summa ID: A2012	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero-CAMS, Baton Rouge, LA		

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	2.8	2.0	1.6	ppbv		5.3	3.8	3.0	ug/m3
100-41-4	106.2	Ethylbenzene	2.4	0.80	0.24	ppbv		10	3.5	1.0	ug/m3
141-78-6	88	Ethyl Acetate	ND	0.80	0.42	ppbv		ND	2.9	1.5	ug/m3
622-96-8	120.19	4-Ethyltoluene	0.95	0.80	0.38	ppbv		4.7	3.9	1.9	ug/m3
76-13-1	187.4	Freon 113	ND	0.80	0.12	ppbv		ND	6.1	0.92	ug/m3
76-14-2	170.9	Freon 114	ND	0.80	0.20	ppbv		ND	5.6	1.4	ug/m3
142-82-5	100.2	Heptane	15.0	0.80	0.37	ppbv		61.5	3.3	1.5	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.80	0.25	ppbv		ND	8.5	2.7	ug/m3
110-54-3	86.18	Hexane	41.5	0.80	0.45	ppbv		146	2.8	1.6	ug/m3
591-78-6	100	2-Hexanone	ND	0.80	0.58	ppbv		ND	3.3	2.4	ug/m3
67-63-0	60.1	Isopropyl Alcohol	ND	0.80	0.56	ppbv		ND	2.0	1.4	ug/m3
75-09-2	84.94	Methylene chloride	2.3	0.80	0.22	ppbv		8.0	2.8	0.76	ug/m3
78-93-3	72.11	Methyl ethyl ketone	1.5	0.80	0.44	ppbv		4.4	2.4	1.3	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	ND	0.80	0.29	ppbv		ND	3.3	1.2	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.80	0.32	ppbv		ND	2.9	1.2	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.80	0.28	ppbv		ND	3.3	1.1	ug/m3
115-07-1	42	Propylene	0.99	2.0	0.57	ppbv	J	1.7	3.4	0.98	ug/m3
100-42-5	104.1	Styrene	ND	0.80	0.47	ppbv		ND	3.4	2.0	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.80	0.15	ppbv		ND	4.4	0.82	ug/m3
79-34-5	167.85	1,1,2,2-Tetrachloroethane	ND	0.80	0.19	ppbv		ND	5.5	1.3	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.80	0.15	ppbv		ND	4.4	0.82	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.80	0.48	ppbv		ND	5.9	3.6	ug/m3
95-63-6	120.19	1,2,4-Trimethylbenzene	1.9	0.80	0.35	ppbv		9.3	3.9	1.7	ug/m3
108-67-8	120.19	1,3,5-Trimethylbenzene	1.7	0.80	0.32	ppbv		8.4	3.9	1.6	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	121	0.80	0.38	ppbv		565	3.7	1.8	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	ND	0.80	0.37	ppbv		ND	2.4	1.1	ug/m3
127-18-4	165.8	Tetrachloroethylene	0.21	0.16	0.056	ppbv		1.4	1.1	0.38	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	0.80	0.36	ppbv		ND	2.4	1.1	ug/m3
108-88-3	92.14	Toluene	3.8	0.80	0.23	ppbv		14	3.0	0.87	ug/m3
79-01-6	131.4	Trichloroethylene	ND	0.16	0.076	ppbv		ND	0.86	0.41	ug/m3
75-69-4	137.4	Trichlorofluoromethane	ND	0.80	0.14	ppbv		ND	4.5	0.79	ug/m3
75-01-4	62.5	Vinyl chloride	ND	0.80	0.28	ppbv		ND	2.0	0.72	ug/m3
108-05-4	86	Vinyl Acetate	ND	0.80	0.45	ppbv		ND	2.8	1.6	ug/m3
	106.2	m,p-Xylene	8.8	0.80	0.56	ppbv		38	3.5	2.4	ug/m3
95-47-6	106.2	o-Xylene	2.4	0.80	0.31	ppbv		10	3.5	1.3	ug/m3
1330-20-7	106.2	Xylenes (total)	11.2	0.80	0.31	ppbv		48.6	3.5	1.3	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	99%		65-128%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody
- Summa Canister and Flow Controller Log



CHAIN OF CUSTODY - AIR

JD56263 PAGE 1 OF 1

SGS North America Inc. - Dayton
2235 Route 130, Dayton, NJ 08810
TEL 732-329-0200 FAX 732-329-3499
www.sgs.com/ehsusa

FED-EX Tracking # 77054885 9598
Batch Order Control JS-11330-139
SGS Quote # SGS Job #

Client/Reporting Information, Project Information, Weather Parameters, Requested Analysis
Company Name: Providence Engineering
Address: 7001 Main Street
City: Babo Ranch, State: LA, Zip: 70802
Project Name: Valero Refining
City: Metairie, State: LA
Project #: 712-001
Client Purchase Order #

Table with columns: Lab Sample #, Field ID / Point of Collection, Air Type, Sampling Equipment Info, Start Sampling Information, Stop Sampling Information. Row 1: CAMS 685, A, -, A2012, 6L, 537, 11/19 0830, 30, 60, TM, 11/10, 0830, 35, 60, ISK, X

Turnaround Time (Business days), Data Deliverable Information, Comments / Remarks
15 Business Days
10 Business Days
5 Business Days
3 Business Days *
2 Business Days *
1 Business Day *
Other
* Approval needed for 1-3 Business Day TAT
All NJDEP TO-15 is mandatory Full T1
Comm A
Comm B
Reduced T2
Full T1
Other:
DKQP reporting
Sample inventory is verified upon receipt in the Laboratory

Subsequentially by Laboratory, Date / Time, Received By, Date / Time
1 W.T. 11/18/20 11:20
3 FedEx 11/18/20
5
Received By: 2 FedEx
Received By: 4

EHSA-QAC-0022-01-FORM-Dayton-Air COC
Rev.date:1/15/2021

3B EC

http://www.sgs.com/en/terms-and-conditions



SGS Sample Receipt Summary

Job Number: JD56263

Client: PROVIDENCE ENG

Project: PROVIDENCE - CAMS

Date / Time Received: 11/28/2022 10:10:00 AM

Delivery Method: FEDEX

Airbill #'s: _____

Cooler Temps (Raw Measured) °C:

Cooler Temps (Corrected) °C:

Cooler Security

Y or N

Y or N

- | | | | | | |
|---------------------------|-------------------------------------|--------------------------|-----------------------|-------------------------------------|--------------------------|
| 1. Custody Seals Present: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 3. COC Present: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Custody Seals Intact: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 4. Smpl Dates/Time OK | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

Cooler Temperature

Y or N

- | | | |
|------------------------------|--------------------------|--------------------------|
| 1. Temp criteria achieved: | <input type="checkbox"/> | <input type="checkbox"/> |
| 2. Cooler temp verification: | <u>N/A</u> | |
| 3. Cooler media: | <u>N/A</u> | |
| 4. No. Coolers: | <u>N/A</u> | |

Quality Control Preservation

Y or N

N/A

- | | | | |
|---------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| 1. Trip Blank present / cooler: | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Trip Blank listed on COC: | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 3. Samples preserved properly: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4. VOCs headspace free: | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

Sample Integrity - Documentation

Y or N

- | | | |
|--|-------------------------------------|--------------------------|
| 1. Sample labels present on bottles: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Container labeling complete: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 3. Sample container label / COC agree: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

Sample Integrity - Condition

Y or N

- | | | |
|----------------------------------|-------------------------------------|--------------------------|
| 1. Sample recvd within HT: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. All containers accounted for: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 3. Condition of sample: | <u>Intact</u> | |

Sample Integrity - Instructions

Y or N N/A

- | | | | |
|---|-------------------------------------|-------------------------------------|-------------------------------------|
| 1. Analysis requested is clear: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 2. Bottles received for unspecified tests | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 3. Sufficient volume recvd for analysis: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4. Compositing instructions clear: | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 5. Filtering instructions clear: | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

Test Strip Lot #s:	pH 1-12: <u>231619</u>	pH 12+: <u>203117A</u>	Other: (Specify) _____
--------------------	------------------------	------------------------	------------------------

Comments

SM089-03
Rev. Date 12/7/17

Summa Canister and Flow Controller Log

Job Number: JD56263
Account: PROVLABR Providence Engineering
Project: Valero-CAMS, Baton Rouge, LA
Received: 11/28/22

32
3

SUMMA CANISTERS													
Shipping							Receiving						
Summa ID	L	Vac " Hg	Date Out	By	SCC Batch	SCC FileID	Sample Number	Date In	By	Vac " Hg	Pres psig	Final psig	Dil Fact
A2012	6	29.4	11/08/22	ML	CP11825	3W77309.D	JD56263-1	11/28/22	DG	2			1

SGS Bottle Order(s):
 JS-11322-139

Prep Date **Room Temp(F)** **Bar Pres "Hg**
 11/08/22 70 29.92