

The results set forth herein are provided by SGS North America Inc.

*e-Hardcopy 2.0*  
*Automated Report*

## Technical Report for

### Providence Engineering

Valero-CAMS, Baton Rouge, LA

712-001

SGS Job Number: JD22813

Sampling Date: 03/28/21

#### Report to:

Providence Engineering

kevincalhoun@providenceeng.com

ATTN: Kevin Calhoun

Total number of pages in report: 11



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

A handwritten signature in black ink that reads "Caitlin Brice".

**Caitlin Brice, M.S.**  
**General Manager**

**Client Service contact: Shalini Williams 732-329-0200**

Certifications: NJ(12129), NY(10983), CA, CT, FL, IL, IN, KS, KY, LA, MA, MD, ME, MN, NC, OH VAP (CL0056), AK (UST-103), AZ (AZ0786), PA, RI, SC, TX, UT, VA, WV, DoD ELAP (ANAB L2248)

This report shall not be reproduced, except in its entirety, without the written approval of SGS.  
Test results relate only to samples analyzed.

# Table of Contents

-1-

<b>Section 1: Sample Summary</b> .....	<b>3</b>
<b>Section 2: Sample Results</b> .....	<b>4</b>
<b>2.1: JD22813-1: CAMS 586</b> .....	<b>5</b>
<b>Section 3: Misc. Forms</b> .....	<b>8</b>
<b>3.1: Chain of Custody</b> .....	<b>9</b>
<b>3.2: Summa Canister and Flow Controller Log</b> .....	<b>11</b>

1

2

3



## Sample Summary

Providence Engineering

Job No: JD22813

Valero-CAMS, Baton Rouge, LA  
Project No: 712-001

Sample Number	Collected Date	Time By	Received	Matrix Code Type	Client Sample ID
---------------	----------------	---------	----------	------------------	------------------

This report contains results reported as ND = Not detected. The following applies:  
Organics ND = Not detected above the MDL

---

JD22813-1	03/28/21	10:30	JCE	04/05/21	AIR	Ambient Air Comp.	CAMS 586
-----------	----------	-------	-----	----------	-----	-------------------	----------

**Sample Results**

---

**Report of Analysis**

---

## Report of Analysis

Client Sample ID:	CAMS 586	Date Sampled:	03/28/21
Lab Sample ID:	JD22813-1	Date Received:	04/05/21
Matrix:	AIR - Ambient Air Comp. Summa ID: M028	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero-CAMS, Baton Rouge, LA		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2W53166.D	1	04/16/21 19:46	TCH	n/a	n/a	V2W2354
Run #2							

Run #	Initial Volume
Run #1	400 ml
Run #2	

## VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone	3.2	0.20	0.11	ppbv		7.6	0.48	0.26	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	0.20	0.046	ppbv		ND	0.44	0.10	ug/m3
71-43-2	78.11	Benzene	0.22	0.20	0.012	ppbv		0.70	0.64	0.038	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	0.20	0.027	ppbv		ND	1.3	0.18	ug/m3
75-25-2	252.8	Bromoform	ND	0.20	0.037	ppbv		ND	2.1	0.38	ug/m3
74-83-9	94.94	Bromomethane	ND	0.20	0.022	ppbv		ND	0.78	0.085	ug/m3
593-60-2	106.9	Bromoethene	ND	0.20	0.022	ppbv		ND	0.87	0.096	ug/m3
100-44-7	126	Benzyl Chloride <sup>a</sup>	ND	0.20	0.057	ppbv		ND	1.0	0.29	ug/m3
75-15-0	76.14	Carbon disulfide	ND	0.20	0.024	ppbv		ND	0.62	0.075	ug/m3
108-90-7	112.6	Chlorobenzene	ND	0.20	0.026	ppbv		ND	0.92	0.12	ug/m3
75-00-3	64.52	Chloroethane	ND	0.20	0.048	ppbv		ND	0.53	0.13	ug/m3
67-66-3	119.4	Chloroform	ND	0.20	0.020	ppbv		ND	0.98	0.098	ug/m3
74-87-3	50.49	Chloromethane	0.61	0.20	0.015	ppbv		1.3	0.41	0.031	ug/m3
107-05-1	76.53	3-Chloropropene	ND	0.20	0.040	ppbv		ND	0.63	0.13	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	0.20	0.025	ppbv		ND	1.0	0.13	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	0.20	0.024	ppbv		ND	1.3	0.15	ug/m3
110-82-7	84.16	Cyclohexane	0.14	0.20	0.022	ppbv	J	0.48	0.69	0.076	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.20	0.012	ppbv		ND	0.81	0.049	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	ND	0.20	0.017	ppbv		ND	0.79	0.067	ug/m3
106-93-4	187.9	1,2-Dibromoethane	ND	0.20	0.018	ppbv		ND	1.5	0.14	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	0.20	0.021	ppbv		ND	0.81	0.085	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	0.20	0.019	ppbv		ND	0.92	0.088	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	0.20	0.052	ppbv		ND	0.72	0.19	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	0.36	0.20	0.017	ppbv		1.8	0.99	0.084	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	0.20	0.033	ppbv		ND	1.7	0.28	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.20	0.0073	ppbv		ND	0.79	0.029	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	ND	0.20	0.012	ppbv		ND	0.79	0.048	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.20	0.020	ppbv		ND	0.91	0.091	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	0.20	0.019	ppbv		ND	1.2	0.11	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.20	0.022	ppbv		ND	1.2	0.13	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	0.20	0.018	ppbv		ND	1.2	0.11	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.20	0.020	ppbv		ND	0.91	0.091	ug/m3

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

Client Sample ID:	CAMS 586	Date Sampled:	03/28/21
Lab Sample ID:	JD22813-1	Date Received:	04/05/21
Matrix:	AIR - Ambient Air Comp. Summa ID: M028	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero-CAMS, Baton Rouge, LA		

## VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	11.5	0.50	0.22	ppbv		21.7	0.94	0.41	ug/m3
100-41-4	106.2	Ethylbenzene	0.16	0.20	0.015	ppbv	J	0.69	0.87	0.065	ug/m3
141-78-6	88	Ethyl Acetate	9.7	0.20	0.038	ppbv		35	0.72	0.14	ug/m3
622-96-8	120.2	4-Ethyltoluene	0.35	0.20	0.030	ppbv		1.7	0.98	0.15	ug/m3
76-13-1	187.4	Freon 113	ND	0.20	0.017	ppbv		ND	1.5	0.13	ug/m3
76-14-2	170.9	Freon 114	ND	0.20	0.019	ppbv		ND	1.4	0.13	ug/m3
142-82-5	100.2	Heptane	0.099	0.20	0.018	ppbv	J	0.41	0.82	0.074	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.20	0.046	ppbv		ND	2.1	0.49	ug/m3
110-54-3	86.17	Hexane	0.19	0.20	0.011	ppbv	J	0.67	0.70	0.039	ug/m3
591-78-6	100	2-Hexanone	ND	0.20	0.036	ppbv		ND	0.82	0.15	ug/m3
67-63-0	60.1	Isopropyl Alcohol	0.63	0.20	0.065	ppbv		1.5	0.49	0.16	ug/m3
75-09-2	84.94	Methylene chloride	0.31	0.20	0.015	ppbv		1.1	0.69	0.052	ug/m3
78-93-3	72.11	Methyl ethyl ketone	0.54	0.20	0.042	ppbv		1.6	0.59	0.12	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	ND	0.20	0.036	ppbv		ND	0.82	0.15	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.20	0.019	ppbv		ND	0.72	0.069	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.20	0.033	ppbv		ND	0.82	0.14	ug/m3
115-07-1	42	Propylene	0.49	0.50	0.016	ppbv	J	0.84	0.86	0.027	ug/m3
100-42-5	104.1	Styrene	ND	0.20	0.019	ppbv		ND	0.85	0.081	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.20	0.033	ppbv		ND	1.1	0.18	ug/m3
79-34-5	167.9	1,1,2,2-Tetrachloroethane	ND	0.20	0.027	ppbv		ND	1.4	0.19	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.20	0.030	ppbv		ND	1.1	0.16	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.20	0.089	ppbv		ND	1.5	0.66	ug/m3
95-63-6	120.2	1,2,4-Trimethylbenzene	0.87	0.20	0.033	ppbv		4.3	0.98	0.16	ug/m3
108-67-8	120.2	1,3,5-Trimethylbenzene	0.17	0.20	0.034	ppbv	J	0.84	0.98	0.17	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	ND	0.20	0.022	ppbv		ND	0.93	0.10	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	ND	0.20	0.014	ppbv		ND	0.61	0.042	ug/m3
127-18-4	165.8	Tetrachloroethylene	ND	0.040	0.031	ppbv		ND	0.27	0.21	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	0.20	0.050	ppbv		ND	0.59	0.15	ug/m3
108-88-3	92.14	Toluene	1.5	0.20	0.014	ppbv		5.7	0.75	0.053	ug/m3
79-01-6	131.4	Trichloroethylene	ND	0.040	0.019	ppbv		ND	0.21	0.10	ug/m3
75-69-4	137.4	Trichlorofluoromethane	0.28	0.20	0.028	ppbv		1.6	1.1	0.16	ug/m3
75-01-4	62.5	Vinyl chloride	ND	0.20	0.022	ppbv		ND	0.51	0.056	ug/m3
108-05-4	86	Vinyl Acetate	0.34	0.20	0.034	ppbv		1.2	0.70	0.12	ug/m3
	106.2	m,p-Xylene	1.2	0.20	0.034	ppbv		5.2	0.87	0.15	ug/m3
95-47-6	106.2	o-Xylene	0.50	0.20	0.017	ppbv		2.2	0.87	0.074	ug/m3
1330-20-7	106.2	Xylenes (total)	1.7	0.20	0.017	ppbv		7.4	0.87	0.074	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	98%		65-128%

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	CAMS 586	<b>Date Sampled:</b>	03/28/21
<b>Lab Sample ID:</b>	JD22813-1	<b>Date Received:</b>	04/05/21
<b>Matrix:</b>	AIR - Ambient Air Comp. Summa ID: M028	<b>Percent Solids:</b>	n/a
<b>Method:</b>	TO-15		
<b>Project:</b>	Valero-CAMS, Baton Rouge, LA		

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
---------	----	----------	--------	----	-----	-------	---	--------	----	-----	-------

(a) Associated CCV outside of control limits high, sample was ND.

---

ND = Not detected      MDL = Method Detection Limit      J = Indicates an estimated value  
 RL = Reporting Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound

## Misc. Forms

---

### Custody Documents and Other Forms

---

**Includes the following where applicable:**

- Chain of Custody
- Summa Canister and Flow Controller Log



SGS North America Inc. - Dayton  
2235 Route 130, Dayton, NJ 08810  
TEL. 732-329-0200 FAX 732-329-3499  
www.sgs.com/us/en

FED-EX Tracking # 732 9376 8358 Bottle Order Control # SN-031521-102  
SGS Quote #      SGS Job # JD 22813

AIR

Client / Reporting Information				Project Information				Weather Parameters				Requested Analysis																															
Company Name <u>Prudence Engineering</u>				Project Name <u>Catalina Refining</u>				Temperature (Fahrenheit)				Requested Analysis																															
Address <u>1001 Main Street</u> <u>LA 70805</u>				Street				Start: Maximum:																																			
City <u>Baton Rouge</u> State <u>LA</u> Zip <u>70805</u>				City <u>Mesquite</u> State <u>LA</u>				Stop: Minimum:																																			
Project Contact				Project # <u>712-001</u>				Atmospheric Pressure (inches of Hg)																																			
Phone #				Client Purchase Order #				Start: Maximum:																																			
Sampler(s) Name(s)				Other weather comment:																																							
Lab Sample #	Field ID / Point of Collection	Air Type		Sampling Equipment Info			Start Sampling Information					Stop Sampling Information																															
		Indoor (I) Soil Vap (SV) Ambient (A)	Canister Serial #	Canister Size 6L or 1L	Flow Controller Serial #	Date	Time (24hr clock)	Canister Pressure ("Hg)	Interior Temp (F)	Sampler Init.	Date	Time (24hr clock)	Canister Pressure ("Hg)	Interior Temp (F)	Sampler Init.																												
<u>1</u>	<u>Cams 586</u>	<u>A</u>	<u>M028</u>	<u>6L</u>	<u>537</u>	<u>3/28/21</u>	<u>10:30</u>	<u>30</u>	<u>75</u>	<u>CSG</u>	<u>3-28-21</u>	<u>10:30</u>	<u>5.5</u>	<u>73</u>	<u>19</u>																												
<table border="0"> <tr> <td>Turnaround Time (Business days)</td> <td>Approved By: _____</td> <td>Date Deliverable Information</td> <td>Comments / Remarks</td> </tr> <tr> <td><input checked="" type="checkbox"/> Standard - 15 Days</td> <td></td> <td>All NJDEP TO-15 is mandatory Full T1</td> <td rowspan="5">INITIAL ASSESSMENT <u>4B-PP</u> LABEL VERIFICATION _____</td> </tr> <tr> <td><input type="checkbox"/> 10 Day</td> <td></td> <td>Comm A</td> </tr> <tr> <td><input type="checkbox"/> 5 Day</td> <td></td> <td>Comm B</td> </tr> <tr> <td><input type="checkbox"/> 3 Day</td> <td></td> <td>Reduced T2</td> </tr> <tr> <td><input type="checkbox"/> 2 Day</td> <td></td> <td>Full T1</td> </tr> <tr> <td><input type="checkbox"/> 1 Day</td> <td></td> <td>Other:</td> <td></td> </tr> <tr> <td><input type="checkbox"/> Other</td> <td></td> <td>DKQP reporting</td> <td>Sample inventory is verified upon receipt in the Laboratory</td> </tr> </table>																Turnaround Time (Business days)	Approved By: _____	Date Deliverable Information	Comments / Remarks	<input checked="" type="checkbox"/> Standard - 15 Days		All NJDEP TO-15 is mandatory Full T1	INITIAL ASSESSMENT <u>4B-PP</u> LABEL VERIFICATION _____	<input type="checkbox"/> 10 Day		Comm A	<input type="checkbox"/> 5 Day		Comm B	<input type="checkbox"/> 3 Day		Reduced T2	<input type="checkbox"/> 2 Day		Full T1	<input type="checkbox"/> 1 Day		Other:		<input type="checkbox"/> Other		DKQP reporting	Sample inventory is verified upon receipt in the Laboratory
Turnaround Time (Business days)	Approved By: _____	Date Deliverable Information	Comments / Remarks																																								
<input checked="" type="checkbox"/> Standard - 15 Days		All NJDEP TO-15 is mandatory Full T1	INITIAL ASSESSMENT <u>4B-PP</u> LABEL VERIFICATION _____																																								
<input type="checkbox"/> 10 Day		Comm A																																									
<input type="checkbox"/> 5 Day		Comm B																																									
<input type="checkbox"/> 3 Day		Reduced T2																																									
<input type="checkbox"/> 2 Day		Full T1																																									
<input type="checkbox"/> 1 Day		Other:																																									
<input type="checkbox"/> Other		DKQP reporting	Sample inventory is verified upon receipt in the Laboratory																																								
Sample Custody must be documented below each time samples change possession, including courier delivery.																																											
Relinquished by: <u>Paul Pruden</u>	Date Time: <u>3/18/21</u>	Received By: <u>1</u>	Relinquished By: <u>2</u>	Date Time: <u>3-29-21 09:22</u>	Received By: <u>FedEx</u>																																						
Relinquished by: <u>FedEx</u>	Date Time: <u>4/5/21 9:30</u>	Received By: <u>3</u>	Relinquished By: <u>4</u>	Date Time: <u>    </u>	Received By: <u>    </u>																																						
Relinquished by: <u>    </u>	Date Time: <u>    </u>	Received By: <u>5</u>	Custody Seal #																																								

31  
3

## SGS Sample Receipt Summary

Job Number: JD22813

Client: PROVIDENCE ENG

Project: PROVIDENCE - CAMS

Date / Time Received: 4/5/2021 9:30:00 AM

Delivery Method: FEDEX

Airbill #s:

Cooler Temps (Raw Measured) °C:

Cooler Temps (Corrected) °C:

**Cooler Security**

- |                           |                                     |                          |                       |                                     |                          |
|---------------------------|-------------------------------------|--------------------------|-----------------------|-------------------------------------|--------------------------|
| 1. Custody Seals Present: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 3. COC Present:       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Custody Seals Intact:  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 4. Smpl Dates/Time OK | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

**Cooler Temperature**

- |                              |                          |                          |
|------------------------------|--------------------------|--------------------------|
| 1. Temp criteria achieved:   | <input type="checkbox"/> | <input type="checkbox"/> |
| 2. Cooler temp verification: | N/A                      |                          |
| 3. Cooler media:             | N/A                      |                          |
| 4. No. Coolers:              | N/A                      |                          |

**Quality Control Preservation**

- |                                 |                                     |                                     |                                     |
|---------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| 1. Trip Blank present / cooler: | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| 2. Trip Blank listed on COC:    | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| 3. Samples preserved properly:  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |                                     |
| 4. VOCs headspace free:         | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |

**Sample Integrity - Documentation**

- |  |                                     |                          |
|--|-------------------------------------|--------------------------|
| 1. Sample labels present on bottles:   | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Container labeling complete:        | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 3. Sample container label / COC agree: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

**Sample Integrity - Condition**

- |                                  |                                     |                          |
|----------------------------------|-------------------------------------|--------------------------|
| 1. Sample recvd within HT:       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. All containers accounted for: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 3. Condition of sample:          | Intact                              |                          |

**Sample Integrity - Instructions**

- |   |                                     |                                     |                                     |
|---|-------------------------------------|-------------------------------------|-------------------------------------|
| 1. Analysis requested is clear:           | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |                                     |
| 2. Bottles received for unspecified tests | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |                                     |
| 3. Sufficient volume recvd for analysis:  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |                                     |
| 4. Compositing instructions clear:        | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| 5. Filtering instructions clear:          | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |

Test Strip Lot #s:      pH 1-12: 212820      pH 12+: 203117A      Other: (Specify)

Comments

SM089-03  
Rev. Date 12/7/17

JD22813: Chain of Custody

Page 2 of 2

# Summa Canister and Flow Controller Log

**Job Number:** JD22813  
**Account:** PROVLABR Providence Engineering  
**Project:** Valero-CAMS, Baton Rouge, LA  
**Received:** 04/05/21

32  
3

SUMMA CANISTERS													
Shipping							Receiving						
Summa ID	Vac L	Date " Hg	Date Out	By	SCC Batch	SCC FileID	Sample Number	Date In	By	Vac " Hg	Pres psig	Final psig	Dil Fact
M028	6	29.4	03/18/21	WC	CP111072W52440.D		JD22813-1	04/05/21	JN	5.5			1

**SGS Bottle Order(s):**  
 SW-031521-102

**Prep Date**      **Room Temp(F)**      **Bar Pres "Hg**  
 03/18/21          70                                  29.92