

The results set forth herein are provided by SGS North America Inc.

**e-Hardcopy 2.0**  
Automated Report

## Technical Report for

Providence Engineering

Valero-CAMS, Baton Rouge, LA

0712-001

SGS Job Number: JE10433

Sampling Date: 04/26/25

Report to:

Providence Engineering  
1201 Main Street  
Baton Rouge, LA 70802  
brandonkilpatrick@providenceeng.com; daylansenecal@providenceeng.com  
ATTN: Brandon Kilpatrick

Total number of pages in report: 34



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable unless noted in the narrative, comments or footnotes.

Olga Azarian  
Technical Director

**Client Service contact: Jeremy Vienneau 732-329-0200**

Certifications: NJ(12129),NY(10983),CA,CO,CT,FL,HI,IL,IN,KY,LA (120428),MA,MD,ME,MN,NC,NH,NV, AK (UST-103),AZ (AZ0786),PA(68-00408),RI,SC,TX (T104704234),UT,VA,WA,WV

This report shall not be reproduced, except in its entirety, without the written approval of SGS.  
Test results relate only to samples analyzed.

# Table of Contents

-1-

**Section 1: Sample Summary ..... 3**

**Section 2: Sample Results ..... 4**

**2.1: JE10433-1: CAMS 832 ..... 5**

**Section 3: Misc. Forms ..... 7**

**3.1: Chain of Custody ..... 8**

**3.2: Summa Canister and Flow Controller Log ..... 10**

**Section 4: MS Volatiles - QC Data Summaries ..... 11**

**4.1: Method Blank Summary ..... 12**

**4.2: Blank Spike/Blank Spike Duplicate Summary ..... 18**

**4.3: Duplicate Summary ..... 24**

**4.4: Summa Cleaning Certification ..... 27**

**4.5: Instrument Performance Checks (BFB) ..... 30**

**4.6: Surrogate Recovery Summaries ..... 34**



Sample Summary

Providence Engineering

Job No: JE10433

Valero-CAMS, Baton Rouge, LA  
Project No: 0712-001

| Sample<br>Number | Collected |         | Matrix   |           | Client    |  |
|------------------|-----------|---------|----------|-----------|-----------|--|
|                  | Date      | Time By | Received | Code Type | Sample ID |  |

This report contains results reported as ND = Not detected. The following applies:  
Organics ND = Not detected above the MDL

|           |          |          |          |     |                   |          |
|-----------|----------|----------|----------|-----|-------------------|----------|
| JE10433-1 | 04/26/25 | 06:45 CC | 05/01/25 | AIR | Ambient Air Comp. | CAMS 832 |
|-----------|----------|----------|----------|-----|-------------------|----------|

## Sample Results

## Report of Analysis

## Report of Analysis

|                          |                                        |                        |          |
|--------------------------|----------------------------------------|------------------------|----------|
| <b>Client Sample ID:</b> | CAMS 832                               | <b>Date Sampled:</b>   | 04/26/25 |
| <b>Lab Sample ID:</b>    | JE10433-1                              | <b>Date Received:</b>  | 05/01/25 |
| <b>Matrix:</b>           | AIR - Ambient Air Comp. Summa ID: A049 | <b>Percent Solids:</b> | n/a      |
| <b>Method:</b>           | TO-15                                  |                        |          |
| <b>Project:</b>          | Valero-CAMS, Baton Rouge, LA           |                        |          |

| Run #  | File ID   | DF | Analyzed       | By | Prep Date | Prep Batch | Analytical Batch |
|--------|-----------|----|----------------|----|-----------|------------|------------------|
| Run #1 | 7W15137.D | 1  | 05/14/25 04:57 | WC | n/a       | n/a        | V7W523           |
| Run #2 |           |    |                |    |           |            |                  |

| Run #  | Initial Volume |
|--------|----------------|
| Run #1 | 400 ml         |
| Run #2 |                |

## VOA TO15 List

| CAS No.    | MW    | Compound                   | Result | RL   | MDL   | Units | Q | Result | RL   | MDL  | Units |
|------------|-------|----------------------------|--------|------|-------|-------|---|--------|------|------|-------|
| 67-64-1    | 58.08 | Acetone (2-Propanone)      | 6.1    | 0.20 | 0.15  | ppbv  |   | 14     | 0.48 | 0.36 | ug/m3 |
| 106-99-0   | 54.09 | 1,3-Butadiene              | ND     | 0.20 | 0.084 | ppbv  |   | ND     | 0.44 | 0.19 | ug/m3 |
| 71-43-2    | 78.11 | Benzene                    | 0.27   | 0.20 | 0.047 | ppbv  |   | 0.86   | 0.64 | 0.15 | ug/m3 |
| 75-27-4    | 163.8 | Bromodichloromethane       | ND     | 0.20 | 0.030 | ppbv  |   | ND     | 1.3  | 0.20 | ug/m3 |
| 75-25-2    | 252.8 | Bromoform                  | ND     | 0.20 | 0.071 | ppbv  |   | ND     | 2.1  | 0.73 | ug/m3 |
| 74-83-9    | 94.94 | Bromomethane               | ND     | 0.20 | 0.069 | ppbv  |   | ND     | 0.78 | 0.27 | ug/m3 |
| 593-60-2   | 106.9 | Bromoethene                | ND     | 0.20 | 0.061 | ppbv  |   | ND     | 0.87 | 0.27 | ug/m3 |
| 100-44-7   | 126   | Benzyl Chloride            | ND     | 0.20 | 0.13  | ppbv  |   | ND     | 1.0  | 0.67 | ug/m3 |
| 75-15-0    | 76.14 | Carbon disulfide           | ND     | 0.20 | 0.11  | ppbv  |   | ND     | 0.62 | 0.34 | ug/m3 |
| 108-90-7   | 112.6 | Chlorobenzene              | ND     | 0.20 | 0.074 | ppbv  |   | ND     | 0.92 | 0.34 | ug/m3 |
| 75-00-3    | 64.52 | Chloroethane               | ND     | 0.20 | 0.068 | ppbv  |   | ND     | 0.53 | 0.18 | ug/m3 |
| 67-66-3    | 119.4 | Chloroform                 | ND     | 0.20 | 0.037 | ppbv  |   | ND     | 0.98 | 0.18 | ug/m3 |
| 74-87-3    | 50.49 | Chloromethane              | 0.69   | 0.20 | 0.090 | ppbv  |   | 1.4    | 0.41 | 0.19 | ug/m3 |
| 107-05-1   | 76.53 | 3-Chloropropene            | ND     | 0.20 | 0.083 | ppbv  |   | ND     | 0.63 | 0.26 | ug/m3 |
| 95-49-8    | 126.6 | 2-Chlorotoluene            | ND     | 0.20 | 0.072 | ppbv  |   | ND     | 1.0  | 0.37 | ug/m3 |
| 56-23-5    | 153.8 | Carbon tetrachloride       | ND     | 0.20 | 0.040 | ppbv  |   | ND     | 1.3  | 0.25 | ug/m3 |
| 110-82-7   | 84.16 | Cyclohexane                | 0.30   | 0.20 | 0.045 | ppbv  |   | 1.0    | 0.69 | 0.15 | ug/m3 |
| 75-34-3    | 98.96 | 1,1-Dichloroethane         | ND     | 0.20 | 0.057 | ppbv  |   | ND     | 0.81 | 0.23 | ug/m3 |
| 75-35-4    | 96.94 | 1,1-Dichloroethylene       | ND     | 0.20 | 0.059 | ppbv  |   | ND     | 0.79 | 0.23 | ug/m3 |
| 106-93-4   | 187.9 | 1,2-Dibromoethane (EDB)    | ND     | 0.20 | 0.030 | ppbv  |   | ND     | 1.5  | 0.23 | ug/m3 |
| 107-06-2   | 98.96 | 1,2-Dichloroethane         | ND     | 0.20 | 0.070 | ppbv  |   | ND     | 0.81 | 0.28 | ug/m3 |
| 78-87-5    | 113   | 1,2-Dichloropropane        | ND     | 0.20 | 0.062 | ppbv  |   | ND     | 0.92 | 0.29 | ug/m3 |
| 123-91-1   | 88.12 | 1,4-Dioxane                | ND     | 0.20 | 0.048 | ppbv  |   | ND     | 0.72 | 0.17 | ug/m3 |
| 75-71-8    | 120.9 | Dichlorodifluoromethane    | 0.40   | 0.20 | 0.10  | ppbv  |   | 2.0    | 0.99 | 0.49 | ug/m3 |
| 124-48-1   | 208.3 | Dibromochloromethane       | ND     | 0.20 | 0.12  | ppbv  |   | ND     | 1.7  | 1.0  | ug/m3 |
| 156-60-5   | 96.94 | trans-1,2-Dichloroethylene | ND     | 0.20 | 0.069 | ppbv  |   | ND     | 0.79 | 0.27 | ug/m3 |
| 156-59-2   | 96.94 | cis-1,2-Dichloroethylene   | ND     | 0.20 | 0.030 | ppbv  |   | ND     | 0.79 | 0.12 | ug/m3 |
| 10061-01-5 | 111   | cis-1,3-Dichloropropene    | ND     | 0.20 | 0.062 | ppbv  |   | ND     | 0.91 | 0.28 | ug/m3 |
| 541-73-1   | 147   | m-Dichlorobenzene          | ND     | 0.20 | 0.028 | ppbv  |   | ND     | 1.2  | 0.17 | ug/m3 |
| 95-50-1    | 147   | o-Dichlorobenzene          | ND     | 0.20 | 0.069 | ppbv  |   | ND     | 1.2  | 0.41 | ug/m3 |
| 106-46-7   | 147   | p-Dichlorobenzene          | ND     | 0.20 | 0.079 | ppbv  |   | ND     | 1.2  | 0.47 | ug/m3 |
| 10061-02-6 | 111   | trans-1,3-Dichloropropene  | ND     | 0.20 | 0.10  | ppbv  |   | ND     | 0.91 | 0.45 | ug/m3 |

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

|                          |                                        |                        |          |
|--------------------------|----------------------------------------|------------------------|----------|
| <b>Client Sample ID:</b> | CAMS 832                               | <b>Date Sampled:</b>   | 04/26/25 |
| <b>Lab Sample ID:</b>    | JE10433-1                              | <b>Date Received:</b>  | 05/01/25 |
| <b>Matrix:</b>           | AIR - Ambient Air Comp. Summa ID: A049 | <b>Percent Solids:</b> | n/a      |
| <b>Method:</b>           | TO-15                                  |                        |          |
| <b>Project:</b>          | Valero-CAMS, Baton Rouge, LA           |                        |          |

## VOA TO15 List

| CAS No.   | MW     | Compound                  | Result | RL    | MDL   | Units | Q | Result | RL   | MDL   | Units |
|-----------|--------|---------------------------|--------|-------|-------|-------|---|--------|------|-------|-------|
| 64-17-5   | 46.07  | Ethanol                   | 2.8    | 0.50  | 0.39  | ppbv  |   | 5.3    | 0.94 | 0.73  | ug/m3 |
| 100-41-4  | 106.2  | Ethylbenzene              | ND     | 0.20  | 0.061 | ppbv  |   | ND     | 0.87 | 0.26  | ug/m3 |
| 141-78-6  | 88     | Ethyl Acetate             | 0.31   | 0.20  | 0.10  | ppbv  |   | 1.1    | 0.72 | 0.36  | ug/m3 |
| 622-96-8  | 120.19 | 4-Ethyltoluene            | ND     | 0.20  | 0.095 | ppbv  |   | ND     | 0.98 | 0.47  | ug/m3 |
| 76-13-1   | 187.4  | Freon 113                 | ND     | 0.20  | 0.031 | ppbv  |   | ND     | 1.5  | 0.24  | ug/m3 |
| 76-14-2   | 170.9  | Freon 114                 | ND     | 0.20  | 0.050 | ppbv  |   | ND     | 1.4  | 0.35  | ug/m3 |
| 142-82-5  | 100.2  | Heptane                   | 0.21   | 0.20  | 0.091 | ppbv  |   | 0.86   | 0.82 | 0.37  | ug/m3 |
| 87-68-3   | 260.8  | Hexachlorobutadiene       | ND     | 0.20  | 0.062 | ppbv  |   | ND     | 2.1  | 0.66  | ug/m3 |
| 110-54-3  | 86.18  | Hexane                    | 0.71   | 0.20  | 0.052 | ppbv  |   | 2.5    | 0.70 | 0.18  | ug/m3 |
| 591-78-6  | 100    | 2-Hexanone                | ND     | 0.20  | 0.15  | ppbv  |   | ND     | 0.82 | 0.61  | ug/m3 |
| 67-63-0   | 60.1   | Isopropyl Alcohol         | 0.29   | 0.20  | 0.14  | ppbv  |   | 0.71   | 0.49 | 0.34  | ug/m3 |
| 75-09-2   | 84.94  | Methylene chloride        | 0.23   | 0.20  | 0.13  | ppbv  |   | 0.80   | 0.69 | 0.45  | ug/m3 |
| 78-93-3   | 72.11  | Methyl ethyl ketone       | 0.86   | 0.20  | 0.052 | ppbv  |   | 2.5    | 0.59 | 0.15  | ug/m3 |
| 108-10-1  | 100.2  | Methyl Isobutyl Ketone    | ND     | 0.20  | 0.073 | ppbv  |   | ND     | 0.82 | 0.30  | ug/m3 |
| 1634-04-4 | 88.15  | Methyl Tert Butyl Ether   | ND     | 0.20  | 0.080 | ppbv  |   | ND     | 0.72 | 0.29  | ug/m3 |
| 80-62-6   | 100.12 | Methylmethacrylate        | ND     | 0.20  | 0.070 | ppbv  |   | ND     | 0.82 | 0.29  | ug/m3 |
| 115-07-1  | 42     | Propylene                 | ND     | 0.50  | 0.048 | ppbv  |   | ND     | 0.86 | 0.082 | ug/m3 |
| 100-42-5  | 104.1  | Styrene                   | ND     | 0.20  | 0.053 | ppbv  |   | ND     | 0.85 | 0.23  | ug/m3 |
| 71-55-6   | 133.4  | 1,1,1-Trichloroethane     | ND     | 0.20  | 0.078 | ppbv  |   | ND     | 1.1  | 0.43  | ug/m3 |
| 79-34-5   | 167.85 | 1,1,2,2-Tetrachloroethane | ND     | 0.20  | 0.048 | ppbv  |   | ND     | 1.4  | 0.33  | ug/m3 |
| 79-00-5   | 133.4  | 1,1,2-Trichloroethane     | ND     | 0.20  | 0.038 | ppbv  |   | ND     | 1.1  | 0.21  | ug/m3 |
| 120-82-1  | 181.5  | 1,2,4-Trichlorobenzene    | ND     | 0.20  | 0.12  | ppbv  |   | ND     | 1.5  | 0.89  | ug/m3 |
| 95-63-6   | 120.19 | 1,2,4-Trimethylbenzene    | ND     | 0.20  | 0.087 | ppbv  |   | ND     | 0.98 | 0.43  | ug/m3 |
| 108-67-8  | 120.19 | 1,3,5-Trimethylbenzene    | ND     | 0.20  | 0.080 | ppbv  |   | ND     | 0.98 | 0.39  | ug/m3 |
| 540-84-1  | 114.2  | 2,2,4-Trimethylpentane    | 0.28   | 0.20  | 0.040 | ppbv  |   | 1.3    | 0.93 | 0.19  | ug/m3 |
| 75-65-0   | 74.12  | Tertiary Butyl Alcohol    | 0.14   | 0.20  | 0.093 | ppbv  | J | 0.42   | 0.61 | 0.28  | ug/m3 |
| 127-18-4  | 165.8  | Tetrachloroethylene       | ND     | 0.040 | 0.030 | ppbv  |   | ND     | 0.27 | 0.20  | ug/m3 |
| 109-99-9  | 72.11  | Tetrahydrofuran           | ND     | 0.20  | 0.090 | ppbv  |   | ND     | 0.59 | 0.27  | ug/m3 |
| 108-88-3  | 92.14  | Toluene                   | 0.49   | 0.20  | 0.057 | ppbv  |   | 1.8    | 0.75 | 0.21  | ug/m3 |
| 79-01-6   | 131.4  | Trichloroethylene         | ND     | 0.040 | 0.019 | ppbv  |   | ND     | 0.21 | 0.10  | ug/m3 |
| 75-69-4   | 137.4  | Trichlorofluoromethane    | 0.21   | 0.20  | 0.057 | ppbv  |   | 1.2    | 1.1  | 0.32  | ug/m3 |
| 75-01-4   | 62.5   | Vinyl chloride            | ND     | 0.20  | 0.069 | ppbv  |   | ND     | 0.51 | 0.18  | ug/m3 |
| 108-05-4  | 86     | Vinyl Acetate             | 1.0    | 0.20  | 0.11  | ppbv  |   | 3.5    | 0.70 | 0.39  | ug/m3 |
|           | 106.2  | m,p-Xylene                | 0.27   | 0.20  | 0.14  | ppbv  |   | 1.2    | 0.87 | 0.61  | ug/m3 |
| 95-47-6   | 106.2  | o-Xylene                  | ND     | 0.20  | 0.077 | ppbv  |   | ND     | 0.87 | 0.33  | ug/m3 |
| 1330-20-7 | 106.2  | Xylenes (total)           | 0.27   | 0.20  | 0.077 | ppbv  |   | 1.2    | 0.87 | 0.33  | ug/m3 |

| CAS No.  | Surrogate Recoveries | Run# 1 | Run# 2 | Limits  |
|----------|----------------------|--------|--------|---------|
| 460-00-4 | 4-Bromofluorobenzene | 107%   |        | 65-128% |

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Misc. Forms

### Custody Documents and Other Forms

---

Includes the following where applicable:

- Chain of Custody
- Summa Canister and Flow Controller Log



## PAGE 1 OF 1

FED-EX Tracking # 8808 7022 6768  
SGS Quote #

Bottle Order Control # EA-04925-208

SGS Job #

TR 10433

313

<http://www.sqs.com/en/terms-and-conditions>

Page 1 of 2