

The results set forth herein are provided by SGS North America Inc.

e-Hardcopy 2.0
Automated Report

Technical Report for

Providence Engineering

Valero-CAMS, Baton Rouge, LA

712-001

SGS Job Number: JD26973

Sampling Date: 06/14/21

Report to:

Providence Engineering

kevincalhoun@providenceeng.com

ATTN: Kevin Calhoun

Total number of pages in report: 10



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

A handwritten signature in black ink that reads "Caitlin Brice".

Caitlin Brice, M.S.
General Manager

Client Service contact: Jadon Schiller 732-329-0200

Certifications: NJ(12129), NY(10983), CA, CT, FL, IL, IN, KS, KY, LA, MA, MD, ME, MN, NC, OH VAP (CL0056), AK (UST-103), AZ (AZ0786), PA, RI, SC, TX, UT, VA, WV, DoD ELAP (ANAB L2248)

This report shall not be reproduced, except in its entirety, without the written approval of SGS.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Sample Results	4
2.1: JD26973-1: CAMS 599	5
Section 3: Misc. Forms	7
3.1: Chain of Custody	8
3.2: Summa Canister and Flow Controller Log	10



Sample Summary

Providence Engineering

Job No: JD26973

Valero-CAMS, Baton Rouge, LA
Project No: 712-001

Sample Number	Collected Date	Time By	Received	Matrix Code Type	Client Sample ID
---------------	----------------	---------	----------	------------------	------------------

This report contains results reported as ND = Not detected. The following applies:
Organics ND = Not detected above the MDL

JD26973-1	06/14/21	12:00	JMA	06/21/21	AIR	Ambient Air Comp.	CAMS 599
-----------	----------	-------	-----	----------	-----	-------------------	----------

Sample Results

Report of Analysis

Report of Analysis

Client Sample ID:	CAMS 599	Date Sampled:	06/14/21
Lab Sample ID:	JD26973-1	Date Received:	06/21/21
Matrix:	AIR - Ambient Air Comp. Summa ID: M037	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero-CAMS, Baton Rouge, LA		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	6W22275.D	1	07/06/21 15:06	TCH	n/a	n/a	V6W942
Run #2							

Run #	Initial Volume
Run #1	400 ml
Run #2	

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone	5.3	0.20	0.11	ppbv		13	0.48	0.26	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	0.20	0.046	ppbv		ND	0.44	0.10	ug/m3
71-43-2	78.11	Benzene	0.11	0.20	0.012	ppbv	J	0.35	0.64	0.038	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	0.20	0.027	ppbv		ND	1.3	0.18	ug/m3
75-25-2	252.8	Bromoform	ND	0.20	0.037	ppbv		ND	2.1	0.38	ug/m3
74-83-9	94.94	Bromomethane	ND	0.20	0.022	ppbv		ND	0.78	0.085	ug/m3
593-60-2	106.9	Bromoethene	ND	0.20	0.022	ppbv		ND	0.87	0.096	ug/m3
100-44-7	126	Benzyl Chloride	ND	0.20	0.057	ppbv		ND	1.0	0.29	ug/m3
75-15-0	76.14	Carbon disulfide	ND	0.20	0.024	ppbv		ND	0.62	0.075	ug/m3
108-90-7	112.6	Chlorobenzene	ND	0.20	0.026	ppbv		ND	0.92	0.12	ug/m3
75-00-3	64.52	Chloroethane	ND	0.20	0.048	ppbv		ND	0.53	0.13	ug/m3
67-66-3	119.4	Chloroform	ND	0.20	0.020	ppbv		ND	0.98	0.098	ug/m3
74-87-3	50.49	Chloromethane	0.52	0.20	0.015	ppbv		1.1	0.41	0.031	ug/m3
107-05-1	76.53	3-Chloropropene	ND	0.20	0.040	ppbv		ND	0.63	0.13	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	0.20	0.025	ppbv		ND	1.0	0.13	ug/m3
56-23-5	153.8	Carbon tetrachloride	0.061	0.20	0.024	ppbv	J	0.38	1.3	0.15	ug/m3
110-82-7	84.16	Cyclohexane	0.16	0.20	0.022	ppbv	J	0.55	0.69	0.076	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.20	0.012	ppbv		ND	0.81	0.049	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	ND	0.20	0.017	ppbv		ND	0.79	0.067	ug/m3
106-93-4	187.9	1,2-Dibromoethane	ND	0.20	0.018	ppbv		ND	1.5	0.14	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	0.20	0.021	ppbv		ND	0.81	0.085	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	0.20	0.019	ppbv		ND	0.92	0.088	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	0.20	0.052	ppbv		ND	0.72	0.19	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	0.41	0.20	0.017	ppbv		2.0	0.99	0.084	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	0.20	0.033	ppbv		ND	1.7	0.28	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.20	0.0073	ppbv		ND	0.79	0.029	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	ND	0.20	0.012	ppbv		ND	0.79	0.048	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.20	0.020	ppbv		ND	0.91	0.091	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	0.20	0.019	ppbv		ND	1.2	0.11	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.20	0.022	ppbv		ND	1.2	0.13	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	0.20	0.018	ppbv		ND	1.2	0.11	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.20	0.020	ppbv		ND	0.91	0.091	ug/m3

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	CAMS 599	Date Sampled:	06/14/21
Lab Sample ID:	JD26973-1	Date Received:	06/21/21
Matrix:	AIR - Ambient Air Comp. Summa ID: M037	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero-CAMS, Baton Rouge, LA		

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	1.1	0.50	0.22	ppbv		2.1	0.94	0.41	ug/m3
100-41-4	106.2	Ethylbenzene	0.17	0.20	0.015	ppbv	J	0.74	0.87	0.065	ug/m3
141-78-6	88	Ethyl Acetate	ND	0.20	0.038	ppbv		ND	0.72	0.14	ug/m3
622-96-8	120.2	4-Ethyltoluene	ND	0.20	0.030	ppbv		ND	0.98	0.15	ug/m3
76-13-1	187.4	Freon 113	ND	0.20	0.017	ppbv		ND	1.5	0.13	ug/m3
76-14-2	170.9	Freon 114	ND	0.20	0.019	ppbv		ND	1.4	0.13	ug/m3
142-82-5	100.2	Heptane	ND	0.20	0.018	ppbv		ND	0.82	0.074	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.20	0.046	ppbv		ND	2.1	0.49	ug/m3
110-54-3	86.17	Hexane	0.21	0.20	0.011	ppbv		0.74	0.70	0.039	ug/m3
591-78-6	100	2-Hexanone	ND	0.20	0.036	ppbv		ND	0.82	0.15	ug/m3
67-63-0	60.1	Isopropyl Alcohol	0.70	0.20	0.065	ppbv		1.7	0.49	0.16	ug/m3
75-09-2	84.94	Methylene chloride	0.20	0.20	0.015	ppbv		0.69	0.69	0.052	ug/m3
78-93-3	72.11	Methyl ethyl ketone	0.43	0.20	0.042	ppbv		1.3	0.59	0.12	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	ND	0.20	0.036	ppbv		ND	0.82	0.15	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.20	0.019	ppbv		ND	0.72	0.069	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.20	0.033	ppbv		ND	0.82	0.14	ug/m3
115-07-1	42	Propylene	ND	0.50	0.016	ppbv		ND	0.86	0.027	ug/m3
100-42-5	104.1	Styrene	ND	0.20	0.019	ppbv		ND	0.85	0.081	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.20	0.033	ppbv		ND	1.1	0.18	ug/m3
79-34-5	167.9	1,1,2,2-Tetrachloroethane	ND	0.20	0.027	ppbv		ND	1.4	0.19	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.20	0.030	ppbv		ND	1.1	0.16	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.20	0.089	ppbv		ND	1.5	0.66	ug/m3
95-63-6	120.2	1,2,4-Trimethylbenzene	ND	0.20	0.033	ppbv		ND	0.98	0.16	ug/m3
108-67-8	120.2	1,3,5-Trimethylbenzene	ND	0.20	0.034	ppbv		ND	0.98	0.17	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	ND	0.20	0.022	ppbv		ND	0.93	0.10	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	ND	0.20	0.014	ppbv		ND	0.61	0.042	ug/m3
127-18-4	165.8	Tetrachloroethylene	0.41	0.040	0.031	ppbv		2.8	0.27	0.21	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	0.20	0.050	ppbv		ND	0.59	0.15	ug/m3
108-88-3	92.14	Toluene	0.51	0.20	0.014	ppbv		1.9	0.75	0.053	ug/m3
79-01-6	131.4	Trichloroethylene	0.20	0.040	0.019	ppbv		1.1	0.21	0.10	ug/m3
75-69-4	137.4	Trichlorofluoromethane	0.20	0.20	0.028	ppbv		1.1	1.1	0.16	ug/m3
75-01-4	62.5	Vinyl chloride	ND	0.20	0.022	ppbv		ND	0.51	0.056	ug/m3
108-05-4	86	Vinyl Acetate	ND	0.20	0.034	ppbv		ND	0.70	0.12	ug/m3
	106.2	m,p-Xylene	0.59	0.20	0.034	ppbv		2.6	0.87	0.15	ug/m3
95-47-6	106.2	o-Xylene	0.14	0.20	0.017	ppbv	J	0.61	0.87	0.074	ug/m3
1330-20-7	106.2	Xylenes (total)	0.73	0.20	0.017	ppbv		3.2	0.87	0.074	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	98%		65-128%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody
- Summa Canister and Flow Controller Log

A1K

SGS North America Inc. - Dayton
 2336 Route 130, Dayton, NJ 08810
 TEL 732-329-0200 FAX 732-329-3499
 www.sgs.com/ehsusaa

EPD-EX Tracking # 7329 9859 2595 Batch Order Control # JD26973
 SGS Quote # _____ SGS Job # JD26973

Client / Reporting Information		Project Information				Weather Parameters					Requested Analysis								
Company Name: <u>Praidence Engineering</u>		Project Name: _____				Temperature (Fahrenheit)					Requested Analysis								
Address: <u>201 Main Street</u>		Street: _____				Start: _____ Maximum: _____													
City: <u>Boston</u> State: <u>MA</u> Zip: <u>02108</u>		City: _____ State: _____				Stop: _____ Minimum: _____													
Project Contact: <u>Brandon Kilditch</u> E-mail: <u>brandonkilditch@praidenceeng.com</u>		Project #: _____				Atmospheric Pressure (inches of Hg)													
Phone # <u>205-766-7400</u> Fax # <u>205-766-7408</u>		Client Purchase Order #: _____				Start: _____ Maximum: _____													
Sample(s) Name(s): <u>Chris Grant</u>						Stop: _____ Minimum: _____					Other weather comment: _____								
Lab Sample #	Field ID / Point of Collection	Air Type			Sampling Equipment Info					Start Sampling Information					Stop Sampling Information				
		Indoor (I)	Soil Vap (SV)	Ambient (A)	Canister Serial #	Canister Size 6L or 1L	Flow Controller Serial #	Date	Time (24hr clock)	Canister Pressure ("Hg)	Interior Temp (F)	Sampler Init.	Date	Time (24hr clock)	Canister Pressure ("Hg)	Interior Temp (F)	Sampler Init.		
<u>1</u>	<u>Comms 599</u>	<u>A</u>			<u>M037</u>	<u>6L</u>	<u>537</u>	<u>6/13/21</u>	<u>12:00</u>	<u>30</u>	<u>76</u>	<u>CSG</u>	<u>14 June 21</u>	<u>1200</u>	<u>6.5</u>	<u>73</u>	<u>MJA</u>	<u>X</u>	
Turnaround Time (Business days)		Data Deliverable Information				Comments / Remarks													
<input checked="" type="checkbox"/> Standard - 15 Days <input type="checkbox"/> 10 Day <input type="checkbox"/> 5 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> 2 Day <input type="checkbox"/> 1 Day <input type="checkbox"/> Other		Approved By: _____ Date: _____				All NJDEP TO-15 is mandatory Full T1 Comm A _____ Comm B _____ Reduced T2 _____ Full T1 _____ Other: _____ DKQP reporting _____				INITIAL ASSESSMENT <u>380ms</u> LABEL VERIFICATION _____ Sample inventory is verified upon receipt in the Laboratory									
Sample Custody must be documented below each time samples change possession, including courier delivery.																			
Relinquished by Laboratory: <u>[Signature]</u>	Date Time: <u>6/13/21 10:20</u>	Received By: <u>[Signature]</u>	Date Time: <u>6/13/21 10:20</u>	Relinquished By: <u>[Signature]</u>	Date Time: <u>14 June 21</u>	Received By: <u>[Signature]</u>	Date Time: _____	Relinquished by: _____	Date Time: _____	Received By: _____	Date Time: _____	Relinquished by: _____	Date Time: _____	Received By: _____	Date Time: _____	Relinquished by: _____	Date Time: _____		
Relinquished by: <u>[Signature]</u>	Date Time: _____	Received By: _____	Date Time: _____	Relinquished by: _____	Date Time: _____	Received By: _____	Date Time: _____	Relinquished by: _____	Date Time: _____	Received By: _____	Date Time: _____	Relinquished by: _____	Date Time: _____	Received By: _____	Date Time: _____	Relinquished by: _____	Date Time: _____		
Relinquished by: _____	Date Time: _____	Received By: _____	Date Time: _____	Relinquished by: _____	Date Time: _____	Received By: _____	Date Time: _____	Relinquished by: _____	Date Time: _____	Received By: _____	Date Time: _____	Relinquished by: _____	Date Time: _____	Received By: _____	Date Time: _____	Relinquished by: _____	Date Time: _____		
Relinquished by: _____	Date Time: _____	Received By: _____	Date Time: _____	Relinquished by: _____	Date Time: _____	Received By: _____	Date Time: _____	Relinquished by: _____	Date Time: _____	Received By: _____	Date Time: _____	Relinquished by: _____	Date Time: _____	Received By: _____	Date Time: _____	Relinquished by: _____	Date Time: _____		

31
3

Summ
off
and

SGS Sample Receipt Summary

Job Number: JD26973

Client: PROVIDENCE ENG

Project: PROVIDENCE - CAMS

Date / Time Received: 6/21/2021 10:00:00 AM

Delivery Method: _____

Airbill #'s: _____

Cooler Temps (Raw Measured) °C:

Cooler Temps (Corrected) °C:

Cooler Security

- | | | | | | |
|---------------------------|-------------------------------------|--------------------------|-----------------------|-------------------------------------|--------------------------|
| 1. Custody Seals Present: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 3. COC Present: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Custody Seals Intact: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 4. Smpl Dates/Time OK | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

Cooler Temperature

- | | | | |
|------------------------------|--------------------------|-----------|--------------------------|
| | Y | or | N |
| 1. Temp criteria achieved: | <input type="checkbox"/> | | <input type="checkbox"/> |
| 2. Cooler temp verification: | N/A | | |
| 3. Cooler media: | N/A | | |
| 4. No. Coolers: | N/A | | |

Quality Control Preservation

- | | | | | |
|---------------------------------|-------------------------------------|-----------|-------------------------------------|-------------------------------------|
| | Y | or | N | N/A |
| 1. Trip Blank present / cooler: | <input type="checkbox"/> | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Trip Blank listed on COC: | <input type="checkbox"/> | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 3. Samples preserved properly: | <input checked="" type="checkbox"/> | | <input type="checkbox"/> | |
| 4. VOCs headspace free: | <input type="checkbox"/> | | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

Sample Integrity - Documentation

- | | | | |
|----------------------------------------|-------------------------------------|-----------|--------------------------|
| | Y | or | N |
| 1. Sample labels present on bottles: | <input checked="" type="checkbox"/> | | <input type="checkbox"/> |
| 2. Container labeling complete: | <input checked="" type="checkbox"/> | | <input type="checkbox"/> |
| 3. Sample container label / COC agree: | <input checked="" type="checkbox"/> | | <input type="checkbox"/> |

Sample Integrity - Condition

- | | | | |
|----------------------------------|-------------------------------------|-----------|--------------------------|
| | Y | or | N |
| 1. Sample recvd within HT: | <input checked="" type="checkbox"/> | | <input type="checkbox"/> |
| 2. All containers accounted for: | <input checked="" type="checkbox"/> | | <input type="checkbox"/> |
| 3. Condition of sample: | Intact | | |

Sample Integrity - Instructions

- | | | | | |
|-------------------------------------------|-------------------------------------|-----------|-------------------------------------|-------------------------------------|
| | Y | or | N | N/A |
| 1. Analysis requested is clear: | <input checked="" type="checkbox"/> | | <input type="checkbox"/> | |
| 2. Bottles received for unspecified tests | <input type="checkbox"/> | | <input checked="" type="checkbox"/> | |
| 3. Sufficient volume recvd for analysis: | <input checked="" type="checkbox"/> | | <input type="checkbox"/> | |
| 4. Compositing instructions clear: | <input type="checkbox"/> | | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 5. Filtering instructions clear: | <input type="checkbox"/> | | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

Test Strip Lot #s: pH 1-12: 212820 pH 12+: 203117A Other: (Specify) _____

Comments

SM089-03
Rev. Date 12/7/17

JD26973: Chain of Custody

Page 2 of 2

Summa Canister and Flow Controller Log

Job Number: JD26973
Account: PROVLABR Providence Engineering
Project: Valero-CAMS, Baton Rouge, LA
Received: 06/21/21

32
3

SUMMA CANISTERS													
Shipping						Receiving							
Summa ID	Vac L	Date " Hg	Date Out	By	SCC Batch	SCC FileID	Sample Number	Date In	By	Vac " Hg	Pres psig	Final psig	Dil Fact
M037	6	29.4	05/27/21	WC	CP11182	2W53754.D	JD26973-1	06/22/21	WC	6.5			1

SGS Bottle Order(s):
 SW-052721-90

Prep Date **Room Temp(F)** **Bar Pres "Hg**
 05/27/21 70 29.92