

The results set forth herein are provided by SGS North America Inc.

e-Hardcopy 2.0
Automated Report

Technical Report for

Providence Engineering

Valero Refining Meraux, LA

0712-001

SGS Job Number: JE37469

Sampling Date: 06/26/26

Report to:

Providence Engineering
1201 Main Street
Baton Rouge, LA 70802
brandonkilpatrick@providenceeng.com; daylansenecal@providenceeng.com
ATTN: Brandon Kilpatrick

Total number of pages in report: 35



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable unless noted in the narrative, comments or footnotes.

Olga Azarian

Olga Azarian
Technical Director

Client Service contact: Brittany Stacks 732-329-0200

Certifications: NJ(12129), NY(10983), CA, CO, CT, FL, HI, IL, IN, KY, LA (120428), MA, MD, ME, MN, NC, NH, NV, AK (UST-103), AZ (AZ0786), PA(68-00408), RI, SC, TX (T104704234), UT, VA, WA, WV

This report shall not be reproduced, except in its entirety, without the written approval of SGS.
Test results relate only to samples analyzed.

How did we do today?

Your feedback helps us improve our service and takes less than a minute to complete.

START SURVEY

Table of Contents

-1-

Section 1: Sample Summary 3

Section 2: Sample Results 4

2.1: JE37469-1: CAM 933 5

Section 3: Misc. Forms 7

3.1: Chain of Custody 8

3.2: Summa Canister and Flow Controller Log 10

Section 4: MS Volatiles - QC Data Summaries 11

4.1: Method Blank Summary 12

4.2: Blank Spike/Blank Spike Duplicate Summary 18

4.3: Duplicate Summary 24

4.4: Summa Cleaning Certification 27

4.5: Instrument Performance Checks (BFB) 30

4.6: Surrogate Recovery Summaries 35



Sample Summary

Providence Engineering

Job No: JE37469

Valero Refining Meraux, LA
Project No: 0712-001

Sample Number	Collected		Matrix		Client	
	Date	Time By	Received	Code Type	Sample ID	

This report contains results reported as ND = Not detected. The following applies:
Organics ND = Not detected above the MDL

JE37469-1	06/26/26	08:10 DJ	07/01/26	AIR	Ambient Air Comp.	CAM 933
-----------	----------	----------	----------	-----	-------------------	---------

Sample Results

Report of Analysis

Report of Analysis

Client Sample ID:	CAM 933	Date Sampled:	06/26/26
Lab Sample ID:	JE37469-1	Date Received:	07/01/26
Matrix:	AIR - Ambient Air Comp. Summa ID: M272	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero Refining Meraux, LA		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	8W14125.D	1	07/09/26 08:38	BK	n/a	n/a	V8W512
Run #2							

Run #	Initial Volume
Run #1	100 ml
Run #2	

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone (2-Propanone)	7.5	0.80	0.58	ppbv		18	1.9	1.4	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	0.80	0.34	ppbv		ND	1.8	0.75	ug/m3
71-43-2	78.11	Benzene	ND	0.80	0.19	ppbv		ND	2.6	0.61	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	0.80	0.24	ppbv		ND	5.4	1.6	ug/m3
75-25-2	252.8	Bromoform	ND	0.80	0.76	ppbv		ND	8.3	7.9	ug/m3
74-83-9	94.94	Bromomethane	ND	0.80	0.28	ppbv		ND	3.1	1.1	ug/m3
593-60-2	106.9	Bromoethene	ND	0.80	0.24	ppbv		ND	3.5	1.0	ug/m3
100-44-7	126	Benzyl Chloride	ND	0.80	0.50	ppbv		ND	4.1	2.6	ug/m3
75-15-0	76.14	Carbon disulfide	ND	0.80	0.45	ppbv		ND	2.5	1.4	ug/m3
108-90-7	112.6	Chlorobenzene	ND	0.80	0.30	ppbv		ND	3.7	1.4	ug/m3
75-00-3	64.52	Chloroethane	ND	0.80	0.27	ppbv		ND	2.1	0.71	ug/m3
67-66-3	119.4	Chloroform	ND	0.80	0.15	ppbv		ND	3.9	0.73	ug/m3
74-87-3	50.49	Chloromethane	ND	0.80	0.36	ppbv		ND	1.7	0.74	ug/m3
107-05-1	76.53	3-Chloropropene	ND	0.80	0.33	ppbv		ND	2.5	1.0	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	0.80	0.29	ppbv		ND	4.1	1.5	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	0.80	0.16	ppbv		ND	5.0	1.0	ug/m3
110-82-7	84.16	Cyclohexane	ND	0.80	0.18	ppbv		ND	2.8	0.62	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.80	0.23	ppbv		ND	3.2	0.93	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	ND	0.80	0.24	ppbv		ND	3.2	0.95	ug/m3
106-93-4	187.9	1,2-Dibromoethane (EDB)	ND	0.80	0.12	ppbv		ND	6.1	0.92	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	0.80	0.28	ppbv		ND	3.2	1.1	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	0.80	0.25	ppbv		ND	3.7	1.2	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	0.80	0.19	ppbv		ND	2.9	0.68	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	0.74	0.80	0.42	ppbv	J	3.7	4.0	2.1	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	0.80	0.49	ppbv		ND	6.8	4.2	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.80	0.28	ppbv		ND	3.2	1.1	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	ND	0.80	0.12	ppbv		ND	3.2	0.48	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.80	0.25	ppbv		ND	3.6	1.1	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	0.80	0.11	ppbv		ND	4.8	0.66	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.80	0.28	ppbv		ND	4.8	1.7	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	0.80	0.32	ppbv		ND	4.8	1.9	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.80	0.40	ppbv		ND	3.6	1.8	ug/m3

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	CAM 933	Date Sampled:	06/26/26
Lab Sample ID:	JE37469-1	Date Received:	07/01/26
Matrix:	AIR - Ambient Air Comp. Summa ID: M272	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero Refining Meraux, LA		

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	4.1	2.0	1.6	ppbv		7.7	3.8	3.0	ug/m3
100-41-4	106.2	Ethylbenzene	ND	0.80	0.24	ppbv		ND	3.5	1.0	ug/m3
141-78-6	88	Ethyl Acetate	ND	0.80	0.42	ppbv		ND	2.9	1.5	ug/m3
622-96-8	120.19	4-Ethyltoluene	ND	0.80	0.38	ppbv		ND	3.9	1.9	ug/m3
76-13-1	187.4	Freon 113	ND	0.80	0.12	ppbv		ND	6.1	0.92	ug/m3
76-14-2	170.9	Freon 114	ND	0.80	0.20	ppbv		ND	5.6	1.4	ug/m3
142-82-5	100.2	Heptane	ND	0.80	0.36	ppbv		ND	3.3	1.5	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.80	0.25	ppbv		ND	8.5	2.7	ug/m3
110-54-3	86.18	Hexane	0.60	0.80	0.21	ppbv	J	2.1	2.8	0.74	ug/m3
591-78-6	100	2-Hexanone	ND	0.80	0.58	ppbv		ND	3.3	2.4	ug/m3
67-63-0	60.1	Isopropyl Alcohol	ND	0.80	0.56	ppbv		ND	2.0	1.4	ug/m3
75-09-2	84.94	Methylene chloride	0.63	0.80	0.53	ppbv	J	2.2	2.8	1.8	ug/m3
78-93-3	72.11	Methyl ethyl ketone	1.3	0.80	0.21	ppbv		3.8	2.4	0.62	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	ND	0.80	0.29	ppbv		ND	3.3	1.2	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.80	0.32	ppbv		ND	2.9	1.2	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.80	0.28	ppbv		ND	3.3	1.1	ug/m3
115-07-1	42	Propylene	ND	2.0	0.19	ppbv		ND	3.4	0.33	ug/m3
100-42-5	104.1	Styrene	ND	0.80	0.21	ppbv		ND	3.4	0.89	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.80	0.31	ppbv		ND	4.4	1.7	ug/m3
79-34-5	167.85	1,1,2,2-Tetrachloroethane	ND	0.80	0.19	ppbv		ND	5.5	1.3	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.80	0.15	ppbv		ND	4.4	0.82	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.80	0.48	ppbv		ND	5.9	3.6	ug/m3
95-63-6	120.19	1,2,4-Trimethylbenzene	ND	0.80	0.35	ppbv		ND	3.9	1.7	ug/m3
108-67-8	120.19	1,3,5-Trimethylbenzene	ND	0.80	0.32	ppbv		ND	3.9	1.6	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	ND	0.80	0.16	ppbv		ND	3.7	0.75	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	ND	0.80	0.37	ppbv		ND	2.4	1.1	ug/m3
127-18-4	165.8	Tetrachloroethylene	ND	0.16	0.12	ppbv		ND	1.1	0.81	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	0.80	0.36	ppbv		ND	2.4	1.1	ug/m3
108-88-3	92.14	Toluene	ND	0.80	0.23	ppbv		ND	3.0	0.87	ug/m3
79-01-6	131.4	Trichloroethylene	ND	0.16	0.076	ppbv		ND	0.86	0.41	ug/m3
75-69-4	137.4	Trichlorofluoromethane	ND	0.80	0.23	ppbv		ND	4.5	1.3	ug/m3
75-01-4	62.5	Vinyl chloride	ND	0.80	0.28	ppbv		ND	2.0	0.72	ug/m3
108-05-4	86	Vinyl Acetate	ND	0.80	0.45	ppbv		ND	2.8	1.6	ug/m3
	106.2	m,p-Xylene	ND	0.80	0.56	ppbv		ND	3.5	2.4	ug/m3
95-47-6	106.2	o-Xylene	ND	0.80	0.31	ppbv		ND	3.5	1.3	ug/m3
1330-20-7	106.2	Xylenes (total)	ND	0.80	0.31	ppbv		ND	3.5	1.3	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	98%		65-128%

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody
- Summa Canister and Flow Controller Log

AIR CHAIN OF CUSTODY

PAGE 11 OF 1

SGS North America Inc. - Dayton
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200
www.sgs.com/ehsusa

FED-EX Tracking #

Bottle Order Control #	
------------------------	--

SGS Quote #

	SGS Job #
--	-----------

JE 37467

[illegible]

Form:SM088-03D (revised 2-12-18)

<http://www.sgs.com/en/terms-and-conditions>

JE37469: Chain of Custody

Page 1 of 2