

Technical Report for

Providence Engineering

Valero-CAMS, Baton Rouge, LA

712-001

SGS Accutest Job Number: JC48737

Sampling Date: 08/04/17

Report to:

Providence Engineering

kevincalhoun@providenceeng.com

ATTN: Kevin Calhoun

Total number of pages in report: 10



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

Nancy Cole
Laboratory Director

Client Service contact: Victoria Pushkova 732-329-0200

Certifications: NJ(12129), NY(10983), CA, CT, FL, IL, IN, KS, KY, LA, MA, MD, ME, MN, NC, OH VAP (CL0056), AK (UST-103), AZ (AZ0786), PA, RI, SC, TX, UT, VA, WV, DoD ELAP (L-A-B L2248)

This report shall not be reproduced, except in its entirety, without the written approval of SGS Accutest.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Sample Results	4
2.1: JC48737-1: CAMS 363	5
Section 3: Misc. Forms	7
3.1: Chain of Custody	8
3.2: Summa Canister and Flow Controller Log	10

1

2

3



Sample Summary

Providence Engineering

Job No: JC48737

Valero-CAMS, Baton Rouge, LA
Project No: 712-001

Sample Number	Collected		Received	Matrix		Client Sample ID
	Date	Time By		Code	Type	
JC48737-1	08/04/17	13:00 KH	08/10/17	AIR	Ambient Air Grab	CAMS 363

Sample Results

Report of Analysis

Report of Analysis

Client Sample ID:	CAMS 363	Date Sampled:	08/04/17
Lab Sample ID:	JC48737-1	Date Received:	08/10/17
Matrix:	AIR - Ambient Air Grab Summa ID: A226	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero-CAMS, Baton Rouge, LA		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3W61635.D	1	08/23/17 03:33	DFT	n/a	n/a	V3W2345
Run #2							

Run #	Initial Volume
Run #1	400 ml
Run #2	

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone	5.2	0.20	0.062	ppbv		12	0.48	0.15	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	0.20	0.028	ppbv		ND	0.44	0.062	ug/m3
71-43-2	78.11	Benzene	0.26	0.20	0.026	ppbv		0.83	0.64	0.083	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	0.20	0.029	ppbv		ND	1.3	0.19	ug/m3
75-25-2	252.8	Bromoform	ND	0.20	0.018	ppbv		ND	2.1	0.19	ug/m3
74-83-9	94.94	Bromomethane	ND	0.20	0.033	ppbv		ND	0.78	0.13	ug/m3
593-60-2	106.9	Bromoethene	ND	0.20	0.016	ppbv		ND	0.87	0.070	ug/m3
100-44-7	126	Benzyl Chloride	ND	0.20	0.021	ppbv		ND	1.0	0.11	ug/m3
75-15-0	76.14	Carbon disulfide	0.64	0.20	0.033	ppbv		2.0	0.62	0.10	ug/m3
108-90-7	112.6	Chlorobenzene	ND	0.20	0.017	ppbv		ND	0.92	0.078	ug/m3
75-00-3	64.52	Chloroethane	ND	0.20	0.036	ppbv		ND	0.53	0.095	ug/m3
67-66-3	119.4	Chloroform	ND	0.20	0.031	ppbv		ND	0.98	0.15	ug/m3
74-87-3	50.49	Chloromethane	0.85	0.20	0.065	ppbv		1.8	0.41	0.13	ug/m3
107-05-1	76.53	3-Chloropropene	ND	0.20	0.037	ppbv		ND	0.63	0.12	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	0.20	0.036	ppbv		ND	1.0	0.19	ug/m3
56-23-5	153.8	Carbon tetrachloride	0.10	0.20	0.020	ppbv	J	0.63	1.3	0.13	ug/m3
110-82-7	84.16	Cyclohexane	0.25	0.20	0.035	ppbv		0.86	0.69	0.12	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.20	0.033	ppbv		ND	0.81	0.13	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	ND	0.20	0.033	ppbv		ND	0.79	0.13	ug/m3
106-93-4	187.9	1,2-Dibromoethane	ND	0.20	0.022	ppbv		ND	1.5	0.17	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	0.20	0.026	ppbv		ND	0.81	0.11	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	0.20	0.033	ppbv		ND	0.92	0.15	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	0.20	0.047	ppbv		ND	0.72	0.17	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	0.60	0.20	0.025	ppbv		3.0	0.99	0.12	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	0.20	0.025	ppbv		ND	1.7	0.21	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.20	0.026	ppbv		ND	0.79	0.10	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	ND	0.20	0.034	ppbv		ND	0.79	0.13	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.20	0.023	ppbv		ND	0.91	0.10	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	0.20	0.029	ppbv		ND	1.2	0.17	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.20	0.028	ppbv		ND	1.2	0.17	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	0.20	0.029	ppbv		ND	1.2	0.17	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.20	0.029	ppbv		ND	0.91	0.13	ug/m3

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: CAMS 363		
Lab Sample ID: JC48737-1		Date Sampled: 08/04/17
Matrix: AIR - Ambient Air Grab	Summa ID: A226	Date Received: 08/10/17
Method: TO-15		Percent Solids: n/a
Project: Valero-CAMS, Baton Rouge, LA		

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	1.3	0.50	0.095	ppbv		2.4	0.94	0.18	ug/m3
100-41-4	106.2	Ethylbenzene	0.13	0.20	0.023	ppbv	J	0.56	0.87	0.10	ug/m3
141-78-6	88	Ethyl Acetate	ND	0.20	0.065	ppbv		ND	0.72	0.23	ug/m3
622-96-8	120.2	4-Ethyltoluene	ND	0.20	0.028	ppbv		ND	0.98	0.14	ug/m3
76-13-1	187.4	Freon 113	ND	0.20	0.024	ppbv		ND	1.5	0.18	ug/m3
76-14-2	170.9	Freon 114	ND	0.20	0.024	ppbv		ND	1.4	0.17	ug/m3
142-82-5	100.2	Heptane	0.21	0.20	0.046	ppbv		0.86	0.82	0.19	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.20	0.024	ppbv		ND	2.1	0.26	ug/m3
110-54-3	86.17	Hexane	0.33	0.20	0.026	ppbv		1.2	0.70	0.092	ug/m3
591-78-6	100	2-Hexanone	ND	0.20	0.041	ppbv		ND	0.82	0.17	ug/m3
67-63-0	60.1	Isopropyl Alcohol	0.41	0.20	0.090	ppbv		1.0	0.49	0.22	ug/m3
75-09-2	84.94	Methylene chloride	ND	0.20	0.033	ppbv		ND	0.69	0.11	ug/m3
78-93-3	72.11	Methyl ethyl ketone	0.77	0.20	0.043	ppbv		2.3	0.59	0.13	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	ND	0.20	0.057	ppbv		ND	0.82	0.23	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.20	0.019	ppbv		ND	0.72	0.069	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.20	0.044	ppbv		ND	0.82	0.18	ug/m3
115-07-1	42	Propylene	0.80	0.50	0.059	ppbv		1.4	0.86	0.10	ug/m3
100-42-5	104.1	Styrene	0.18	0.20	0.046	ppbv	J	0.77	0.85	0.20	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.20	0.017	ppbv		ND	1.1	0.093	ug/m3
79-34-5	167.9	1,1,2,2-Tetrachloroethane	ND	0.20	0.036	ppbv		ND	1.4	0.25	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.20	0.022	ppbv		ND	1.1	0.12	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.20	0.038	ppbv		ND	1.5	0.28	ug/m3
95-63-6	120.2	1,2,4-Trimethylbenzene	0.27	0.20	0.051	ppbv		1.3	0.98	0.25	ug/m3
108-67-8	120.2	1,3,5-Trimethylbenzene	0.10	0.20	0.030	ppbv	J	0.49	0.98	0.15	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	0.16	0.20	0.026	ppbv	J	0.75	0.93	0.12	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	ND	0.20	0.026	ppbv		ND	0.61	0.079	ug/m3
127-18-4	165.8	Tetrachloroethylene	ND	0.040	0.016	ppbv		ND	0.27	0.11	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	0.20	0.045	ppbv		ND	0.59	0.13	ug/m3
108-88-3	92.14	Toluene	0.58	0.20	0.029	ppbv		2.2	0.75	0.11	ug/m3
79-01-6	131.4	Trichloroethylene	ND	0.040	0.012	ppbv		ND	0.21	0.064	ug/m3
75-69-4	137.4	Trichlorofluoromethane	0.27	0.20	0.015	ppbv		1.5	1.1	0.084	ug/m3
75-01-4	62.5	Vinyl chloride	ND	0.20	0.038	ppbv		ND	0.51	0.097	ug/m3
108-05-4	86	Vinyl Acetate	ND	0.20	0.027	ppbv		ND	0.70	0.095	ug/m3
	106.2	m,p-Xylene	0.51	0.20	0.067	ppbv		2.2	0.87	0.29	ug/m3
95-47-6	106.2	o-Xylene	0.21	0.20	0.035	ppbv		0.91	0.87	0.15	ug/m3
1330-20-7	106.2	Xylenes (total)	0.72	0.20	0.035	ppbv		3.1	0.87	0.15	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	81%		65-128%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody
- Summa Canister and Flow Controller Log



ACCUTEST

AIR

AIR CHAIN OF CUSTODY

SGS Accutest - Dayton
2235 Route 138, Dayton, NJ 08810
TEL: 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

FED-EX Tracking #
7250 6931 3666
Lab Quote #

Order Control #
VP-072517-162
Lab Job #
JC48737

PAGE 1 OF 1

Client / Reporting Information				Project Information				Weather Parameters				Requested Analysis																																																																																																			
Company Name: Providence Engr				Project Name: Valero Refining				Temperature (Fahrenheit)				Requested Analysis																																																																																																			
Address: 1201 Main St				Street: Meraux				Start: Maximum:																																																																																																							
City: BRZ State: CA Zip: 70802				City: Meraux State: CA				Stop: Minimum:																																																																																																							
Project Contact: paulhollis@providenceeng.com				Project #: 712-001				Atmospheric Pressure (inches of Hg)																																																																																																							
Phone #: 225-766-7400 Fax #: -7440				Client Purchase Order #				Start: Maximum:				TO-15																																																																																																			
Sampler(s) Name(s): K Hudson				Other weather comment:				Stop: Minimum:																																																																																																							
Lab Sample #	Field ID / Point of Collection	Air Type				Start Sampling Information					Stop Sampling Information																																																																																																				
		Indoor(I) Soil Vap(SV) Ambient(A)	Canister Serial #	Canister Size 6L or 1L	Flow Controller Serial #	Date	Time (24hr clock)	Canister Pressure (Hg)	Interior Temp (F)	Sampler Init.	Date	Time (24hr clock)	Canister Pressure (Hg)	Interior Temp (F)	Sampler Init.																																																																																																
1	Cams 363	A	A2246	6L	C537	8-3	1300	30	75	KH	8-4	1300	3	75	KH	✓																																																																																															
<table border="1"> <thead> <tr> <th colspan="4">Turnaround Time (Business days)</th> <th colspan="4">Data Deliverable Information</th> <th colspan="4">Comments / Remarks</th> </tr> </thead> <tbody> <tr> <td>Standard - 15 Days</td> <td></td> <td>Approved By:</td> <td></td> <td colspan="4">All NJDEP TO-15 is mandatory Full T1</td> <td colspan="4">COC seal Fed ex ship SUMMR</td> </tr> <tr> <td>10 Day</td> <td></td> <td>Date:</td> <td></td> <td colspan="4">Comm A</td> <td colspan="4">INITIAL ASSESSMENT - JAD</td> </tr> <tr> <td>5 Day</td> <td></td> <td></td> <td></td> <td colspan="4">Comm B</td> <td colspan="4">LABEL VERIFICATION - JS</td> </tr> <tr> <td>3 Day</td> <td></td> <td></td> <td></td> <td colspan="4">Reduced T2</td> <td colspan="4"></td> </tr> <tr> <td>2 Day</td> <td></td> <td></td> <td></td> <td colspan="4">Full T1</td> <td colspan="4"></td> </tr> <tr> <td>1 Day</td> <td></td> <td></td> <td></td> <td colspan="4">Other:</td> <td colspan="4"></td> </tr> <tr> <td>Other</td> <td></td> <td></td> <td></td> <td colspan="4">DKQP reporting</td> <td colspan="4">Sample inventory is verified upon receipt in the Laboratory</td> </tr> </tbody> </table>																Turnaround Time (Business days)				Data Deliverable Information				Comments / Remarks				Standard - 15 Days		Approved By:		All NJDEP TO-15 is mandatory Full T1				COC seal Fed ex ship SUMMR				10 Day		Date:		Comm A				INITIAL ASSESSMENT - JAD				5 Day				Comm B				LABEL VERIFICATION - JS				3 Day				Reduced T2								2 Day				Full T1								1 Day				Other:								Other				DKQP reporting				Sample inventory is verified upon receipt in the Laboratory			
Turnaround Time (Business days)				Data Deliverable Information				Comments / Remarks																																																																																																							
Standard - 15 Days		Approved By:		All NJDEP TO-15 is mandatory Full T1				COC seal Fed ex ship SUMMR																																																																																																							
10 Day		Date:		Comm A				INITIAL ASSESSMENT - JAD																																																																																																							
5 Day				Comm B				LABEL VERIFICATION - JS																																																																																																							
3 Day				Reduced T2																																																																																																											
2 Day				Full T1																																																																																																											
1 Day				Other:																																																																																																											
Other				DKQP reporting				Sample inventory is verified upon receipt in the Laboratory																																																																																																							
Sample Custody must be documented below each time samples change possession, including courier delivery.																																																																																																															
Relinquished by: 1 Date/Time: 7/26/17 10:30 Signature: [Signature]	Received By: 1 Date/Time: [Blank] Signature: FedEx	Relinquished by: 2 Date/Time: [Blank] Signature: FedEx	Received By: 2 Date/Time: [Blank] Signature: [Signature]	Relinquished by: 3 Date/Time: [Blank] Signature: [Signature]	Received By: 3 Date/Time: [Blank] Signature: FedEx	Relinquished by: 4 Date/Time: 8/6/17 0915 Signature: [Signature]	Received By: 4 Date/Time: [Blank] Signature: [Signature]	Relinquished by: 5 Date/Time: [Blank] Signature: [Signature]	Received By: 5 Date/Time: [Blank] Signature: [Signature]	Relinquished by: [Blank]	Received By: [Blank]	Relinquished by: [Blank]	Received By: [Blank]	Relinquished by: [Blank]	Received By: [Blank]	Custody Seal # 330																																																																																															

JC48737: Chain of Custody

Page 1 of 2

31 3

SGS Accutest Sample Receipt Summary

Job Number: JC48737

Client: _____

Project: _____

Date / Time Received: 8/10/2017 9:15:00 AM

Delivery Method: _____

Airbill #'s: _____

Cooler Temps (Raw Measured) °C:

Cooler Temps (Corrected) °C:

<u>Cooler Security</u>	<u>Y or N</u>			<u>Y or N</u>	
1. Custody Seals Present:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	3. COC Present:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. Custody Seals Intact:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	4. Smpl Dates/Time OK	<input checked="" type="checkbox"/>	<input type="checkbox"/>

<u>Cooler Temperature</u>	<u>Y or N</u>	
1. Temp criteria achieved:	<input type="checkbox"/>	<input type="checkbox"/>
2. Cooler temp verification:	N/A	
3. Cooler media:	N/A	
4. No. Coolers:	N/A	

<u>Quality Control Preservation</u>	<u>Y</u>	<u>or</u>	<u>N</u>	<u>N/A</u>
1. Trip Blank present / cooler:	<input type="checkbox"/>		<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. Trip Blank listed on COC:	<input type="checkbox"/>		<input checked="" type="checkbox"/>	<input type="checkbox"/>
3. Samples preserved properly:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
4. VOCs headspace free:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>

<u>Sample Integrity - Documentation</u>	<u>Y</u>	<u>or</u>	<u>N</u>
1. Sample labels present on bottles:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. Container labeling complete:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
3. Sample container label / COC agree:	<input checked="" type="checkbox"/>		<input type="checkbox"/>

<u>Sample Integrity - Condition</u>	<u>Y</u>	<u>or</u>	<u>N</u>
1. Sample recvd within HT:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. All containers accounted for:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
3. Condition of sample:	Intact		

<u>Sample Integrity - Instructions</u>	<u>Y</u>	<u>or</u>	<u>N</u>	<u>N/A</u>
1. Analysis requested is clear:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
2. Bottles received for unspecified tests	<input type="checkbox"/>		<input checked="" type="checkbox"/>	
3. Sufficient volume recvd for analysis:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
4. Compositing instructions clear:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>
5. Filtering instructions clear:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>

Comments

SM089-02
Rev. Date 12/1/16

JC48737: Chain of Custody

Page 2 of 2

Summa Canister and Flow Controller Log

Job Number: JC48737
Account: PROVLABR Providence Engineering
Project: Valero-CAMS, Baton Rouge, LA
Received: 08/10/17

32
3

SUMMA CANISTERS													
Shipping							Receiving						
Summa ID	Vac L	Date " Hg	Date Out	By	SCC Batch	SCC FileID	Sample Number	Date In	By	Vac " Hg	Pres psig	Final psig	Dil Fact
A226	6	29.4	07/26/17	RC	CP9266	5W25388.D	JC48737-1	08/11/17	DFT	4			1

SGS Accutest Bottle Order(s):
 VP-072517-162

Prep Date **Room Temp(F)** **Bar Pres "Hg**
 07/26/17 70 29.92