

The results set forth herein are provided by SGS North America Inc.

e-Hardcopy 2.0
Automated Report

Technical Report for

Providence Engineering

Valero-CAMS, Baton Rouge, LA

0712-001

SGS Job Number: JD74734

Sampling Date: 10/10/23

Report to:

Providence Engineering

1201 Main Street

Baton Rouge, LA 70802

brandonkilpatrick@providenceeng.com; kennethpaille@providenceeng.com

ATTN: Brandon Kilpatrick

Total number of pages in report: 36



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable unless noted in the narrative, comments or footnotes.

David Chastain
General Manager

Client Service contact: Angela Lattanzio 732-329-0200

Certifications: NJ(12129), NY(10983), CA, CT, FL, IL, IN, KS, KY, LA, MA, MD, ME, MN, NC, OH VAP (CL0056), AK (UST-103), AZ (AZ0786), PA(68-00408), RI, SC, TX, UT, VA, WV

This report shall not be reproduced, except in its entirety, without the written approval of SGS.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Sample Results	4
2.1: JD74734-1: CAMS 739	5
Section 3: Misc. Forms	7
3.1: Chain of Custody	8
3.2: Summa Canister and Flow Controller Log	10
Section 4: MS Volatiles - QC Data Summaries	11
4.1: Method Blank Summary	12
4.2: Blank Spike/Blank Spike Duplicate Summary	18
4.3: Duplicate Summary	24
4.4: Summa Cleaning Certification	27
4.5: Instrument Performance Checks (BFB)	30
4.6: Surrogate Recovery Summaries	36



Sample Summary

Providence Engineering

Job No: JD74734

Valero-CAMS, Baton Rouge, LA
Project No: 0712-001

Sample Number	Collected Date	Time By	Matrix Received	Code Type	Client Sample ID
---------------	----------------	---------	-----------------	-----------	------------------

This report contains results reported as ND = Not detected. The following applies:
Organics ND = Not detected above the MDL

JD74734-1	10/10/23	07:30 DS	10/13/23	AIR	Ambient Air Comp.	CAMS 739
-----------	----------	----------	----------	-----	-------------------	----------

Sample Results

Report of Analysis

Report of Analysis

Client Sample ID: CAMS 739		
Lab Sample ID: JD74734-1		Date Sampled: 10/10/23
Matrix: AIR - Ambient Air Comp. Summa ID: A1187		Date Received: 10/13/23
Method: TO-15		Percent Solids: n/a
Project: Valero-CAMS, Baton Rouge, LA		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #2	8W02648.D	1	10/24/23 16:05	TCH	n/a	n/a	V8W107

Run #1	Initial Volume
Run #2	100 ml

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone (2-Propanone)	10.8	0.80	0.58	ppbv		25.7	1.9	1.4	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	0.80	0.34	ppbv		ND	1.8	0.75	ug/m3
71-43-2	78.11	Benzene	ND	0.80	0.58	ppbv		ND	2.6	1.9	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	0.80	0.12	ppbv		ND	5.4	0.80	ug/m3
75-25-2	252.8	Bromoform	ND	0.80	0.28	ppbv		ND	8.3	2.9	ug/m3
74-83-9	94.94	Bromomethane	ND	0.80	0.28	ppbv		ND	3.1	1.1	ug/m3
593-60-2	106.9	Bromoethene	ND	0.80	0.24	ppbv		ND	3.5	1.0	ug/m3
100-44-7	126	Benzyl Chloride	ND	0.80	0.50	ppbv		ND	4.1	2.6	ug/m3
75-15-0	76.14	Carbon disulfide	2.8	0.80	0.18	ppbv		8.7	2.5	0.56	ug/m3
108-90-7	112.6	Chlorobenzene	ND	0.80	0.30	ppbv		ND	3.7	1.4	ug/m3
75-00-3	64.52	Chloroethane	ND	0.80	0.27	ppbv		ND	2.1	0.71	ug/m3
67-66-3	119.4	Chloroform	ND	0.80	0.15	ppbv		ND	3.9	0.73	ug/m3
74-87-3	50.49	Chloromethane	0.79	0.80	0.36	ppbv	J	1.6	1.7	0.74	ug/m3
107-05-1	76.53	3-Chloropropene	ND	0.80	0.33	ppbv		ND	2.5	1.0	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	0.80	0.29	ppbv		ND	4.1	1.5	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	0.80	0.16	ppbv		ND	5.0	1.0	ug/m3
110-82-7	84.16	Cyclohexane	ND	0.80	0.18	ppbv		ND	2.8	0.62	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.80	0.23	ppbv		ND	3.2	0.93	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	ND	0.80	0.24	ppbv		ND	3.2	0.95	ug/m3
106-93-4	187.9	1,2-Dibromoethane (EDB)	ND	0.80	0.12	ppbv		ND	6.1	0.92	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	0.80	0.28	ppbv		ND	3.2	1.1	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	0.80	0.25	ppbv		ND	3.7	1.2	ug/m3
123-91-1	88.12	1,4-Dioxane	0.50	0.80	0.47	ppbv	J	1.8	2.9	1.7	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	0.61	0.80	0.42	ppbv	J	3.0	4.0	2.1	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	0.80	0.21	ppbv		ND	6.8	1.8	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.80	0.11	ppbv		ND	3.2	0.44	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	ND	0.80	0.12	ppbv		ND	3.2	0.48	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.80	0.25	ppbv		ND	3.6	1.1	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	0.80	0.16	ppbv		ND	4.8	0.96	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.80	0.28	ppbv		ND	4.8	1.7	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	0.80	0.32	ppbv		ND	4.8	1.9	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.80	0.40	ppbv		ND	3.6	1.8	ug/m3

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: CAMS 739		
Lab Sample ID: JD74734-1		
Matrix: AIR - Ambient Air Comp. Summa ID: A1187	Date Sampled: 10/10/23	
Method: TO-15	Date Received: 10/13/23	
Project: Valero-CAMS, Baton Rouge, LA	Percent Solids: n/a	

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	19.8	2.0	1.6	ppbv		37.3	3.8	3.0	ug/m3
100-41-4	106.2	Ethylbenzene	ND	0.80	0.24	ppbv		ND	3.5	1.0	ug/m3
141-78-6	88	Ethyl Acetate	ND	0.80	0.42	ppbv		ND	2.9	1.5	ug/m3
622-96-8	120.19	4-Ethyltoluene	ND	0.80	0.38	ppbv		ND	3.9	1.9	ug/m3
76-13-1	187.4	Freon 113	ND	0.80	0.12	ppbv		ND	6.1	0.92	ug/m3
76-14-2	170.9	Freon 114	ND	0.80	0.20	ppbv		ND	5.6	1.4	ug/m3
142-82-5	100.2	Heptane	ND	0.80	0.18	ppbv		ND	3.3	0.74	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.80	0.25	ppbv		ND	8.5	2.7	ug/m3
110-54-3	86.18	Hexane	0.60	0.80	0.21	ppbv	J	2.1	2.8	0.74	ug/m3
591-78-6	100	2-Hexanone	ND	0.80	0.58	ppbv		ND	3.3	2.4	ug/m3
67-63-0	60.1	Isopropyl Alcohol	ND	0.80	0.56	ppbv		ND	2.0	1.4	ug/m3
75-09-2	84.94	Methylene chloride	ND	0.80	0.22	ppbv		ND	2.8	0.76	ug/m3
78-93-3	72.11	Methyl ethyl ketone	0.86	0.80	0.44	ppbv		2.5	2.4	1.3	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	ND	0.80	0.29	ppbv		ND	3.3	1.2	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.80	0.32	ppbv		ND	2.9	1.2	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.80	0.28	ppbv		ND	3.3	1.1	ug/m3
115-07-1	42	Propylene	1.6	2.0	0.57	ppbv	J	2.7	3.4	0.98	ug/m3
100-42-5	104.1	Styrene	ND	0.80	0.21	ppbv		ND	3.4	0.89	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.80	0.15	ppbv		ND	4.4	0.82	ug/m3
79-34-5	167.85	1,1,2,2-Tetrachloroethane	ND	0.80	0.19	ppbv		ND	5.5	1.3	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.80	0.15	ppbv		ND	4.4	0.82	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.80	0.48	ppbv		ND	5.9	3.6	ug/m3
95-63-6	120.19	1,2,4-Trimethylbenzene	ND	0.80	0.35	ppbv		ND	3.9	1.7	ug/m3
108-67-8	120.19	1,3,5-Trimethylbenzene	ND	0.80	0.32	ppbv		ND	3.9	1.6	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	ND	0.80	0.16	ppbv		ND	3.7	0.75	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	ND	0.80	0.37	ppbv		ND	2.4	1.1	ug/m3
127-18-4	165.8	Tetrachloroethylene	ND	0.16	0.056	ppbv		ND	1.1	0.38	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	0.80	0.36	ppbv		ND	2.4	1.1	ug/m3
108-88-3	92.14	Toluene	0.57	0.80	0.23	ppbv	J	2.1	3.0	0.87	ug/m3
79-01-6	131.4	Trichloroethylene	ND	0.16	0.076	ppbv		ND	0.86	0.41	ug/m3
75-69-4	137.4	Trichlorofluoromethane	ND	0.80	0.62	ppbv		ND	4.5	3.5	ug/m3
75-01-4	62.5	Vinyl chloride	ND	0.80	0.28	ppbv		ND	2.0	0.72	ug/m3
108-05-4	86	Vinyl Acetate	0.71	0.80	0.45	ppbv	J	2.5	2.8	1.6	ug/m3
	106.2	m,p-Xylene	ND	0.80	0.56	ppbv		ND	3.5	2.4	ug/m3
95-47-6	106.2	o-Xylene	ND	0.80	0.31	ppbv		ND	3.5	1.3	ug/m3
1330-20-7	106.2	Xylenes (total)	ND	0.80	0.31	ppbv		ND	3.5	1.3	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	100%		65-128%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody
- Summa Canister and Flow Controller Log



Air

CHAIN OF CUSTODY - AIR

SGS North America Inc. - Dayton
2235 Route 130, Dayton, NJ 08810
TEL: 732-329-0200 FAX: 732-329-3499
www.sgs.com/ehsausa

FD-EX Tracking # 773691564971
Bole Order Qty # AL-091123-131
SGS Quote # JD74734
SGS Job #

Client / Reporting Information: Providence Engineering, 1701 Main Street, Baton Rouge, LA 70802. Project Information: Valero Refining, Meroux, LA. Weather Parameters: Temperature (Fahrenheit), Atmospheric Pressure (inches of Hg).

Table with columns: Lab Sample #, Field ID / Point of Collection, Air Type, Sampling Equipment Info, Start Sampling Information, Stop Sampling Information. Includes handwritten data for sample 1 at CamS 739.

Turnaround Time (Business days) and Data Deliverable Information section. Includes checkboxes for 15, 10, 5, 3, 2, 1 business days and options for Comm A, B, Reduced T2, Full T1, and DKQP reporting.

Chain of Custody table with 5 rows. Columns include Relinquished By, Date / Time, Received By, and Custody Seal #. Includes handwritten signatures and dates.

http://www.sgs.com/en/terms-and-conditions

Initial Assessment MB4B

Label Verification

EHSA-QAC-0022-01-FORM-Dayton-Air COC
Rev.date:1/15/2021

JD74734: Chain of Custody

Page 1 of 2



31
3