

The results set forth herein are provided by SGS North America Inc.

*e-Hardcopy 2.0*  
*Automated Report*

## Technical Report for

### Providence Engineering

Valero-CAMS, Baton Rouge, LA

712-001

SGS Job Number: JC54775

Sampling Date: 10/27/17

#### Report to:

Providence Engineering

kevincalhoun@providenceeng.com

ATTN: Kevin Calhoun

Total number of pages in report: 10



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

A handwritten signature in black ink that reads 'Nancy F. Cole'.

Nancy Cole  
Laboratory Director

Client Service contact: Victoria Pushkova 732-329-0200

Certifications: NJ(12129), NY(10983), CA, CT, FL, IL, IN, KS, KY, LA, MA, MD, ME, MN, NC, OH VAP (CL0056), AK (UST-103), AZ (AZ0786), PA, RI, SC, TX, UT, VA, WV, DoD ELAP (L-A-B L2248)

This report shall not be reproduced, except in its entirety, without the written approval of SGS.  
Test results relate only to samples analyzed.

# Table of Contents

-1-

<b>Section 1: Sample Summary</b> .....	<b>3</b>
<b>Section 2: Sample Results</b> .....	<b>4</b>
<b>2.1: JC54775-1: CAMS 378</b> .....	<b>5</b>
<b>Section 3: Misc. Forms</b> .....	<b>7</b>
<b>3.1: Chain of Custody</b> .....	<b>8</b>
<b>3.2: Summa Canister and Flow Controller Log</b> .....	<b>10</b>



## Sample Summary

**Providence Engineering**

**Job No: JC54775**

**Valero-CAMS, Baton Rouge, LA**  
**Project No: 712-001**

Sample Number	Collected		Received	Matrix		Client Sample ID
	Date	Time By		Code	Type	
JC54775-1	10/27/17	10:30 KH	11/04/17	AIR	Ambient Air Grab	CAMS 378

**Sample Results**

---

**Report of Analysis**

---

## Report of Analysis

Page 1 of 2

Client Sample ID:	CAMS 378	Date Sampled:	10/27/17
Lab Sample ID:	JC54775-1	Date Received:	11/04/17
Matrix:	AIR - Ambient Air Grab Summa ID: A251	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero-CAMS, Baton Rouge, LA		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	5W27755.D	1	11/09/17 19:23	TCH	n/a	n/a	V5W1091
Run #2							

Run #	Initial Volume
Run #1	400 ml
Run #2	

## VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone	7.0	0.20	0.062	ppbv		17	0.48	0.15	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	0.20	0.028	ppbv		ND	0.44	0.062	ug/m3
71-43-2	78.11	Benzene	0.18	0.20	0.026	ppbv	J	0.58	0.64	0.083	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	0.20	0.029	ppbv		ND	1.3	0.19	ug/m3
75-25-2	252.8	Bromoform	ND	0.20	0.018	ppbv		ND	2.1	0.19	ug/m3
74-83-9	94.94	Bromomethane	ND	0.20	0.033	ppbv		ND	0.78	0.13	ug/m3
593-60-2	106.9	Bromoethene	ND	0.20	0.016	ppbv		ND	0.87	0.070	ug/m3
100-44-7	126	Benzyl Chloride	ND	0.20	0.021	ppbv		ND	1.0	0.11	ug/m3
75-15-0	76.14	Carbon disulfide	ND	0.20	0.033	ppbv		ND	0.62	0.10	ug/m3
108-90-7	112.6	Chlorobenzene	ND	0.20	0.017	ppbv		ND	0.92	0.078	ug/m3
75-00-3	64.52	Chloroethane	ND	0.20	0.036	ppbv		ND	0.53	0.095	ug/m3
67-66-3	119.4	Chloroform	ND	0.20	0.031	ppbv		ND	0.98	0.15	ug/m3
74-87-3	50.49	Chloromethane	0.65	0.20	0.065	ppbv		1.3	0.41	0.13	ug/m3
107-05-1	76.53	3-Chloropropene	ND	0.20	0.037	ppbv		ND	0.63	0.12	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	0.20	0.036	ppbv		ND	1.0	0.19	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	0.20	0.020	ppbv		ND	1.3	0.13	ug/m3
110-82-7	84.16	Cyclohexane	0.31	0.20	0.035	ppbv		1.1	0.69	0.12	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.20	0.033	ppbv		ND	0.81	0.13	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	ND	0.20	0.033	ppbv		ND	0.79	0.13	ug/m3
106-93-4	187.9	1,2-Dibromoethane	ND	0.20	0.022	ppbv		ND	1.5	0.17	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	0.20	0.026	ppbv		ND	0.81	0.11	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	0.20	0.033	ppbv		ND	0.92	0.15	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	0.20	0.047	ppbv		ND	0.72	0.17	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	0.50	0.20	0.025	ppbv		2.5	0.99	0.12	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	0.20	0.025	ppbv		ND	1.7	0.21	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.20	0.026	ppbv		ND	0.79	0.10	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	ND	0.20	0.034	ppbv		ND	0.79	0.13	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.20	0.023	ppbv		ND	0.91	0.10	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	0.20	0.029	ppbv		ND	1.2	0.17	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.20	0.028	ppbv		ND	1.2	0.17	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	0.20	0.029	ppbv		ND	1.2	0.17	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.20	0.029	ppbv		ND	0.91	0.13	ug/m3

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

Client Sample ID:	CAMS 378	Date Sampled:	10/27/17
Lab Sample ID:	JC54775-1	Date Received:	11/04/17
Matrix:	AIR - Ambient Air Grab Summa ID: A251	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero-CAMS, Baton Rouge, LA		

## VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	2.6	0.50	0.095	ppbv		4.9	0.94	0.18	ug/m3
100-41-4	106.2	Ethylbenzene	0.19	0.20	0.023	ppbv	J	0.83	0.87	0.10	ug/m3
141-78-6	88	Ethyl Acetate	ND	0.20	0.065	ppbv		ND	0.72	0.23	ug/m3
622-96-8	120.2	4-Ethyltoluene	ND	0.20	0.028	ppbv		ND	0.98	0.14	ug/m3
76-13-1	187.4	Freon 113	ND	0.20	0.024	ppbv		ND	1.5	0.18	ug/m3
76-14-2	170.9	Freon 114	ND	0.20	0.024	ppbv		ND	1.4	0.17	ug/m3
142-82-5	100.2	Heptane	0.28	0.20	0.046	ppbv		1.1	0.82	0.19	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.20	0.024	ppbv		ND	2.1	0.26	ug/m3
110-54-3	86.17	Hexane	0.68	0.20	0.026	ppbv		2.4	0.70	0.092	ug/m3
591-78-6	100	2-Hexanone	ND	0.20	0.041	ppbv		ND	0.82	0.17	ug/m3
67-63-0	60.1	Isopropyl Alcohol	0.90	0.20	0.090	ppbv		2.2	0.49	0.22	ug/m3
75-09-2	84.94	Methylene chloride	ND	0.20	0.033	ppbv		ND	0.69	0.11	ug/m3
78-93-3	72.11	Methyl ethyl ketone	0.54	0.20	0.043	ppbv		1.6	0.59	0.13	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	ND	0.20	0.057	ppbv		ND	0.82	0.23	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.20	0.019	ppbv		ND	0.72	0.069	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.20	0.044	ppbv		ND	0.82	0.18	ug/m3
115-07-1	42	Propylene	ND	0.50	0.059	ppbv		ND	0.86	0.10	ug/m3
100-42-5	104.1	Styrene	ND	0.20	0.046	ppbv		ND	0.85	0.20	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.20	0.017	ppbv		ND	1.1	0.093	ug/m3
79-34-5	167.9	1,1,2,2-Tetrachloroethane	ND	0.20	0.036	ppbv		ND	1.4	0.25	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.20	0.022	ppbv		ND	1.1	0.12	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.20	0.038	ppbv		ND	1.5	0.28	ug/m3
95-63-6	120.2	1,2,4-Trimethylbenzene	0.17	0.20	0.051	ppbv	J	0.84	0.98	0.25	ug/m3
108-67-8	120.2	1,3,5-Trimethylbenzene	ND	0.20	0.030	ppbv		ND	0.98	0.15	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	0.43	0.20	0.026	ppbv		2.0	0.93	0.12	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	ND	0.20	0.026	ppbv		ND	0.61	0.079	ug/m3
127-18-4	165.8	Tetrachloroethylene	0.22	0.040	0.016	ppbv		1.5	0.27	0.11	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	0.20	0.045	ppbv		ND	0.59	0.13	ug/m3
108-88-3	92.14	Toluene	1.3	0.20	0.029	ppbv		4.9	0.75	0.11	ug/m3
79-01-6	131.4	Trichloroethylene	ND	0.040	0.012	ppbv		ND	0.21	0.064	ug/m3
75-69-4	137.4	Trichlorofluoromethane	0.27	0.20	0.015	ppbv		1.5	1.1	0.084	ug/m3
75-01-4	62.5	Vinyl chloride	ND	0.20	0.038	ppbv		ND	0.51	0.097	ug/m3
108-05-4	86	Vinyl Acetate	ND	0.20	0.027	ppbv		ND	0.70	0.095	ug/m3
	106.2	m,p-Xylene	0.76	0.20	0.067	ppbv		3.3	0.87	0.29	ug/m3
95-47-6	106.2	o-Xylene	0.30	0.20	0.035	ppbv		1.3	0.87	0.15	ug/m3
1330-20-7	106.2	Xylenes (total)	1.1	0.20	0.035	ppbv		4.8	0.87	0.15	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	96%		65-128%

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

## Misc. Forms

---

### Custody Documents and Other Forms

---

**Includes the following where applicable:**

- Chain of Custody
- Summa Canister and Flow Controller Log



ACCUTEST

AIR CHAIN OF CUSTODY

SGS Accutest - Dayton  
2235 Route 130, Dayton, NJ 08810  
TEL: 732-329-0200 FAX: 732-329-3499/3480  
www.accutest.com

FED-EX Tracking #  
4077 7092 1147  
Lab Quote #

Bottle / Control #  
VP-10917-28  
Lab Job #  
JC54775

PAGE 1 OF 1

Client/Reporting Information				Project Information				Weather Parameters				Requested Analysis						
Company Name: Providence Engr				Project Name: Valero Refining				Temperature (Fahrenheit)				Requested Analysis						
Address: 1201 Main St				Street:				Start: Maximum:										
City: BR State: LA Zip: 76002				City: Breaux State: TX				Stop: Minimum:										
Project Contact: Paul Hesse, Providence Engr				Project #: 712-001				Atmospheric Pressure (inches of Hg)										
Phone #: 732-766-7400 Fax #: 732-7440				Client Purchase Order #:				Start: Maximum:										
Sampler(s) Name(s): Karen Hudson				Other weather comment:				Stop: Minimum:				70-15 Symma						
Air Type		Sampling Equipment Info			Start Sampling Information					Stop Sampling Information								
Lab Sample #	Field ID / Point of Collection	Indoor(I) Soil Vap(SV) Ambient(A)	Canister Serial #	Canister Size 6L or 1L	Flow Controller Serial #	Date	Time (24hr clock)	Canister Pressure ("Hg)	Interior Temp (F)	Sampler Init.	Date			Time (24hr clock)	Canister Pressure ("Hg)	Interior Temp (F)	Sampler Init.	
1	Clms 378	A	A251	6L	537	10-26	930	30	75	114	10-27			1030	2	75	124	
Turnaround Time (Business days)   Data Deliverable Information   Comments / Remarks Standard - 15 Days   Approved By: _____   All NJDEP TO-15 is mandatory Full T1 10 Day   Date: _____   Comm A 5 Day     Comm B 3 Day     Reduced T2 2 Day     Full T1 1 Day     Other: Other     OKQP reporting																		
Sample Custody must be documented below each time samples change possession, including courier delivery.																		
Relinquished by: 1 Ray Margine	Date Time: 10/9/17 14:30	Received By: 1 FedEx	Relinquished by: 2	Date Time:	Received By: 2 FedEx	Date Time:	Relinquished by: 3	Date Time:	Received By: 3 FedEx	Date Time:	Relinquished by: 4			Date Time:	Received By: 4 FedEx	Date Time:	Relinquished by: 5	Date Time:
Relinquished by: 3	Date Time:	Received By: 3 FedEx	Relinquished by: 4	Date Time:	Received By: 4 FedEx	Date Time:	Relinquished by: 5	Date Time:	Received By: 5	Date Time:	Relinquished by:			Date Time:	Received By:	Date Time:	Relinquished by:	Date Time:
Relinquished by: 5	Date Time:	Received By: 5	Custody Seal #															

JC54775: Chain of Custody

Page 1 of 2



31  
3



## SGS Accutest Sample Receipt Summary

Job Number: JC54775

Client: \_\_\_\_\_

Project: \_\_\_\_\_

Date / Time Received: 11/4/2017 9:50:00 AM

Delivery Method: \_\_\_\_\_

Airbill #'s: \_\_\_\_\_

Cooler Temps (Raw Measured) °C:

Cooler Temps (Corrected) °C:

**Cooler Security**

Y or N

Y or N

- |                           |                                     |                          |                       |                                     |                          |
|---------------------------|-------------------------------------|--------------------------|-----------------------|-------------------------------------|--------------------------|
| 1. Custody Seals Present: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 3. COC Present:       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Custody Seals Intact:  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 4. Smpl Dates/Time OK | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

**Cooler Temperature**

Y or N

- |                              |                          |                          |
|------------------------------|--------------------------|--------------------------|
| 1. Temp criteria achieved:   | <input type="checkbox"/> | <input type="checkbox"/> |
| 2. Cooler temp verification: | N/A                      |                          |
| 3. Cooler media:             | N/A                      |                          |
| 4. No. Coolers:              | N/A                      |                          |

**Quality Control Preservation**

Y or N

N/A

- |                                 |                                     |                                     |                                     |
|---------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| 1. Trip Blank present / cooler: | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| 2. Trip Blank listed on COC:    | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| 3. Samples preserved properly:  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |                                     |
| 4. VOCs headspace free:         | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |

**Sample Integrity - Documentation**

Y or N

- |  |                                     |                          |
|--|-------------------------------------|--------------------------|
| 1. Sample labels present on bottles:   | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Container labeling complete:        | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 3. Sample container label / COC agree: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

**Sample Integrity - Condition**

Y or N

- |                                  |                                     |                          |
|----------------------------------|-------------------------------------|--------------------------|
| 1. Sample recvd within HT:       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. All containers accounted for: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 3. Condition of sample:          | Intact                              |                          |

**Sample Integrity - Instructions**

Y or N N/A

- |   |                                     |                                     |                                     |
|---|-------------------------------------|-------------------------------------|-------------------------------------|
| 1. Analysis requested is clear:           | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |                                     |
| 2. Bottles received for unspecified tests | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |                                     |
| 3. Sufficient volume recvd for analysis:  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |                                     |
| 4. Compositing instructions clear:        | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| 5. Filtering instructions clear:          | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |

Comments

SM089-02  
Rev. Date 12/1/16

JC54775: Chain of Custody

Page 2 of 2

# Summa Canister and Flow Controller Log

**Job Number:** JC54775  
**Account:** PROVLABR Providence Engineering  
**Project:** Valero-CAMS, Baton Rouge, LA  
**Received:** 11/04/17

32  
3

SUMMA CANISTERS													
Shipping							Receiving						
Summa ID	Vac L	Date " Hg	Date Out	By	SCC Batch	SCC FileID	Sample Number	Date In	By	Vac " Hg	Pres psig	Final psig	Dil Fact

A251	6	29.4	10/09/17	PC	CP9375	3W62609.D	JC54775-1	11/07/17	AO	0			1
------	---	------	----------	----	--------	-----------	-----------	----------	----	---	--	--	---

**SGS Bottle Order(s):**  
**VP-10917-38**

Prep Date	Room Temp(F)	Bar Pres "Hg
10/09/17	70	29.92