

## Technical Report for

### Providence Engineering

Valero-CAMS, Baton Rouge, LA

712-001

Accutest Job Number: JB20982

Sampling Date: 10/31/12

#### Report to:

Providence Engineering


kevincalhoun@providenceeng.com

ATTN: Kevin Calhoun

Total number of pages in report: **10**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.



**Nancy Cole**  
Laboratory Director

**Client Service contact: Victoria Pushkova 732-329-0200**

Certifications: NJ(12129), NY(10983), CA, CT, DE, FL, IL, IN, KS, KY, LA, MA, MD, MI, MT, NC, OH VAP (CL0056), PA, RI, SC, TN, VA, WV

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.  
Test results relate only to samples analyzed.

# Table of Contents

-1-

<b>Section 1: Sample Summary</b> .....	<b>3</b>
<b>Section 2: Sample Results</b> .....	<b>4</b>
<b>2.1: JB20982-1: CAMS 073</b> .....	<b>5</b>
<b>Section 3: Misc. Forms</b> .....	<b>7</b>
<b>3.1: Chain of Custody</b> .....	<b>8</b>
<b>3.2: Summa Canister and Flow Controller Log</b> .....	<b>10</b>



## Sample Summary

**Providence Engineering**

**Job No: JB20982**

**Valero-CAMS, Baton Rouge, LA**  
**Project No: 712-001**

Sample Number	Collected		Received	Matrix		Client Sample ID
	Date	Time By		Code	Type	
JB20982-1	10/31/12	13:00 KH	11/12/12	AIR	Ambient Air Grab	CAMS 073

**Sample Results**

---

**Report of Analysis**

---

## Report of Analysis

Client Sample ID:	CAMS 073	Date Sampled:	10/31/12
Lab Sample ID:	JB20982-1	Date Received:	11/12/12
Matrix:	AIR - Ambient Air Grab Summa ID: A452	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero-CAMS, Baton Rouge, LA		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	W39183.D	1	11/13/12	YMH	n/a	n/a	VW1583
Run #2							

Run #	Initial Volume
Run #1	400 ml
Run #2	

## VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
67-64-1	58.08	Acetone	5.9	0.20	0.069	ppbv		14	0.48	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	0.20	0.026	ppbv		ND	0.44	ug/m3
71-43-2	78.11	Benzene	0.38	0.20	0.029	ppbv		1.2	0.64	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	0.20	0.031	ppbv		ND	1.3	ug/m3
75-25-2	252.8	Bromoform	ND	0.20	0.029	ppbv		ND	2.1	ug/m3
74-83-9	94.94	Bromomethane	ND	0.20	0.024	ppbv		ND	0.78	ug/m3
593-60-2	106.9	Bromoethene	ND	0.20	0.027	ppbv		ND	0.87	ug/m3
100-44-7	126	Benzyl Chloride	ND	0.20	0.048	ppbv		ND	1.0	ug/m3
75-15-0	76.14	Carbon disulfide	0.19	0.20	0.024	ppbv	J	0.59	0.62	ug/m3
108-90-7	112.6	Chlorobenzene	ND	0.20	0.040	ppbv		ND	0.92	ug/m3
75-00-3	64.52	Chloroethane	ND	0.20	0.035	ppbv		ND	0.53	ug/m3
67-66-3	119.4	Chloroform	ND	0.20	0.026	ppbv		ND	0.98	ug/m3
74-87-3	50.49	Chloromethane	0.51	0.20	0.055	ppbv		1.1	0.41	ug/m3
107-05-1	76.53	3-Chloropropene	ND	0.20	0.035	ppbv		ND	0.63	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	0.20	0.031	ppbv		ND	1.0	ug/m3
56-23-5	153.8	Carbon tetrachloride	0.11	0.20	0.020	ppbv	J	0.69	1.3	ug/m3
110-82-7	84.16	Cyclohexane	ND	0.20	0.050	ppbv		ND	0.69	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.20	0.019	ppbv		ND	0.81	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	ND	0.20	0.023	ppbv		ND	0.79	ug/m3
106-93-4	187.9	1,2-Dibromoethane	ND	0.20	0.029	ppbv		ND	1.5	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	0.20	0.027	ppbv		ND	0.81	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	0.20	0.034	ppbv		ND	0.92	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	0.20	0.12	ppbv		ND	0.72	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	0.54	0.20	0.024	ppbv		2.7	0.99	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	0.20	0.035	ppbv		ND	1.7	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.20	0.027	ppbv		ND	0.79	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	ND	0.20	0.025	ppbv		ND	0.79	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.20	0.033	ppbv		ND	0.91	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	0.20	0.028	ppbv		ND	1.2	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.20	0.039	ppbv		ND	1.2	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	0.20	0.060	ppbv		ND	1.2	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.20	0.024	ppbv		ND	0.91	ug/m3

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

Client Sample ID:	CAMS 073	Date Sampled:	10/31/12
Lab Sample ID:	JB20982-1	Date Received:	11/12/12
Matrix:	AIR - Ambient Air Grab Summa ID: A452	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero-CAMS, Baton Rouge, LA		

## VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
64-17-5	46.07	Ethanol	7.4	0.50	0.17	ppbv		14	0.94	ug/m3
100-41-4	106.2	Ethylbenzene	0.23	0.20	0.029	ppbv		1.0	0.87	ug/m3
141-78-6	88	Ethyl Acetate	0.68	0.20	0.13	ppbv		2.4	0.72	ug/m3
622-96-8	120.2	4-Ethyltoluene	ND	0.20	0.028	ppbv		ND	0.98	ug/m3
76-13-1	187.4	Freon 113	ND	0.20	0.028	ppbv		ND	1.5	ug/m3
76-14-2	170.9	Freon 114	ND	0.20	0.023	ppbv		ND	1.4	ug/m3
142-82-5	100.2	Heptane	0.26	0.20	0.028	ppbv		1.1	0.82	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.20	0.030	ppbv		ND	2.1	ug/m3
110-54-3	86.17	Hexane	0.63	0.20	0.050	ppbv		2.2	0.70	ug/m3
591-78-6	100	2-Hexanone	ND	0.20	0.051	ppbv		ND	0.82	ug/m3
67-63-0	60.1	Isopropyl Alcohol	1.0	0.20	0.065	ppbv		2.5	0.49	ug/m3
75-09-2	84.94	Methylene chloride	ND	0.20	0.055	ppbv		ND	0.69	ug/m3
78-93-3	72.11	Methyl ethyl ketone	0.63	0.20	0.042	ppbv		1.9	0.59	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	0.16	0.20	0.084	ppbv	J	0.66	0.82	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.20	0.045	ppbv		ND	0.72	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.20	0.038	ppbv		ND	0.82	ug/m3
115-07-1	42	Propylene	ND	0.50	0.034	ppbv		ND	0.86	ug/m3
100-42-5	104.1	Styrene	0.11	0.20	0.025	ppbv	J	0.47	0.85	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.20	0.024	ppbv		ND	1.1	ug/m3
79-34-5	167.9	1,1,2,2-Tetrachloroethane	ND	0.20	0.034	ppbv		ND	1.4	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.20	0.035	ppbv		ND	1.1	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.20	0.095	ppbv		ND	1.5	ug/m3
95-63-6	120.2	1,2,4-Trimethylbenzene	0.11	0.20	0.029	ppbv	J	0.54	0.98	ug/m3
108-67-8	120.2	1,3,5-Trimethylbenzene	ND	0.20	0.044	ppbv		ND	0.98	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	0.16	0.20	0.031	ppbv	J	0.75	0.93	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	0.46	0.20	0.049	ppbv		1.4	0.61	ug/m3
127-18-4	165.8	Tetrachloroethylene	ND	0.040	0.024	ppbv		ND	0.27	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	0.20	0.074	ppbv		ND	0.59	ug/m3
108-88-3	92.14	Toluene	1.2	0.20	0.032	ppbv		4.5	0.75	ug/m3
79-01-6	131.4	Trichloroethylene	ND	0.040	0.036	ppbv		ND	0.21	ug/m3
75-69-4	137.4	Trichlorofluoromethane	0.33	0.20	0.028	ppbv		1.9	1.1	ug/m3
75-01-4	62.5	Vinyl chloride	ND	0.20	0.022	ppbv		ND	0.51	ug/m3
108-05-4	86	Vinyl Acetate	ND	0.20	0.054	ppbv		ND	0.70	ug/m3
	106.2	m,p-Xylene	0.52	0.20	0.058	ppbv		2.3	0.87	ug/m3
95-47-6	106.2	o-Xylene	0.19	0.20	0.037	ppbv	J	0.83	0.87	ug/m3
1330-20-7	106.2	Xylenes (total)	0.71	0.20	0.037	ppbv		3.1	0.87	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	88%		65-128%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Misc. Forms

---

### Custody Documents and Other Forms

---

**Includes the following where applicable:**

- Chain of Custody
- Summa Canister and Flow Controller Log

Company Name <u>Providence Engr</u>						Project Name <u>Valero Refining</u>						Weather Parameters					Requested Analysis			
Address <u>1201 Main St</u>						Street						Temperature (Fahrenheit)								
City <u>BRL</u> State <u>LA</u> Zip <u>70802</u>						City <u>Meroux</u> State <u>LA</u>						Start: Maximum:								
Project Contact <u>paulhollis@providenceeng.com</u>						Project # <u>712-001</u>						Stop: Minimum:								
Phone # <u>225-766-7400</u> Fax # <u>-7440</u>						Client Purchase Order #						Atmospheric Pressure (inches of Hg)								
Sampler(s) Name(s) <u>Karen Hudson</u>												Start: Maximum:								
												Stop: Minimum:								
												Other weather comment:								
Lab Sample #	Field ID / Point of Collection	Air Type				Sampling Equipment Info					Start Sampling Information					Stop Sampling Information				
		Indoor (I)	Soil Vap (SV)	Ambient (A)		Canister Serial #	Canister Size 6L or 1L	Flow Controller Serial #	Date	Time (24 hr clock)	Canister Pressure (Hg)	Interior Temp (F)	Sampler Init.	Date	Time (24 hr clock)	Canister Pressure (Hg)	Interior Temp (F)	Sampler Init.		
<u>1</u>	<u>CAMS 073</u>	<u>A</u>				<u>A452</u>	<u>6L</u>	<u>-</u>	<u>10-30</u>	<u>1300</u>	<u>6.08</u>	<u>75</u>	<u>KH</u>	<u>10-31</u>	<u>1300</u>	<u>11.80</u>	<u>75</u>	<u>KH</u>	<input checked="" type="checkbox"/>	
Turnaround Time (Business Days)						Data Deliverable Information						Comments / Remarks								
Standard - 15 Days <input checked="" type="checkbox"/>						All NJDEP TO-15 is mandatory Full T1						Received at Baton Rouge Service Center								
10 Day						Comm A														
5 Day						Comm B														
3 Day						Reduced T2														
2 Day						Full T1														
1 Day						Other:														
Other																				
Sample Custody must be documented below each time samples change possession, including courier delivery.																				
Relinquished by Laboratory: <u>Ang M...</u> <u>10-20</u>				Date Time: <u>9/12/12</u>				Received by: <u>FedEx</u>				Relinquished by: <u>FedEx</u>				Date Time: <u>11/16/12</u>				
1								1				2				3				
Relinquished by: <u>Ang M...</u>				Date Time: <u>11/12/12</u>				Received by: <u>FedEx</u>				Relinquished by: <u>FedEx</u>				Date Time: <u>11/16/12</u>				
3								4				4				4				
Relinquished by: <u>FedEx</u>				Date Time: <u>11/16/12</u>				Received by: <u>FedEx</u>				Relinquished by: <u>FedEx</u>				Date Time: <u>11/16/12</u>				
5								5				5				5				

31  
3

54777A

TO-15

2R

72



## Accutest Laboratories Sample Receipt Summary

**Accutest Job Number:** JB20982      **Client:** \_\_\_\_\_      **Project:** \_\_\_\_\_  
**Date / Time Received:** 11/12/2012      **Delivery Method:** \_\_\_\_\_      **Airbill #'s:** \_\_\_\_\_

**Cooler Temps (Initial/Adjusted):**

<b>Cooler Security</b>	<u>Y or N</u>		<u>Y or N</u>
1. Custody Seals Present:	<input checked="" type="checkbox"/> <input type="checkbox"/>	3. COC Present:	<input checked="" type="checkbox"/> <input type="checkbox"/>
2. Custody Seals Intact:	<input checked="" type="checkbox"/> <input type="checkbox"/>	4. SmpI Dates/Time OK	<input checked="" type="checkbox"/> <input type="checkbox"/>

<b>Cooler Temperature</b>	<u>Y or N</u>
1. Temp criteria achieved:	<input checked="" type="checkbox"/> <input type="checkbox"/>
2. Cooler temp verification:	_____
3. Cooler media:	_____
4. No. Coolers:	0

<b>Quality Control Preservation</b>	<u>Y</u>	<u>or</u>	<u>N</u>	<u>N/A</u>
1. Trip Blank present / cooler:	<input type="checkbox"/>		<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. Trip Blank listed on COC:	<input type="checkbox"/>		<input checked="" type="checkbox"/>	<input type="checkbox"/>
3. Samples preserved properly:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
4. VOCs headspace free:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>

<b>Sample Integrity - Documentation</b>	<u>Y</u>	<u>or</u>	<u>N</u>
1. Sample labels present on bottles:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. Container labeling complete:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
3. Sample container label / COC agree:	<input checked="" type="checkbox"/>		<input type="checkbox"/>

<b>Sample Integrity - Condition</b>	<u>Y</u>	<u>or</u>	<u>N</u>
1. Sample recvd within HT:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. All containers accounted for:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
3. Condition of sample:	Intact		

<b>Sample Integrity - Instructions</b>	<u>Y</u>	<u>or</u>	<u>N</u>	<u>N/A</u>
1. Analysis requested is clear:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
2. Bottles received for unspecified tests	<input type="checkbox"/>		<input checked="" type="checkbox"/>	
3. Sufficient volume recvd for analysis:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
4. Compositing instructions clear:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>
5. Filtering instructions clear:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>

Comments

# Summa Canister and Flow Controller Log

**Job Number:** JB20982  
**Account:** PROVLABR Providence Engineering  
**Project:** Valero-CAMS, Baton Rouge, LA  
**Received:** 11/12/12

32  
3

SUMMA CANISTERS													
Shipping							Receiving						
Summa ID	Vac L	Date " Hg	Date Out	By	SCC Batch	SCC FileID	Sample Number	Date In	By	Vac " Hg	Pres psig	Final psig	Dil Fact
A452	6	29.4	09/24/12	HT	CP5665	2W35818.D	JB20982-1	11/12/12	HT	7			1

**Accutest Bottle Order(s):**  
 VP-9/24/2012-10

**Prep Date**      **Room Temp(F)**      **Bar Pres "Hg**  
 09/24/12          70                                  29.92