

The results set forth herein are provided by SGS North America Inc.

e-Hardcopy 2.0
Automated Report

Technical Report for

Providence Engineering

Valero-CAMS, Baton Rouge, LA

712-001

SGS Job Number: JC55393

Sampling Date: 11/08/17

Report to:

Providence Engineering

kevincalhoun@providenceeng.com

ATTN: Kevin Calhoun

Total number of pages in report: 10



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

A handwritten signature in black ink that reads "Nancy Cole".

Nancy Cole
Laboratory Director

Client Service contact: Victoria Pushkova 732-329-0200

Certifications: NJ(12129), NY(10983), CA, CT, FL, IL, IN, KS, KY, LA, MA, MD, ME, MN, NC, OH VAP (CL0056), AK (UST-103), AZ (AZ0786), PA, RI, SC, TX, UT, VA, WV, DoD ELAP (L-A-B L2248)

This report shall not be reproduced, except in its entirety, without the written approval of SGS.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Sample Results	4
2.1: JC55393-1: CAMS 380	5
Section 3: Misc. Forms	7
3.1: Chain of Custody	8
3.2: Summa Canister and Flow Controller Log	10

1

2

3



Sample Summary

Providence Engineering

Job No: JC55393

Valero-CAMS, Baton Rouge, LA
Project No: 712-001

Sample Number	Collected		Received	Matrix		Client Sample ID
	Date	Time By		Code	Type	
JC55393-1	11/08/17	06:45 KH	11/14/17	AIR	Ambient Air Grab	CAMS 380

Sample Results

Report of Analysis

Report of Analysis

Page 1 of 2

Client Sample ID:	CAMS 380	Date Sampled:	11/08/17
Lab Sample ID:	JC55393-1	Date Received:	11/14/17
Matrix:	AIR - Ambient Air Grab Summa ID: A890	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero-CAMS, Baton Rouge, LA		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	6W03208.D	1	11/27/17 17:49	DFT	n/a	n/a	V6W88
Run #2							

Run #	Initial Volume
Run #1	400 ml
Run #2	

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone	8.3	0.20	0.062	ppbv		20	0.48	0.15	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	0.20	0.028	ppbv		ND	0.44	0.062	ug/m3
71-43-2	78.11	Benzene	0.38	0.20	0.026	ppbv		1.2	0.64	0.083	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	0.20	0.029	ppbv		ND	1.3	0.19	ug/m3
75-25-2	252.8	Bromoform	ND	0.20	0.018	ppbv		ND	2.1	0.19	ug/m3
74-83-9	94.94	Bromomethane	ND	0.20	0.033	ppbv		ND	0.78	0.13	ug/m3
593-60-2	106.9	Bromoethene	ND	0.20	0.016	ppbv		ND	0.87	0.070	ug/m3
100-44-7	126	Benzyl Chloride	ND	0.20	0.021	ppbv		ND	1.0	0.11	ug/m3
75-15-0	76.14	Carbon disulfide	ND	0.20	0.033	ppbv		ND	0.62	0.10	ug/m3
108-90-7	112.6	Chlorobenzene	ND	0.20	0.017	ppbv		ND	0.92	0.078	ug/m3
75-00-3	64.52	Chloroethane	ND	0.20	0.036	ppbv		ND	0.53	0.095	ug/m3
67-66-3	119.4	Chloroform	ND	0.20	0.031	ppbv		ND	0.98	0.15	ug/m3
74-87-3	50.49	Chloromethane	0.84	0.20	0.065	ppbv		1.7	0.41	0.13	ug/m3
107-05-1	76.53	3-Chloropropene	ND	0.20	0.037	ppbv		ND	0.63	0.12	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	0.20	0.036	ppbv		ND	1.0	0.19	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	0.20	0.020	ppbv		ND	1.3	0.13	ug/m3
110-82-7	84.16	Cyclohexane	0.58	0.20	0.035	ppbv		2.0	0.69	0.12	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.20	0.033	ppbv		ND	0.81	0.13	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	ND	0.20	0.033	ppbv		ND	0.79	0.13	ug/m3
106-93-4	187.9	1,2-Dibromoethane	ND	0.20	0.022	ppbv		ND	1.5	0.17	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	0.20	0.026	ppbv		ND	0.81	0.11	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	0.20	0.033	ppbv		ND	0.92	0.15	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	0.20	0.047	ppbv		ND	0.72	0.17	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	0.54	0.20	0.025	ppbv		2.7	0.99	0.12	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	0.20	0.025	ppbv		ND	1.7	0.21	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.20	0.026	ppbv		ND	0.79	0.10	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	ND	0.20	0.034	ppbv		ND	0.79	0.13	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.20	0.023	ppbv		ND	0.91	0.10	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	0.20	0.029	ppbv		ND	1.2	0.17	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.20	0.028	ppbv		ND	1.2	0.17	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	0.20	0.029	ppbv		ND	1.2	0.17	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.20	0.029	ppbv		ND	0.91	0.13	ug/m3

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: CAMS 380		
Lab Sample ID: JC55393-1		Date Sampled: 11/08/17
Matrix: AIR - Ambient Air Grab	Summa ID: A890	Date Received: 11/14/17
Method: TO-15		Percent Solids: n/a
Project: Valero-CAMS, Baton Rouge, LA		

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	18.3	0.50	0.095	ppbv		34.5	0.94	0.18	ug/m3
100-41-4	106.2	Ethylbenzene	0.21	0.20	0.023	ppbv		0.91	0.87	0.10	ug/m3
141-78-6	88	Ethyl Acetate	10.5	0.20	0.065	ppbv		37.8	0.72	0.23	ug/m3
622-96-8	120.2	4-Ethyltoluene	ND	0.20	0.028	ppbv		ND	0.98	0.14	ug/m3
76-13-1	187.4	Freon 113	ND	0.20	0.024	ppbv		ND	1.5	0.18	ug/m3
76-14-2	170.9	Freon 114	ND	0.20	0.024	ppbv		ND	1.4	0.17	ug/m3
142-82-5	100.2	Heptane	0.31	0.20	0.046	ppbv		1.3	0.82	0.19	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.20	0.024	ppbv		ND	2.1	0.26	ug/m3
110-54-3	86.17	Hexane	0.78	0.20	0.026	ppbv		2.7	0.70	0.092	ug/m3
591-78-6	100	2-Hexanone	ND	0.20	0.041	ppbv		ND	0.82	0.17	ug/m3
67-63-0	60.1	Isopropyl Alcohol	1.7	0.20	0.090	ppbv		4.2	0.49	0.22	ug/m3
75-09-2	84.94	Methylene chloride	0.61	0.20	0.033	ppbv		2.1	0.69	0.11	ug/m3
78-93-3	72.11	Methyl ethyl ketone	2.6	0.20	0.043	ppbv		7.7	0.59	0.13	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	ND	0.20	0.057	ppbv		ND	0.82	0.23	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.20	0.019	ppbv		ND	0.72	0.069	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.20	0.044	ppbv		ND	0.82	0.18	ug/m3
115-07-1	42	Propylene	ND	0.50	0.059	ppbv		ND	0.86	0.10	ug/m3
100-42-5	104.1	Styrene	0.16	0.20	0.046	ppbv	J	0.68	0.85	0.20	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.20	0.017	ppbv		ND	1.1	0.093	ug/m3
79-34-5	167.9	1,1,2,2-Tetrachloroethane	ND	0.20	0.036	ppbv		ND	1.4	0.25	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.20	0.022	ppbv		ND	1.1	0.12	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.20	0.038	ppbv		ND	1.5	0.28	ug/m3
95-63-6	120.2	1,2,4-Trimethylbenzene	0.24	0.20	0.051	ppbv		1.2	0.98	0.25	ug/m3
108-67-8	120.2	1,3,5-Trimethylbenzene	ND	0.20	0.030	ppbv		ND	0.98	0.15	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	0.19	0.20	0.026	ppbv	J	0.89	0.93	0.12	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	ND	0.20	0.026	ppbv		ND	0.61	0.079	ug/m3
127-18-4	165.8	Tetrachloroethylene	0.16	0.040	0.016	ppbv		1.1	0.27	0.11	ug/m3
109-99-9	72.11	Tetrahydrofuran	0.54	0.20	0.045	ppbv		1.6	0.59	0.13	ug/m3
108-88-3	92.14	Toluene	2.2	0.20	0.029	ppbv		8.3	0.75	0.11	ug/m3
79-01-6	131.4	Trichloroethylene	ND	0.040	0.012	ppbv		ND	0.21	0.064	ug/m3
75-69-4	137.4	Trichlorofluoromethane	0.26	0.20	0.015	ppbv		1.5	1.1	0.084	ug/m3
75-01-4	62.5	Vinyl chloride	ND	0.20	0.038	ppbv		ND	0.51	0.097	ug/m3
108-05-4	86	Vinyl Acetate	ND	0.20	0.027	ppbv		ND	0.70	0.095	ug/m3
	106.2	m,p-Xylene	0.77	0.20	0.067	ppbv		3.3	0.87	0.29	ug/m3
95-47-6	106.2	o-Xylene	0.29	0.20	0.035	ppbv		1.3	0.87	0.15	ug/m3
1330-20-7	106.2	Xylenes (total)	1.1	0.20	0.035	ppbv		4.8	0.87	0.15	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	100%		65-128%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody
- Summa Canister and Flow Controller Log

AIR



ACCUTEST

AIR CHAIN OF CUSTODY

SGS Accutest - Dayton
2235 Route 130, Dayton, NJ 08810
TEL: 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

FED-EX Tracking #
4077 3092 1136
Lab Quote #

Order Control #
VF-11117-131
Lab Job #
JC55393

PAGE 1 OF 1

Client / Reporting Information				Project Information				Weather Parameters				Requested Analysis				
Company Name: Providence Engr				Project Name: Valero Refining				Temperature (Fahrenheit)				Requested Analysis				
Address: 1201 Main St				Street:				Start:		Maximum:						
City: BR State: LA Zip: 70802				City: Meraux State: LA				Stop:		Minimum:						
Project Contact: paulhollis@providenceeng.com Phone #: 225-766-7400 Fax #: -7440				Project #: 712-051				Atmospheric Pressure (inches of Hg)								
Sampler(s) Name(s): K Hudson				Client Purchase Order #				Start:		Maximum:		TO-15				
								Stop:		Minimum:						
Other weather comment:																
Lab Sample #	Field ID / Point of Collection	Air Type		Sampling Equipment Info			Start Sampling Information				Stop Sampling Information					
		Indoor(I) Soil Vap(SV) Ambient(A)	Canister Serial #	Canister Size 6L or 1L	Flow Controller Serial #	Date	Time (24hr clock)	Canister Pressure ("Hg)	Interior Temp (F)	Sampler Init.	Date	Time (24hr clock)	Canister Pressure ("Hg)	Interior Temp (F)	Sampler Init.	
1	Cams 380	A	AE90	6L	537	11-7	630	30	75	UH	11-8	645	4	75	UH	✓
/																
Turnaround Time (Business Days)				Data Deliverable Information				Comments / Remarks								
Standard - 15 Days <input type="checkbox"/> 10 Day <input type="checkbox"/> 5 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> 2 Day <input type="checkbox"/> 1 Day <input type="checkbox"/> Other				Approved By: _____ Date: _____				All NJDEP TO-15 is mandatory Full T1 Comm A _____ Comm B _____ Reduced T2 _____ Full T1 _____ Other: _____ DKQP reporting _____				COC seal # 126 Fedex ship Sample inventory is verified upon receipt in the Laboratory				
Sample Custody must be documented below each time samples change possession, including courier delivery.																
Relinquished by: <i>Craig Majors</i>	Date Time: 11/2/17 9:00	Received By: FedEx	Relinquished By: FedEx	Date Time:	Received By:	Relinquished By: FedEx	Date Time:	Received By:	Relinquished By: FedEx	Date Time: 11/4/17 930	Received By:					
Relinquished by: <i>[Signature]</i>	Date Time:	Received By: FedEx	Relinquished By: FedEx	Date Time:	Received By:	Relinquished By: FedEx	Date Time:	Received By:	Relinquished By: FedEx	Date Time:	Received By:					
Relinquished by: <i>[Signature]</i>	Date Time:	Received By: FedEx	Relinquished By: FedEx	Date Time:	Received By:	Relinquished By: FedEx	Date Time:	Received By:	Relinquished By: FedEx	Date Time:	Received By:					

31
3

JC55393: Chain of Custody

Page 1 of 2



SGS Accutest Sample Receipt Summary

Job Number: JC55393

Client: _____

Project: _____

Date / Time Received: 11/14/2017 9:30:00 AM

Delivery Method: _____

Airbill #'s: _____

Cooler Temps (Raw Measured) °C:

Cooler Temps (Corrected) °C:

Cooler Security

Y or N

Y or N

- | | | | | | |
|---------------------------|-------------------------------------|--------------------------|-----------------------|-------------------------------------|--------------------------|
| 1. Custody Seals Present: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 3. COC Present: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Custody Seals Intact: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 4. Smpl Dates/Time OK | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

Cooler Temperature

Y or N

- | | | |
|------------------------------|--------------------------|--------------------------|
| 1. Temp criteria achieved: | <input type="checkbox"/> | <input type="checkbox"/> |
| 2. Cooler temp verification: | N/A | |
| 3. Cooler media: | N/A | |
| 4. No. Coolers: | N/A | |

Quality Control Preservation

Y or N

N/A

- | | | | |
|---------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| 1. Trip Blank present / cooler: | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Trip Blank listed on COC: | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 3. Samples preserved properly: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4. VOCs headspace free: | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

Sample Integrity - Documentation

Y or N

- | | | |
|--|-------------------------------------|--------------------------|
| 1. Sample labels present on bottles: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Container labeling complete: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 3. Sample container label / COC agree: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

Sample Integrity - Condition

Y or N

- | | | |
|----------------------------------|-------------------------------------|--------------------------|
| 1. Sample recvd within HT: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. All containers accounted for: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 3. Condition of sample: | Intact | |

Sample Integrity - Instructions

Y or N N/A

- | | | | |
|---|-------------------------------------|-------------------------------------|-------------------------------------|
| 1. Analysis requested is clear: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 2. Bottles received for unspecified tests | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 3. Sufficient volume recvd for analysis: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4. Compositing instructions clear: | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 5. Filtering instructions clear: | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

Comments

SM089-02
Rev. Date 12/1/16

JC55393: Chain of Custody

Page 2 of 2

Summa Canister and Flow Controller Log

Job Number: JC55393
Account: PROVLABR Providence Engineering
Project: Valero-CAMS, Baton Rouge, LA
Received: 11/14/17

32
3

SUMMA CANISTERS													
Shipping						Receiving							
Summa ID	Vac L	Date " Hg	Date Out	By	SCC Batch	SCC FileID	Sample Number	Date In	By	Vac " Hg	Pres psig	Final psig	Dil Fact
A890	6	29.4	11/02/17	PC	CP9436	6W02785.D	JC55393-1	11/15/17	PC	4.5			1

SGS Bottle Order(s):
 VP-11117-131

Prep Date **Room Temp(F)** **Bar Pres "Hg**
 11/02/17 70 29.92