

Technical Report for

Providence Engineering

Valero-CAMS, Baton Rouge, LA

Accutest Job Number: JA92860

Sampling Date: 11/20/11

Report to:

Providence Engineering


kevincalhoun@providenceeng.com

ATTN: Kevin Calhoun

Total number of pages in report: 9



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.



David N. Speis
VP, Laboratory Director

Client Service contact: Kristyn Morrison 732-329-0200

Certifications: NJ(12129), NY(10983), CA, CT, DE, FL, IL, IN, KS, KY, LA, MA, MD, MI, MT, NC, PA, RI, SC, TN, VA, WV

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Sample Results	4
2.1: JA92860-1: CAMS 016	5
Section 3: Misc. Forms	7
3.1: Chain of Custody	8
3.2: Summa Canister and Flow Controller Log	9



Sample Summary

Providence Engineering

Job No: JA92860

Valero-CAMS, Baton Rouge, LA

Sample Number	Collected Date	Time By	Received	Matrix Code	Type	Client Sample ID
JA92860-1	11/20/11	13:00	KH	11/23/11	AIR Ambient Air Grab	CAMS 016

Sample Results

Report of Analysis

Report of Analysis

Client Sample ID:	CAMS 016	Date Sampled:	11/20/11
Lab Sample ID:	JA92860-1	Date Received:	11/23/11
Matrix:	AIR - Ambient Air Grab Summa ID: A850	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero-CAMS, Baton Rouge, LA		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #2	W34286.D	1	12/03/11	YMH	n/a	n/a	VW1398

Run #1	Initial Volume
Run #2	400 ml

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
67-64-1	58.08	Acetone	6.6	0.20	0.036	ppbv		16	0.48	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	0.20	0.024	ppbv		ND	0.44	ug/m3
71-43-2	78.11	Benzene	0.29	0.20	0.046	ppbv		0.93	0.64	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	0.20	0.030	ppbv		ND	1.3	ug/m3
75-25-2	252.8	Bromoform	ND	0.20	0.037	ppbv		ND	2.1	ug/m3
74-83-9	94.94	Bromomethane	ND	0.20	0.037	ppbv		ND	0.78	ug/m3
593-60-2	106.9	Bromoethene	ND	0.20	0.037	ppbv		ND	0.87	ug/m3
100-44-7	126	Benzyl Chloride	ND	0.20	0.041	ppbv		ND	1.0	ug/m3
75-15-0	76.14	Carbon disulfide	0.48	0.20	0.032	ppbv		1.5	0.62	ug/m3
108-90-7	112.6	Chlorobenzene	ND	0.20	0.027	ppbv		ND	0.92	ug/m3
75-00-3	64.52	Chloroethane	ND	0.20	0.039	ppbv		ND	0.53	ug/m3
67-66-3	119.4	Chloroform	ND	0.20	0.028	ppbv		ND	0.98	ug/m3
74-87-3	50.49	Chloromethane	0.89	0.20	0.037	ppbv		1.8	0.41	ug/m3
107-05-1	76.53	3-Chloropropene	ND	0.20	0.041	ppbv		ND	0.63	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	0.20	0.031	ppbv		ND	1.0	ug/m3
56-23-5	153.8	Carbon tetrachloride	0.098	0.20	0.040	ppbv	J	0.62	1.3	ug/m3
110-82-7	84.16	Cyclohexane	ND	0.20	0.034	ppbv		ND	0.69	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.20	0.028	ppbv		ND	0.81	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	ND	0.20	0.046	ppbv		ND	0.79	ug/m3
106-93-4	187.9	1,2-Dibromoethane	ND	0.20	0.027	ppbv		ND	1.5	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	0.20	0.043	ppbv		ND	0.81	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	0.20	0.038	ppbv		ND	0.92	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	0.20	0.056	ppbv		ND	0.72	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	0.59	0.20	0.038	ppbv		2.9	0.99	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	0.20	0.027	ppbv		ND	1.7	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.20	0.033	ppbv		ND	0.79	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	ND	0.20	0.038	ppbv		ND	0.79	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.20	0.043	ppbv		ND	0.91	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	0.20	0.037	ppbv		ND	1.2	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.20	0.027	ppbv		ND	1.2	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	0.20	0.025	ppbv		ND	1.2	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.20	0.039	ppbv		ND	0.91	ug/m3

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	CAMS 016		
Lab Sample ID:	JA92860-1		Date Sampled: 11/20/11
Matrix:	AIR - Ambient Air Grab	Summa ID: A850	Date Received: 11/23/11
Method:	TO-15		Percent Solids: n/a
Project:	Valero-CAMS, Baton Rouge, LA		

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
64-17-5	46.07	Ethanol	11.7	0.50	0.095	ppbv		22.0	0.94	ug/m3
100-41-4	106.2	Ethylbenzene	ND	0.20	0.031	ppbv		ND	0.87	ug/m3
141-78-6	88	Ethyl Acetate	3.8	0.20	0.061	ppbv		14	0.72	ug/m3
622-96-8	120.2	4-Ethyltoluene	ND	0.20	0.024	ppbv		ND	0.98	ug/m3
76-13-1	187.4	Freon 113	ND	0.20	0.034	ppbv		ND	1.5	ug/m3
76-14-2	170.9	Freon 114	ND	0.20	0.031	ppbv		ND	1.4	ug/m3
142-82-5	100.2	Heptane	ND	0.20	0.033	ppbv		ND	0.82	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.20	0.046	ppbv		ND	2.1	ug/m3
110-54-3	86.17	Hexane	0.15	0.20	0.044	ppbv	J	0.53	0.70	ug/m3
591-78-6	100	2-Hexanone	ND	0.20	0.043	ppbv		ND	0.82	ug/m3
67-63-0	60.1	Isopropyl Alcohol	3.1	0.20	0.059	ppbv		7.6	0.49	ug/m3
75-09-2	84.94	Methylene chloride	ND	0.20	0.027	ppbv		ND	0.69	ug/m3
78-93-3	72.11	Methyl ethyl ketone	0.62	0.20	0.048	ppbv		1.8	0.59	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	0.24	0.20	0.036	ppbv		0.98	0.82	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.20	0.027	ppbv		ND	0.72	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.20	0.043	ppbv		ND	0.82	ug/m3
115-07-1	42	Propylene	ND	0.50	0.070	ppbv		ND	0.86	ug/m3
100-42-5	104.1	Styrene	0.15	0.20	0.027	ppbv	J	0.64	0.85	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.20	0.022	ppbv		ND	1.1	ug/m3
79-34-5	167.9	1,1,2,2-Tetrachloroethane	ND	0.20	0.030	ppbv		ND	1.4	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.20	0.030	ppbv		ND	1.1	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.20	0.051	ppbv		ND	1.5	ug/m3
95-63-6	120.2	1,2,4-Trimethylbenzene	ND	0.20	0.024	ppbv		ND	0.98	ug/m3
108-67-8	120.2	1,3,5-Trimethylbenzene	ND	0.20	0.028	ppbv		ND	0.98	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	ND	0.20	0.028	ppbv		ND	0.93	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	0.34	0.20	0.032	ppbv		1.0	0.61	ug/m3
127-18-4	165.8	Tetrachloroethylene	ND	0.040	0.028	ppbv		ND	0.27	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	0.20	0.047	ppbv		ND	0.59	ug/m3
108-88-3	92.14	Toluene	2.3	0.20	0.040	ppbv		8.7	0.75	ug/m3
79-01-6	131.4	Trichloroethylene	ND	0.040	0.033	ppbv		ND	0.21	ug/m3
75-69-4	137.4	Trichlorofluoromethane	0.29	0.20	0.042	ppbv		1.6	1.1	ug/m3
75-01-4	62.5	Vinyl chloride	ND	0.20	0.032	ppbv		ND	0.51	ug/m3
108-05-4	86	Vinyl Acetate	ND	0.20	0.057	ppbv		ND	0.70	ug/m3
	106.2	m,p-Xylene	0.16	0.20	0.031	ppbv	J	0.69	0.87	ug/m3
95-47-6	106.2	o-Xylene	ND	0.20	0.031	ppbv		ND	0.87	ug/m3
1330-20-7	106.2	Xylenes (total)	0.16	0.20	0.031	ppbv	J	0.69	0.87	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	95%		65-128%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody
- Summa Canister and Flow Controller Log

Company Name Providence Engineering		Project Name Valero		Weather Parameters		Requested Analysis
Address 1201 Main Street		Street		Temperature (Fahrenheit) Start: _____ Maximum: _____ Stop: _____ Minimum: _____		
City BRL State LA Zip 70802		City Chalmette State _____		Atmospheric Pressure (inches of Hg) Start: _____ Maximum: _____ Stop: _____ Minimum: _____		
Project Contact panehollis@providenceeng.com		Project #		Other weather comment:		
Phone # 225 766 7400 Fax # 7440		Client Purchase Order #				
Sampler(s) Name(s) Karen Hudson						

Lab Sample #	Field ID / Point of Collection	Air Type	Sampling Equipment Info				Start Sampling Information					Stop Sampling Information				
			Indoor (I) Soil Vap (SV) Ambient (A)	Canister Serial #	Canister Size 6L or 1L	Flow Controller Serial #	Date	Time (24 hr clock)	Canister Pressure (Hg)	Interior Temp (F)	Sampler Init.	Date	Time (24 hr clock)	Canister Pressure (Hg)	Interior Temp (F)	Sampler Init.
1	AMS 016	A	A850	6L	-	11-19	13:00	0.06	75	KH	11-20	13:00	12.06	75	KH	

Turnaround Time (Business Days)		Data Deliverable Information		Comments / Remarks	
Standard - 15 Days	<input checked="" type="checkbox"/>	Approved By: _____ Date: _____		All NUDEP TO-15 is mandatory Full T1	
10 Day	<input type="checkbox"/>			Comm A <input type="checkbox"/>	
5 Day	<input type="checkbox"/>			Comm B <input type="checkbox"/>	
3 Day	<input type="checkbox"/>			Reduced T2 <input type="checkbox"/>	
2 Day	<input type="checkbox"/>			Full T1 <input type="checkbox"/>	
1 Day	<input type="checkbox"/>			Other: <input type="checkbox"/>	
Other	<input type="checkbox"/>				

Sample Custody must be documented below each time samples change possession, including courier delivery.					
Relinquished by Laboratory:	Date Time:	Received by:	Relinquished by:	Date Time:	Received by:
1		1	<i>[Signature]</i>	11-22-11 11:40	<i>[Signature]</i>
Relinquished by:	Date Time:	Received by:	Relinquished by:	Date Time:	Received by:
<i>[Signature]</i>	11-22-11	3	FEDEX	11/22/11 15:00	<i>[Signature]</i>
Relinquished by:	Date Time:	Received by:	Custody Seal #		
		5			

31
3

TO-15

Summa Canister and Flow Controller Log

Job Number: JA92860
Account: PROVLABR Providence Engineering
Project: Valero-CAMS, Baton Rouge, LA
Received: 11/23/11

32
3

SUMMA CANISTERS													
Shipping							Receiving						
Summa ID	L	Vac " Hg	Date Out	By	SCC Batch	SCC FileID	Sample Number	Date In	By	Vac " Hg	Pres psig	Final psig	Dil Fact
A850	6	29.4	10/28/11	HT	CP5066	3W24546.D	JA92860-1	11/23/11	HT	5			1

Accutest Bottle Order(s):
 KM-10/28/2011-3

Prep Date **Room Temp(F)** **Bar Pres "Hg**
 10/28/11 70 29.92