

The results set forth herein are provided by SGS North America Inc.

e-Hardcopy 2.0
Automated Report

Technical Report for

Providence Engineering

Valero-CAMS, Baton Rouge, LA

712-001

SGS Job Number: JC56602

Sampling Date: 12/02/17

Report to:

Providence Engineering

kevincalhoun@providenceeng.com

ATTN: Kevin Calhoun

Total number of pages in report: 10



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

A handwritten signature in black ink that reads 'Nancy F. Cole'.

Nancy Cole
Laboratory Director

Client Service contact: Victoria Pushkova 732-329-0200

Certifications: NJ(12129), NY(10983), CA, CT, FL, IL, IN, KS, KY, LA, MA, MD, ME, MN, NC, OH VAP (CL0056), AK (UST-103), AZ (AZ0786), PA, RI, SC, TX, UT, VA, WV, DoD ELAP (L-A-B L2248)

This report shall not be reproduced, except in its entirety, without the written approval of SGS.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Sample Results	4
2.1: JC56602-1: CAMS 384	5
Section 3: Misc. Forms	7
3.1: Chain of Custody	8
3.2: Summa Canister and Flow Controller Log	10



Sample Summary

Providence Engineering

Job No: JC56602

Valero-CAMS, Baton Rouge, LA
Project No: 712-001

Sample Number	Collected		Received	Matrix		Client Sample ID
	Date	Time By		Code	Type	
JC56602-1	12/02/17	07:20 KH	12/05/17	AIR	Ambient Air Grab	CAMS 384

Sample Results

Report of Analysis

Report of Analysis

Client Sample ID: CAMS 384		
Lab Sample ID: JC56602-1		Date Sampled: 12/02/17
Matrix: AIR - Ambient Air Grab	Summa ID: M160	Date Received: 12/05/17
Method: TO-15		Percent Solids: n/a
Project: Valero-CAMS, Baton Rouge, LA		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	6W03501.D	1	12/13/17 06:20	DFT	n/a	n/a	V6W99
Run #2							

Run #	Initial Volume
Run #1	400 ml
Run #2	

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone	4.2	0.20	0.062	ppbv		10	0.48	0.15	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	0.20	0.028	ppbv		ND	0.44	0.062	ug/m3
71-43-2	78.11	Benzene	0.20	0.20	0.026	ppbv		0.64	0.64	0.083	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	0.20	0.029	ppbv		ND	1.3	0.19	ug/m3
75-25-2	252.8	Bromoform	ND	0.20	0.018	ppbv		ND	2.1	0.19	ug/m3
74-83-9	94.94	Bromomethane	ND	0.20	0.033	ppbv		ND	0.78	0.13	ug/m3
593-60-2	106.9	Bromoethene	ND	0.20	0.016	ppbv		ND	0.87	0.070	ug/m3
100-44-7	126	Benzyl Chloride	ND	0.20	0.021	ppbv		ND	1.0	0.11	ug/m3
75-15-0	76.14	Carbon disulfide	ND	0.20	0.033	ppbv		ND	0.62	0.10	ug/m3
108-90-7	112.6	Chlorobenzene	ND	0.20	0.017	ppbv		ND	0.92	0.078	ug/m3
75-00-3	64.52	Chloroethane	ND	0.20	0.036	ppbv		ND	0.53	0.095	ug/m3
67-66-3	119.4	Chloroform	ND	0.20	0.031	ppbv		ND	0.98	0.15	ug/m3
74-87-3	50.49	Chloromethane	1.1	0.20	0.065	ppbv		2.3	0.41	0.13	ug/m3
107-05-1	76.53	3-Chloropropene	ND	0.20	0.037	ppbv		ND	0.63	0.12	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	0.20	0.036	ppbv		ND	1.0	0.19	ug/m3
56-23-5	153.8	Carbon tetrachloride	0.088	0.20	0.020	ppbv	J	0.55	1.3	0.13	ug/m3
110-82-7	84.16	Cyclohexane	ND	0.20	0.035	ppbv		ND	0.69	0.12	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.20	0.033	ppbv		ND	0.81	0.13	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	ND	0.20	0.033	ppbv		ND	0.79	0.13	ug/m3
106-93-4	187.9	1,2-Dibromoethane	ND	0.20	0.022	ppbv		ND	1.5	0.17	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	0.20	0.026	ppbv		ND	0.81	0.11	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	0.20	0.033	ppbv		ND	0.92	0.15	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	0.20	0.047	ppbv		ND	0.72	0.17	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	0.54	0.20	0.025	ppbv		2.7	0.99	0.12	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	0.20	0.025	ppbv		ND	1.7	0.21	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.20	0.026	ppbv		ND	0.79	0.10	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	ND	0.20	0.034	ppbv		ND	0.79	0.13	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.20	0.023	ppbv		ND	0.91	0.10	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	0.20	0.029	ppbv		ND	1.2	0.17	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.20	0.028	ppbv		ND	1.2	0.17	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	0.20	0.029	ppbv		ND	1.2	0.17	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.20	0.029	ppbv		ND	0.91	0.13	ug/m3

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	CAMS 384	Date Sampled:	12/02/17
Lab Sample ID:	JC56602-1	Date Received:	12/05/17
Matrix:	AIR - Ambient Air Grab Summa ID: M160	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero-CAMS, Baton Rouge, LA		

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	1.7	0.50	0.095	ppbv		3.2	0.94	0.18	ug/m3
100-41-4	106.2	Ethylbenzene	ND	0.20	0.023	ppbv		ND	0.87	0.10	ug/m3
141-78-6	88	Ethyl Acetate	0.23	0.20	0.065	ppbv		0.83	0.72	0.23	ug/m3
622-96-8	120.2	4-Ethyltoluene	ND	0.20	0.028	ppbv		ND	0.98	0.14	ug/m3
76-13-1	187.4	Freon 113	ND	0.20	0.024	ppbv		ND	1.5	0.18	ug/m3
76-14-2	170.9	Freon 114	ND	0.20	0.024	ppbv		ND	1.4	0.17	ug/m3
142-82-5	100.2	Heptane	ND	0.20	0.046	ppbv		ND	0.82	0.19	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.20	0.024	ppbv		ND	2.1	0.26	ug/m3
110-54-3	86.17	Hexane	0.25	0.20	0.026	ppbv		0.88	0.70	0.092	ug/m3
591-78-6	100	2-Hexanone	ND	0.20	0.041	ppbv		ND	0.82	0.17	ug/m3
67-63-0	60.1	Isopropyl Alcohol	0.39	0.20	0.090	ppbv		0.96	0.49	0.22	ug/m3
75-09-2	84.94	Methylene chloride	0.10	0.20	0.033	ppbv	J	0.35	0.69	0.11	ug/m3
78-93-3	72.11	Methyl ethyl ketone	0.62	0.20	0.043	ppbv		1.8	0.59	0.13	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	ND	0.20	0.057	ppbv		ND	0.82	0.23	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.20	0.019	ppbv		ND	0.72	0.069	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.20	0.044	ppbv		ND	0.82	0.18	ug/m3
115-07-1	42	Propylene	1.6	0.50	0.059	ppbv		2.7	0.86	0.10	ug/m3
100-42-5	104.1	Styrene	ND	0.20	0.046	ppbv		ND	0.85	0.20	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.20	0.017	ppbv		ND	1.1	0.093	ug/m3
79-34-5	167.9	1,1,2,2-Tetrachloroethane	ND	0.20	0.036	ppbv		ND	1.4	0.25	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.20	0.022	ppbv		ND	1.1	0.12	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.20	0.038	ppbv		ND	1.5	0.28	ug/m3
95-63-6	120.2	1,2,4-Trimethylbenzene	ND	0.20	0.051	ppbv		ND	0.98	0.25	ug/m3
108-67-8	120.2	1,3,5-Trimethylbenzene	ND	0.20	0.030	ppbv		ND	0.98	0.15	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	ND	0.20	0.026	ppbv		ND	0.93	0.12	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	ND	0.20	0.026	ppbv		ND	0.61	0.079	ug/m3
127-18-4	165.8	Tetrachloroethylene	0.025	0.040	0.016	ppbv	J	0.17	0.27	0.11	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	0.20	0.045	ppbv		ND	0.59	0.13	ug/m3
108-88-3	92.14	Toluene	0.21	0.20	0.029	ppbv		0.79	0.75	0.11	ug/m3
79-01-6	131.4	Trichloroethylene	ND	0.040	0.012	ppbv		ND	0.21	0.064	ug/m3
75-69-4	137.4	Trichlorofluoromethane	0.26	0.20	0.015	ppbv		1.5	1.1	0.084	ug/m3
75-01-4	62.5	Vinyl chloride	ND	0.20	0.038	ppbv		ND	0.51	0.097	ug/m3
108-05-4	86	Vinyl Acetate	ND	0.20	0.027	ppbv		ND	0.70	0.095	ug/m3
	106.2	m,p-Xylene	ND	0.20	0.067	ppbv		ND	0.87	0.29	ug/m3
95-47-6	106.2	o-Xylene	ND	0.20	0.035	ppbv		ND	0.87	0.15	ug/m3
1330-20-7	106.2	Xylenes (total)	ND	0.20	0.035	ppbv		ND	0.87	0.15	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	94%		65-128%

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody
- Summa Canister and Flow Controller Log

Client / Reporting Information				Project Information				Weather Parameters				Requested Analysis																																																																																													
Company Name: Providence Engr				Project Name: Vaciero Refining				Temperature (Fahrenheit)				Requested Analysis																																																																																													
Address: 1201 Main St				Street:				Start: Maximum:																																																																																																	
City: Bir State: LA Zip: 70802				City: Meroux State: LA				Stop: Minimum:																																																																																																	
Project Contact: paul.hollise@providenceengr.com				Project #: 712-001				Atmospheric Pressure (Inches of Hg)																																																																																																	
Phone #: 225-766-7400 Fax #: -7440				Client Purchase Order #				Start: Maximum:																																																																																																	
Sample(s) Name(s): IC Hudson				Other weather comment:				Stop: Minimum:				S-101																																																																																													
Lab Sample #	Field ID / Point of Collection	Air Type	Sampling Equipment Info			Start Sampling Information					Stop Sampling Information																																																																																														
		Indoor(I) Soil Vap.(SV) Ambient(A)	Canister Serial #	Canister Size oz. or L	Flow Controller Serial #	Date	Time (24hr clock)	Canister Pressure ("Hg)	Interior Temp (F)	Sampler Init.	Date			Time (24hr clock)	Canister Pressure ("Hg)	Interior Temp (F)	Sampler Init.																																																																																								
1	Camx 384	A	M160	6L	537	12-1	7:30	30	75	KH	12-2			7:20	5	75	KH	✓																																																																																							
<table border="1"> <tr> <th colspan="4">Turnaround time (Business days)</th> <th colspan="4">Date Deliverable Information</th> <th colspan="8">Comments / Remarks</th> </tr> <tr> <td>Standard - 15 Days</td> <td><input checked="" type="checkbox"/></td> <td colspan="2">Approved By: _____</td> <td colspan="4">All NJDEP TO-16 is mandatory Full T1</td> <td colspan="8" rowspan="4">CCL sent Fed ex ship 12-4</td> </tr> <tr> <td>10 Day</td> <td><input type="checkbox"/></td> <td colspan="2">Date: _____</td> <td colspan="4">Comm A</td> </tr> <tr> <td>5 Day</td> <td><input type="checkbox"/></td> <td colspan="4"></td> <td colspan="4">Comm B</td> </tr> <tr> <td>3 Day</td> <td><input type="checkbox"/></td> <td colspan="4"></td> <td colspan="4">Reduced T2</td> </tr> <tr> <td>2 Day</td> <td><input type="checkbox"/></td> <td colspan="4"></td> <td colspan="4">Full T1</td> </tr> <tr> <td>1 Day</td> <td><input type="checkbox"/></td> <td colspan="4"></td> <td colspan="4">Other: _____</td> </tr> <tr> <td>Other</td> <td><input type="checkbox"/></td> <td colspan="4"></td> <td colspan="4">OKQP reporting</td> </tr> </table>																Turnaround time (Business days)				Date Deliverable Information				Comments / Remarks								Standard - 15 Days	<input checked="" type="checkbox"/>	Approved By: _____		All NJDEP TO-16 is mandatory Full T1				CCL sent Fed ex ship 12-4								10 Day	<input type="checkbox"/>	Date: _____		Comm A				5 Day	<input type="checkbox"/>					Comm B				3 Day	<input type="checkbox"/>					Reduced T2				2 Day	<input type="checkbox"/>					Full T1				1 Day	<input type="checkbox"/>					Other: _____				Other	<input type="checkbox"/>					OKQP reporting			
Turnaround time (Business days)				Date Deliverable Information				Comments / Remarks																																																																																																	
Standard - 15 Days	<input checked="" type="checkbox"/>	Approved By: _____		All NJDEP TO-16 is mandatory Full T1				CCL sent Fed ex ship 12-4																																																																																																	
10 Day	<input type="checkbox"/>	Date: _____		Comm A																																																																																																					
5 Day	<input type="checkbox"/>					Comm B																																																																																																			
3 Day	<input type="checkbox"/>					Reduced T2																																																																																																			
2 Day	<input type="checkbox"/>					Full T1																																																																																																			
1 Day	<input type="checkbox"/>					Other: _____																																																																																																			
Other	<input type="checkbox"/>					OKQP reporting																																																																																																			
Sample Custody must be documented below each time samples change possession, including courier delivery.																																																																																																									
Inquired by: Ray Morrison	Date Time: 12/9/17 14:30	Received By: FedEx	Relinquished By: FedEx	Date Time: 12/9/17 13:30	Received By: [Signature]																																																																																																				
Inquired by: [Signature]	Date Time: 12/9/17 14:30	Received By: FS	Relinquished By: FX	Date Time: 12/9/17 13:30	Received By: [Signature]																																																																																																				
Inquired by: [Signature]	Date Time: 12/9/17 14:30	Received By: FS	Relinquished By: FX	Date Time: 12/9/17 13:30	Received By: [Signature]																																																																																																				
				Custody Seal #	576 intact																																																																																																				

JC56602: Chain of Custody

Page 1 of 2

31
3

SGS Accutest Sample Receipt Summary

Job Number: JC56602

Client: _____

Project: _____

Date / Time Received: 12/5/2017 1:30:00 PM

Delivery Method: _____

Airbill #'s: _____

Cooler Temps (Raw Measured) °C:

Cooler Temps (Corrected) °C:

<u>Cooler Security</u>	<u>Y or N</u>		<u>Y or N</u>		
1. Custody Seals Present:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	3. COC Present:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. Custody Seals Intact:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	4. Smpl Dates/Time OK	<input checked="" type="checkbox"/>	<input type="checkbox"/>

<u>Cooler Temperature</u>	<u>Y or N</u>	
1. Temp criteria achieved:	<input type="checkbox"/>	<input type="checkbox"/>
2. Cooler temp verification:	N/A	
3. Cooler media:	N/A	
4. No. Coolers:	N/A	

<u>Quality Control Preservation</u>	<u>Y</u>	<u>or</u>	<u>N</u>	<u>N/A</u>
1. Trip Blank present / cooler:	<input type="checkbox"/>		<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. Trip Blank listed on COC:	<input type="checkbox"/>		<input checked="" type="checkbox"/>	<input type="checkbox"/>
3. Samples preserved properly:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
4. VOCs headspace free:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>

<u>Sample Integrity - Documentation</u>	<u>Y or N</u>	
1. Sample labels present on bottles:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. Container labeling complete:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3. Sample container label / COC agree:	<input checked="" type="checkbox"/>	<input type="checkbox"/>

<u>Sample Integrity - Condition</u>	<u>Y or N</u>	
1. Sample recvd within HT:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. All containers accounted for:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3. Condition of sample:	Intact	

<u>Sample Integrity - Instructions</u>	<u>Y</u>	<u>or</u>	<u>N</u>	<u>N/A</u>
1. Analysis requested is clear:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
2. Bottles received for unspecified tests	<input type="checkbox"/>		<input checked="" type="checkbox"/>	
3. Sufficient volume recvd for analysis:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
4. Compositing instructions clear:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>
5. Filtering instructions clear:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>

Comments

SM089-02
Rev. Date 12/1/16

JC56602: Chain of Custody

Page 2 of 2

Summa Canister and Flow Controller Log

Job Number: JC56602
Account: PROVLABR Providence Engineering
Project: Valero-CAMS, Baton Rouge, LA
Received: 12/05/17

32
3

SUMMA CANISTERS													
Shipping							Receiving						
Summa ID	Vac L	Date " Hg	Date Out	By	SCC Batch	SCC FileID	Sample Number	Date In	By	Vac " Hg	Pres psig	Final psig	Dil Fact
M160	6	29.4	11/20/17	PC	CP9475	5W27883.D	JC56602-1	12/06/17	PC	5			1

SGS Bottle Order(s):
 VP-112017-205

Prep Date **Room Temp(F)** **Bar Pres "Hg**
 11/20/17 70 29.92