

The results set forth herein are provided by SGS North America Inc.

e-Hardcopy 2.0
Automated Report

Technical Report for

Providence Engineering

Valero-CAMS, Baton Rouge, LA

712-001

SGS Job Number: JC57617

Sampling Date: 12/14/17

Report to:

Providence Engineering

kevincalhoun@providenceeng.com

ATTN: Kevin Calhoun

Total number of pages in report: 9



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

A handwritten signature in black ink that reads 'Nancy Cole'.

Nancy Cole
Laboratory Director

Client Service contact: Victoria Pushkova 732-329-0200

Certifications: NJ(12129), NY(10983), CA, CT, FL, IL, IN, KS, KY, LA, MA, MD, ME, MN, NC, OH VAP (CL0056), AK (UST-103), AZ (AZ0786), PA, RI, SC, TX, UT, VA, WV, DoD ELAP (L-A-B L2248)

This report shall not be reproduced, except in its entirety, without the written approval of SGS.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary 3

Section 2: Sample Results 4

2.1: JC57617-1: CAMS 386 5

Section 3: Misc. Forms 7

3.1: Chain of Custody 8



Sample Summary

Providence Engineering

Job No: JC57617

Valero-CAMS, Baton Rouge, LA
Project No: 712-001

Sample Number	Collected		Received	Matrix		Client Sample ID
	Date	Time By		Code	Type	
JC57617-1	12/14/17	07:30 KH	12/19/17	AIR	Ambient Air Comp.	CAMS 386



Sample Results

Report of Analysis

Report of Analysis

Page 1 of 2

Client Sample ID:	CAMS 386	Date Sampled:	12/14/17
Lab Sample ID:	JC57617-1	Date Received:	12/19/17
Matrix:	AIR - Ambient Air Comp.	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero-CAMS, Baton Rouge, LA		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	6W03870.D	1	01/03/18 17:54	DFT	n/a	n/a	V6W114
Run #2							

Run #	Initial Volume
Run #1	400 ml
Run #2	

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone	3.1	0.20	0.062	ppbv		7.4	0.48	0.15	ug/m3
106-99-0	54.09	1,3-Butadiene	0.76	0.20	0.028	ppbv		1.7	0.44	0.062	ug/m3
71-43-2	78.11	Benzene	0.36	0.20	0.026	ppbv		1.2	0.64	0.083	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	0.20	0.029	ppbv		ND	1.3	0.19	ug/m3
75-25-2	252.8	Bromoform	ND	0.20	0.018	ppbv		ND	2.1	0.19	ug/m3
74-83-9	94.94	Bromomethane	ND	0.20	0.033	ppbv		ND	0.78	0.13	ug/m3
593-60-2	106.9	Bromoethene	ND	0.20	0.016	ppbv		ND	0.87	0.070	ug/m3
100-44-7	126	Benzyl Chloride	ND	0.20	0.021	ppbv		ND	1.0	0.11	ug/m3
75-15-0	76.14	Carbon disulfide	ND	0.20	0.033	ppbv		ND	0.62	0.10	ug/m3
108-90-7	112.6	Chlorobenzene	ND	0.20	0.017	ppbv		ND	0.92	0.078	ug/m3
75-00-3	64.52	Chloroethane	ND	0.20	0.036	ppbv		ND	0.53	0.095	ug/m3
67-66-3	119.4	Chloroform	ND	0.20	0.031	ppbv		ND	0.98	0.15	ug/m3
74-87-3	50.49	Chloromethane	0.70	0.20	0.065	ppbv		1.4	0.41	0.13	ug/m3
107-05-1	76.53	3-Chloropropene	ND	0.20	0.037	ppbv		ND	0.63	0.12	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	0.20	0.036	ppbv		ND	1.0	0.19	ug/m3
56-23-5	153.8	Carbon tetrachloride	0.079	0.20	0.020	ppbv	J	0.50	1.3	0.13	ug/m3
110-82-7	84.16	Cyclohexane	0.12	0.20	0.035	ppbv	J	0.41	0.69	0.12	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.20	0.033	ppbv		ND	0.81	0.13	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	ND	0.20	0.033	ppbv		ND	0.79	0.13	ug/m3
106-93-4	187.9	1,2-Dibromoethane	ND	0.20	0.022	ppbv		ND	1.5	0.17	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	0.20	0.026	ppbv		ND	0.81	0.11	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	0.20	0.033	ppbv		ND	0.92	0.15	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	0.20	0.047	ppbv		ND	0.72	0.17	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	0.52	0.20	0.025	ppbv		2.6	0.99	0.12	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	0.20	0.025	ppbv		ND	1.7	0.21	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.20	0.026	ppbv		ND	0.79	0.10	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	ND	0.20	0.034	ppbv		ND	0.79	0.13	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.20	0.023	ppbv		ND	0.91	0.10	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	0.20	0.029	ppbv		ND	1.2	0.17	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.20	0.028	ppbv		ND	1.2	0.17	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	0.20	0.029	ppbv		ND	1.2	0.17	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.20	0.029	ppbv		ND	0.91	0.13	ug/m3

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID:	CAMS 386	Date Sampled:	12/14/17
Lab Sample ID:	JC57617-1	Date Received:	12/19/17
Matrix:	AIR - Ambient Air Comp.	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero-CAMS, Baton Rouge, LA		

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	4.1	0.50	0.095	ppbv		7.7	0.94	0.18	ug/m3
100-41-4	106.2	Ethylbenzene	0.13	0.20	0.023	ppbv	J	0.56	0.87	0.10	ug/m3
141-78-6	88	Ethyl Acetate	ND	0.20	0.065	ppbv		ND	0.72	0.23	ug/m3
622-96-8	120.2	4-Ethyltoluene	ND	0.20	0.028	ppbv		ND	0.98	0.14	ug/m3
76-13-1	187.4	Freon 113	ND	0.20	0.024	ppbv		ND	1.5	0.18	ug/m3
76-14-2	170.9	Freon 114	ND	0.20	0.024	ppbv		ND	1.4	0.17	ug/m3
142-82-5	100.2	Heptane	0.14	0.20	0.046	ppbv	J	0.57	0.82	0.19	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.20	0.024	ppbv		ND	2.1	0.26	ug/m3
110-54-3	86.17	Hexane	0.49	0.20	0.026	ppbv		1.7	0.70	0.092	ug/m3
591-78-6	100	2-Hexanone	ND	0.20	0.041	ppbv		ND	0.82	0.17	ug/m3
67-63-0	60.1	Isopropyl Alcohol	0.38	0.20	0.090	ppbv		0.93	0.49	0.22	ug/m3
75-09-2	84.94	Methylene chloride	ND	0.20	0.033	ppbv		ND	0.69	0.11	ug/m3
78-93-3	72.11	Methyl ethyl ketone	0.30	0.20	0.043	ppbv		0.88	0.59	0.13	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	ND	0.20	0.057	ppbv		ND	0.82	0.23	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.20	0.019	ppbv		ND	0.72	0.069	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.20	0.044	ppbv		ND	0.82	0.18	ug/m3
115-07-1	42	Propylene	ND	0.50	0.059	ppbv		ND	0.86	0.10	ug/m3
100-42-5	104.1	Styrene	ND	0.20	0.046	ppbv		ND	0.85	0.20	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.20	0.017	ppbv		ND	1.1	0.093	ug/m3
79-34-5	167.9	1,1,2,2-Tetrachloroethane	ND	0.20	0.036	ppbv		ND	1.4	0.25	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.20	0.022	ppbv		ND	1.1	0.12	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.20	0.038	ppbv		ND	1.5	0.28	ug/m3
95-63-6	120.2	1,2,4-Trimethylbenzene	0.10	0.20	0.051	ppbv	J	0.49	0.98	0.25	ug/m3
108-67-8	120.2	1,3,5-Trimethylbenzene	ND	0.20	0.030	ppbv		ND	0.98	0.15	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	0.18	0.20	0.026	ppbv	J	0.84	0.93	0.12	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	ND	0.20	0.026	ppbv		ND	0.61	0.079	ug/m3
127-18-4	165.8	Tetrachloroethylene	ND	0.040	0.016	ppbv		ND	0.27	0.11	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	0.20	0.045	ppbv		ND	0.59	0.13	ug/m3
108-88-3	92.14	Toluene	0.59	0.20	0.029	ppbv		2.2	0.75	0.11	ug/m3
79-01-6	131.4	Trichloroethylene	ND	0.040	0.012	ppbv		ND	0.21	0.064	ug/m3
75-69-4	137.4	Trichlorofluoromethane	0.24	0.20	0.015	ppbv		1.3	1.1	0.084	ug/m3
75-01-4	62.5	Vinyl chloride	ND	0.20	0.038	ppbv		ND	0.51	0.097	ug/m3
108-05-4	86	Vinyl Acetate	ND	0.20	0.027	ppbv		ND	0.70	0.095	ug/m3
	106.2	m,p-Xylene	0.48	0.20	0.067	ppbv		2.1	0.87	0.29	ug/m3
95-47-6	106.2	o-Xylene	0.17	0.20	0.035	ppbv	J	0.74	0.87	0.15	ug/m3
1330-20-7	106.2	Xylenes (total)	0.65	0.20	0.035	ppbv		2.8	0.87	0.15	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	102%		65-128%

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody

AKR



ACCUTEST

AIR CHAIN OF CUSTODY

SGS Accutest - Dayton
2235 Route 130, Dayton, NJ 08810
TEL: 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

FED-EX Tracking #
40773093 7889
Lab Quote #

Batch / Control #
VP-112017-205
Lab Job #
JC57617

PAGE 1 OF 1

Client / Reporting Information				Project Information				Weather Parameters				Requested Analysis					
Company Name: Providence Engr				Project Name: Valero Refining				Temperature (Fahrenheit)				Requested Analysis					
Address: 1201 Main St				Street				Start: Maximum:									
City: BR State: LA Zip: 70802				City: Meroux State: LA				Stop: Minimum:									
Project Contact: paul.hollis@providenceeng.com				Project #				Atmospheric Pressure (inches of Hg)									
Phone #: (225) 766-7400 Fax #: 7440				Client Purchase Order #				Start: Maximum:				TO-15					
Sampler(s) Name(s): J. Hudson				Other weather comment:				Stop: Minimum:									
Lab Sample #		Field ID / Point of Collection		Air Type		Sampling Equipment Info		Start Sampling Information		Stop Sampling Information							
				Indoor(I) Soil Vap(SV) Ambient(A)	Canister Serial #	Canister Size 6L or 1L	Flow Controller Serial #	Date	Time (24hr clock)	Canister Pressure ("Hg)	Interior Temp (F)			Sampler Init.	Date	Time (24hr clock)	Canister Pressure ("Hg)
1	Cams 386	A	1203 GL	537	12-13	800	30	75	Kit	12-14	730	4	75	Kit	✓		
Turnaround Time (Business days) Standard - 15 Days 10 Day 5 Day 3 Day 2 Day 1 Day Other Approved By: _____ Date: _____ All NJDEP TO-15 is mandatory Full T1 Comm A Comm B Reduced T2 Full T1 Other: _____ DKQP reporting Comments / Remarks LOC sent Fed ex ship 12/15 SUMMN Sample inventory is verified upon receipt in the Laboratory																	
Sample Custody must be documented below each time samples change possession, including courier delivery.																	
Relinquished by Lab		Date/Time		Received By		Relinquished By		Date/Time		Received By		Relinquished By		Date/Time		Received By	
1 Ray Maurain		11/24/17 12:00		1 FedEx		2 FedEx		12/19/17 9:50		4		3		12/19/17 9:50		4	
Relinquished by:		Date/Time:		Received By:		Relinquished By:		Date/Time:		Received By:		Relinquished by:		Date/Time:		Received By:	
3				FedEx		4 FedEx											
Relinquished by:		Date/Time:		Received By:		Custody Seal #											
2				2													

JC57617: Chain of Custody

Page 1 of 2



SGS Accutest Sample Receipt Summary

Job Number: JC57617

Client: _____

Project: _____

Date / Time Received: 12/19/2017 9:50:00 AM

Delivery Method: _____

Airbill #'s: _____

Cooler Temps (Raw Measured) °C:

Cooler Temps (Corrected) °C:

Cooler Security

Y or N

Y or N

- | | |
|--|---|
| 1. Custody Seals Present: ☒ ☐ | 3. COC Present: ☒ ☐ |
| 2. Custody Seals Intact: ☒ ☐ | 4. Smpl Dates/Time OK: ☒ ☐ |

Cooler Temperature

Y or N

- | | |
|--|-----|
| 1. Temp criteria achieved: ☐ ☐ | |
| 2. Cooler temp verification: _____ | N/A |
| 3. Cooler media: _____ | N/A |
| 4. No. Coolers: _____ | N/A |

Quality Control Preservation

Y or N

N/A

- | | |
|---|--|
| 1. Trip Blank present / cooler: ☐ ☒ ☐ | |
| 2. Trip Blank listed on COC: ☐ ☒ ☐ | |
| 3. Samples preserved properly: ☒ ☐ | |
| 4. VOCs headspace free: ☐ ☐ ☒ | |

Sample Integrity - Documentation

Y or N

- | | |
|---|--|
| 1. Sample labels present on bottles: ☒ ☐ | |
| 2. Container labeling complete: ☒ ☐ | |
| 3. Sample container label / COC agree: ☒ ☐ | |

Sample Integrity - Condition

Y or N

- | | |
|---|--------|
| 1. Sample recvd within HT: ☒ ☐ | |
| 2. All containers accounted for: ☒ ☐ | |
| 3. Condition of sample: _____ | Intact |

Sample Integrity - Instructions

Y or N N/A

- | | |
|--|--|
| 1. Analysis requested is clear: ☒ ☐ | |
| 2. Bottles received for unspecified tests: ☐ ☒ | |
| 3. Sufficient volume recvd for analysis: ☒ ☐ | |
| 4. Compositing instructions clear: ☐ ☐ ☒ | |
| 5. Filtering instructions clear: ☐ ☐ ☒ | |

Test Strip Lot #s: _____

pH 1-12: 216017

pH 12+: 208717

Other: (Specify) _____

Comments

SM089-03
Rev. Date 12/7/17

JC57617: Chain of Custody

Page 2 of 2