

Technical Report for

Providence Engineering

Valero-CAMS, Baton Rouge, LA

712-001

Accutest Job Number: JB31687

Sampling Date: 03/12/13

Report to:

Providence Engineering

kevincalhoun@providenceeng.com

ATTN: Kevin Calhoun

Total number of pages in report: **10**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.



Nancy Cole
Laboratory Director

Client Service contact: Victoria Pushkova 732-329-0200

Certifications: NJ(12129), NY(10983), CA, CT, DE, FL, IL, IN, KS, KY, LA, MA, MD, MI, MT, NC, OH VAP (CL0056), PA, RI, SC, TN, VA, WV

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Sample Results	4
2.1: JB31687-1: CAMS 095	5
Section 3: Misc. Forms	7
3.1: Chain of Custody	8
3.2: Summa Canister and Flow Controller Log	10



Sample Summary

Providence Engineering

Job No: JB31687

Valero-CAMS, Baton Rouge, LA
Project No: 712-001

Sample Number	Collected		Received	Matrix		Client Sample ID
	Date	Time By		Code	Type	
JB31687-1	03/12/13	13:00 KH	03/18/13	AIR	Ambient Air Grab	CAMS 095

Sample Results

Report of Analysis

Report of Analysis

Client Sample ID:	CAMS 095	Date Sampled:	03/12/13
Lab Sample ID:	JB31687-1	Date Received:	03/18/13
Matrix:	AIR - Ambient Air Grab Summa ID: A824	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero-CAMS, Baton Rouge, LA		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3W32971.D	1	03/26/13	YMH	n/a	n/a	V3W1277
Run #2							

Run #	Initial Volume
Run #1	400 ml
Run #2	

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone	4.3	0.20	0.069	ppbv	10	0.48	0.16	ug/m3	
106-99-0	54.09	1,3-Butadiene	ND	0.20	0.026	ppbv	ND	0.44	0.058	ug/m3	
71-43-2	78.11	Benzene	ND	0.20	0.029	ppbv	ND	0.64	0.093	ug/m3	
75-27-4	163.8	Bromodichloromethane	ND	0.20	0.031	ppbv	ND	1.3	0.21	ug/m3	
75-25-2	252.8	Bromoform	ND	0.20	0.029	ppbv	ND	2.1	0.30	ug/m3	
74-83-9	94.94	Bromomethane	ND	0.20	0.024	ppbv	ND	0.78	0.093	ug/m3	
593-60-2	106.9	Bromoethene	ND	0.20	0.027	ppbv	ND	0.87	0.12	ug/m3	
100-44-7	126	Benzyl Chloride	ND	0.20	0.048	ppbv	ND	1.0	0.25	ug/m3	
75-15-0	76.14	Carbon disulfide	ND	0.20	0.024	ppbv	ND	0.62	0.075	ug/m3	
108-90-7	112.6	Chlorobenzene	ND	0.20	0.040	ppbv	ND	0.92	0.18	ug/m3	
75-00-3	64.52	Chloroethane	ND	0.20	0.035	ppbv	ND	0.53	0.092	ug/m3	
67-66-3	119.4	Chloroform	ND	0.20	0.026	ppbv	ND	0.98	0.13	ug/m3	
74-87-3	50.49	Chloromethane	0.42	0.20	0.055	ppbv	0.87	0.41	0.11	ug/m3	
107-05-1	76.53	3-Chloropropene	ND	0.20	0.035	ppbv	ND	0.63	0.11	ug/m3	
95-49-8	126.6	2-Chlorotoluene	ND	0.20	0.031	ppbv	ND	1.0	0.16	ug/m3	
56-23-5	153.8	Carbon tetrachloride	ND	0.20	0.020	ppbv	ND	1.3	0.13	ug/m3	
110-82-7	84.16	Cyclohexane	ND	0.20	0.050	ppbv	ND	0.69	0.17	ug/m3	
75-34-3	98.96	1,1-Dichloroethane	ND	0.20	0.019	ppbv	ND	0.81	0.077	ug/m3	
75-35-4	96.94	1,1-Dichloroethylene	ND	0.20	0.023	ppbv	ND	0.79	0.091	ug/m3	
106-93-4	187.9	1,2-Dibromoethane	ND	0.20	0.029	ppbv	ND	1.5	0.22	ug/m3	
107-06-2	98.96	1,2-Dichloroethane	ND	0.20	0.027	ppbv	ND	0.81	0.11	ug/m3	
78-87-5	113	1,2-Dichloropropane	ND	0.20	0.034	ppbv	ND	0.92	0.16	ug/m3	
123-91-1	88.12	1,4-Dioxane	ND	0.20	0.12	ppbv	ND	0.72	0.43	ug/m3	
75-71-8	120.9	Dichlorodifluoromethane	0.42	0.20	0.024	ppbv	2.1	0.99	0.12	ug/m3	
124-48-1	208.3	Dibromochloromethane	ND	0.20	0.035	ppbv	ND	1.7	0.30	ug/m3	
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.20	0.027	ppbv	ND	0.79	0.11	ug/m3	
156-59-2	96.94	cis-1,2-Dichloroethylene	ND	0.20	0.025	ppbv	ND	0.79	0.099	ug/m3	
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.20	0.033	ppbv	ND	0.91	0.15	ug/m3	
541-73-1	147	m-Dichlorobenzene	ND	0.20	0.028	ppbv	ND	1.2	0.17	ug/m3	
95-50-1	147	o-Dichlorobenzene	ND	0.20	0.039	ppbv	ND	1.2	0.23	ug/m3	
106-46-7	147	p-Dichlorobenzene	ND	0.20	0.060	ppbv	ND	1.2	0.36	ug/m3	
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.20	0.024	ppbv	ND	0.91	0.11	ug/m3	

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: CAMS 095		
Lab Sample ID: JB31687-1		Date Sampled: 03/12/13
Matrix: AIR - Ambient Air Grab	Summa ID: A824	Date Received: 03/18/13
Method: TO-15		Percent Solids: n/a
Project: Valero-CAMS, Baton Rouge, LA		

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	3.5	0.50	0.17	ppbv		6.6	0.94	0.32	ug/m3
100-41-4	106.2	Ethylbenzene	ND	0.20	0.029	ppbv		ND	0.87	0.13	ug/m3
141-78-6	88	Ethyl Acetate	ND	0.20	0.13	ppbv		ND	0.72	0.47	ug/m3
622-96-8	120.2	4-Ethyltoluene	ND	0.20	0.028	ppbv		ND	0.98	0.14	ug/m3
76-13-1	187.4	Freon 113	ND	0.20	0.028	ppbv		ND	1.5	0.21	ug/m3
76-14-2	170.9	Freon 114	ND	0.20	0.023	ppbv		ND	1.4	0.16	ug/m3
142-82-5	100.2	Heptane	ND	0.20	0.028	ppbv		ND	0.82	0.11	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.20	0.030	ppbv		ND	2.1	0.32	ug/m3
110-54-3	86.17	Hexane	ND	0.20	0.050	ppbv		ND	0.70	0.18	ug/m3
591-78-6	100	2-Hexanone	ND	0.20	0.051	ppbv		ND	0.82	0.21	ug/m3
67-63-0	60.1	Isopropyl Alcohol	ND	0.20	0.065	ppbv		ND	0.49	0.16	ug/m3
75-09-2	84.94	Methylene chloride	0.24	0.20	0.055	ppbv		0.83	0.69	0.19	ug/m3
78-93-3	72.11	Methyl ethyl ketone	0.27	0.20	0.042	ppbv		0.80	0.59	0.12	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	ND	0.20	0.084	ppbv		ND	0.82	0.34	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.20	0.045	ppbv		ND	0.72	0.16	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.20	0.038	ppbv		ND	0.82	0.16	ug/m3
115-07-1	42	Propylene	ND	0.50	0.034	ppbv		ND	0.86	0.058	ug/m3
100-42-5	104.1	Styrene	ND	0.20	0.025	ppbv		ND	0.85	0.11	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.20	0.024	ppbv		ND	1.1	0.13	ug/m3
79-34-5	167.9	1,1,2,2-Tetrachloroethane	ND	0.20	0.034	ppbv		ND	1.4	0.23	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.20	0.035	ppbv		ND	1.1	0.19	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.20	0.095	ppbv		ND	1.5	0.71	ug/m3
95-63-6	120.2	1,2,4-Trimethylbenzene	ND	0.20	0.029	ppbv		ND	0.98	0.14	ug/m3
108-67-8	120.2	1,3,5-Trimethylbenzene	ND	0.20	0.044	ppbv		ND	0.98	0.22	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	ND	0.20	0.031	ppbv		ND	0.93	0.14	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	ND	0.20	0.049	ppbv		ND	0.61	0.15	ug/m3
127-18-4	165.8	Tetrachloroethylene	ND	0.040	0.024	ppbv		ND	0.27	0.16	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	0.20	0.074	ppbv		ND	0.59	0.22	ug/m3
108-88-3	92.14	Toluene	ND	0.20	0.032	ppbv		ND	0.75	0.12	ug/m3
79-01-6	131.4	Trichloroethylene	ND	0.040	0.036	ppbv		ND	0.21	0.19	ug/m3
75-69-4	137.4	Trichlorofluoromethane	0.19	0.20	0.028	ppbv	J	1.1	1.1	0.16	ug/m3
75-01-4	62.5	Vinyl chloride	ND	0.20	0.022	ppbv		ND	0.51	0.056	ug/m3
108-05-4	86	Vinyl Acetate	ND	0.20	0.054	ppbv		ND	0.70	0.19	ug/m3
	106.2	m,p-Xylene	ND	0.20	0.058	ppbv		ND	0.87	0.25	ug/m3
95-47-6	106.2	o-Xylene	ND	0.20	0.037	ppbv		ND	0.87	0.16	ug/m3
1330-20-7	106.2	Xylenes (total)	ND	0.20	0.037	ppbv		ND	0.87	0.16	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	93%		65-128%

ND = Not detected MDL - Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody
- Summa Canister and Flow Controller Log

A/K

CHAIN OF CUSTODY

Air Sampling Field Data Sheet



2235 US Highway 130, Dayton, NJ 08810
V: 732.329.0200 F: 732.329.3499 www.accutest.com

FEDEX Tracking #
8762 6596 8754
Lab Quote #

Bottle Order Control #
Lab Job # JB31687

PAGE 1 OF 1

Client / Reporting Information				Project Information					Weather Parameters					Requested Analysis																																												
Company Name: Providence Engr				Project Name: Valero Refining					Temperature (Fahrenheit)					Requested Analysis																																												
Address: 1201 Main St				Street:					Start:		Maximum:																																															
City: BIR State: LA Zip: 70802				City: Meroux State: LA					Stop:		Minimum:																																															
Project Contact: paul.hollis@providenceeng.com				Project # 712-001					Atmospheric Pressure (inches of Hg)																																																	
Phone # 225-766-7400 Fax # -7440				Client Purchase Order #					Start:		Maximum:																																															
Sampler(s) Name(s): Karen Hudson				Other weather comment:					Stop:		Minimum:																																															
Lab Sample #	Field ID / Point of Collection	Air Type		Sampling Equipment Info			Start Sampling Information					Stop Sampling Information																																														
		Indoor(I) Soil Vap(SV) Ambient(A)	Canister Serial #	Canister Size 6L or 1L	Flow Controller Serial #	Date	Time (24hr clock)	Canister Pressure ("Hg)	Interior Temp (F)	Sampler Init.	Date	Time (24hr clock)	Canister Pressure ("Hg)	Interior Temp (F)	Sampler Init.																																											
-1	CAMS 095	A	A8246L	-	3-11	1300	0.10	75	Kit	3-12	1300	11.62	75	Kit	✓																																											
<table border="1"> <tr> <th colspan="4">Turnaround Time (Business days)</th> <th colspan="4">Data Deliverable Information</th> <th colspan="7">Comments / Remarks</th> </tr> <tr> <td>Standard - 15 Days</td> <td></td> <td rowspan="5">Approved By: _____ Date: _____</td> <td rowspan="5">All NJDEP TO-15 is mandatory Full T1</td> <td>Comm A</td> <td></td> <td colspan="7" rowspan="5" style="text-align: center; vertical-align: middle;"> Received at Baton Rouge Service Center </td> </tr> <tr> <td>10 Day</td> <td></td> <td>Comm B</td> <td></td> </tr> <tr> <td>5 Day</td> <td></td> <td>Reduced T2</td> <td></td> </tr> <tr> <td>3 Day</td> <td></td> <td>Full T1</td> <td></td> </tr> <tr> <td>2 Day</td> <td></td> <td>Other:</td> <td></td> </tr> </table>															Turnaround Time (Business days)				Data Deliverable Information				Comments / Remarks							Standard - 15 Days		Approved By: _____ Date: _____	All NJDEP TO-15 is mandatory Full T1	Comm A		Received at Baton Rouge Service Center							10 Day		Comm B		5 Day		Reduced T2		3 Day		Full T1		2 Day		Other:	
Turnaround Time (Business days)				Data Deliverable Information				Comments / Remarks																																																		
Standard - 15 Days		Approved By: _____ Date: _____	All NJDEP TO-15 is mandatory Full T1	Comm A		Received at Baton Rouge Service Center																																																				
10 Day				Comm B																																																						
5 Day				Reduced T2																																																						
3 Day				Full T1																																																						
2 Day				Other:																																																						
Sample Custody must be documented below each time samples change possession, including courier delivery.																																																										
Relinquished by Laboratory:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:																																																					
1		[Signature]	[Signature]	3/13/13 1400	2																																																					
Relinquished by:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:																																																					
3	3/14/13	[Signature]	[Signature]	3/16/13 1030	4																																																					
Relinquished by:	Date Time:	Received By:	Custody Seal #																																																							
5																																																										

31
3

DR

7/16

JB31687: Chain of Custody

Page 1 of 2

Accutest Laboratories Sample Receipt Summary

Accutest Job Number: JB31687 **Client:** _____ **Project:** _____
Date / Time Received: 3/18/2013 **Delivery Method:** _____ **Airbill #'s:** _____

Cooler Temps (Initial/Adjusted):

<u>Cooler Security</u>	<u>Y</u> <u>or</u> <u>N</u>		<u>Y</u> <u>or</u> <u>N</u>
1. Custody Seals Present:	<input checked="" type="checkbox"/> <input type="checkbox"/>	3. COC Present:	<input checked="" type="checkbox"/> <input type="checkbox"/>
2. Custody Seals Intact:	<input checked="" type="checkbox"/> <input type="checkbox"/>	4. SmpI Dates/Time OK	<input checked="" type="checkbox"/> <input type="checkbox"/>

<u>Cooler Temperature</u>	<u>Y</u> <u>or</u> <u>N</u>
1. Temp criteria achieved:	<input checked="" type="checkbox"/> <input type="checkbox"/>
2. Cooler temp verification:	_____
3. Cooler media:	_____
4. No. Coolers:	0

<u>Quality Control Preservation</u>	<u>Y</u> <u>or</u> <u>N</u>	<u>N/A</u>
1. Trip Blank present / cooler:	<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/>
2. Trip Blank listed on COC:	<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/>
3. Samples preserved properly:	<input checked="" type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>
4. VOCs headspace free:	<input type="checkbox"/> <input type="checkbox"/>	<input checked="" type="checkbox"/>

<u>Sample Integrity - Documentation</u>	<u>Y</u> <u>or</u> <u>N</u>
1. Sample labels present on bottles:	<input checked="" type="checkbox"/> <input type="checkbox"/>
2. Container labeling complete:	<input checked="" type="checkbox"/> <input type="checkbox"/>
3. Sample container label / COC agree:	<input checked="" type="checkbox"/> <input type="checkbox"/>

<u>Sample Integrity - Condition</u>	<u>Y</u> <u>or</u> <u>N</u>
1. Sample recvd within HT:	<input checked="" type="checkbox"/> <input type="checkbox"/>
2. All containers accounted for:	<input checked="" type="checkbox"/> <input type="checkbox"/>
3. Condition of sample:	Intact

<u>Sample Integrity - Instructions</u>	<u>Y</u> <u>or</u> <u>N</u>	<u>N/A</u>
1. Analysis requested is clear:	<input checked="" type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>
2. Bottles received for unspecified tests	<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/>
3. Sufficient volume recvd for analysis:	<input checked="" type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>
4. Compositing instructions clear:	<input type="checkbox"/> <input type="checkbox"/>	<input checked="" type="checkbox"/>
5. Filtering instructions clear:	<input type="checkbox"/> <input type="checkbox"/>	<input checked="" type="checkbox"/>

Comments

Summa Canister and Flow Controller Log

Job Number: JB31687
Account: PROVLABR Providence Engineering
Project: Valero-CAMS, Baton Rouge, LA
Received: 03/18/13

32
3

SUMMA CANISTERS													
Shipping						Receiving							
Summa ID	L	Vac " Hg	Date Out	By	SCC Batch	SCC FileID	Sample Number	Date In	By	Vac " Hg	Pres psig	Final psig	Dil Fact
A824	6	29.4	02/21/13	YXC	CP6001	3W32421.D	JB31687-1	03/19/13	DF	6.5			1

Accutest Bottle Order(s):
 VP-2/21/2013-8

Prep Date **Room Temp(F)** **Bar Pres "Hg**
 02/21/13 70 29.92