

**Technical Report for**

**Providence Engineering**

**Valero-CAMS, Baton Rouge, LA**

**712-001**

**Accutest Job Number: JB4471**

**Sampling Date: 04/12/12**

**Report to:**

**Providence Engineering**

**kevincalhoun@providenceeng.com**

**ATTN: Kevin Calhoun**

**Total number of pages in report: 10**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.



**Paul Ioannidis**  
**Lab Director**

**Client Service contact: Kristyn Morrison 732-329-0200**

Certifications: NJ(12129), NY(10983), CA, CT, DE, FL, IL, IN, KS, KY, LA, MA, MD, MI, MT, NC, OH VAP (CL0056), PA, RI, SC, TN, VA, WV

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.  
Test results relate only to samples analyzed.

# Table of Contents

-1-

<b>Section 1: Sample Summary</b> .....	<b>3</b>
<b>Section 2: Sample Results</b> .....	<b>4</b>
<b>2.1: JB4471-1: CAMS 040</b> .....	<b>5</b>
<b>Section 3: Misc. Forms</b> .....	<b>7</b>
<b>3.1: Chain of Custody</b> .....	<b>8</b>
<b>3.2: Summa Canister and Flow Controller Log</b> .....	<b>10</b>



## Sample Summary

**Providence Engineering**

**Job No: JB4471**

**Valero-CAMS, Baton Rouge, LA**  
**Project No: 712-001**

Sample Number	Collected		Received	Matrix		Client Sample ID
	Date	Time By		Code	Type	
JB4471-1	04/12/12	13:00 KH	04/19/12	AIR	Ambient Air Grab	CAMS 040

**Sample Results**

---

**Report of Analysis**

---

## Report of Analysis

Page 1 of 2

Client Sample ID:	CAMS 040	Date Sampled:	04/12/12
Lab Sample ID:	JB4471-1	Date Received:	04/19/12
Matrix:	AIR - Ambient Air Grab Summa ID: A219	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero-CAMS, Baton Rouge, LA		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3W27812.D	1	04/25/12	YXC	n/a	n/a	V3W1087
Run #2							

Run #	Initial Volume
Run #1	400 ml
Run #2	

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
67-64-1	58.08	Acetone	10.1	0.20	0.036	ppbv		24.0	0.48	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	0.20	0.024	ppbv		ND	0.44	ug/m3
71-43-2	78.11	Benzene	0.26	0.20	0.046	ppbv		0.83	0.64	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	0.20	0.030	ppbv		ND	1.3	ug/m3
75-25-2	252.8	Bromoform	ND	0.20	0.037	ppbv		ND	2.1	ug/m3
74-83-9	94.94	Bromomethane	ND	0.20	0.037	ppbv		ND	0.78	ug/m3
593-60-2	106.9	Bromoethene	ND	0.20	0.037	ppbv		ND	0.87	ug/m3
100-44-7	126	Benzyl Chloride	ND	0.20	0.041	ppbv		ND	1.0	ug/m3
75-15-0	76.14	Carbon disulfide	0.37	0.20	0.032	ppbv		1.2	0.62	ug/m3
108-90-7	112.6	Chlorobenzene	ND	0.20	0.027	ppbv		ND	0.92	ug/m3
75-00-3	64.52	Chloroethane	ND	0.20	0.039	ppbv		ND	0.53	ug/m3
67-66-3	119.4	Chloroform	ND	0.20	0.028	ppbv		ND	0.98	ug/m3
74-87-3	50.49	Chloromethane	0.59	0.20	0.037	ppbv		1.2	0.41	ug/m3
107-05-1	76.53	3-Chloropropene	ND	0.20	0.041	ppbv		ND	0.63	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	0.20	0.031	ppbv		ND	1.0	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	0.20	0.040	ppbv		ND	1.3	ug/m3
110-82-7	84.16	Cyclohexane	0.19	0.20	0.034	ppbv	J	0.65	0.69	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.20	0.028	ppbv		ND	0.81	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	ND	0.20	0.046	ppbv		ND	0.79	ug/m3
106-93-4	187.9	1,2-Dibromoethane	ND	0.20	0.027	ppbv		ND	1.5	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	0.20	0.043	ppbv		ND	0.81	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	0.20	0.038	ppbv		ND	0.92	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	0.20	0.056	ppbv		ND	0.72	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	0.52	0.20	0.038	ppbv		2.6	0.99	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	0.20	0.027	ppbv		ND	1.7	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.20	0.033	ppbv		ND	0.79	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	ND	0.20	0.038	ppbv		ND	0.79	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.20	0.043	ppbv		ND	0.91	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	0.20	0.037	ppbv		ND	1.2	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.20	0.027	ppbv		ND	1.2	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	0.20	0.025	ppbv		ND	1.2	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.20	0.039	ppbv		ND	0.91	ug/m3

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

Client Sample ID:	CAMS 040	Date Sampled:	04/12/12
Lab Sample ID:	JB4471-1	Date Received:	04/19/12
Matrix:	AIR - Ambient Air Grab Summa ID: A219	Percent Solids:	n/a
Method:	TO-15		
Project:	Valero-CAMS, Baton Rouge, LA		

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
64-17-5	46.07	Ethanol	8.4	0.50	0.095	ppbv		16	0.94	ug/m3
100-41-4	106.2	Ethylbenzene	0.12	0.20	0.031	ppbv	J	0.52	0.87	ug/m3
141-78-6	88	Ethyl Acetate	1.9	0.20	0.061	ppbv		6.8	0.72	ug/m3
622-96-8	120.2	4-Ethyltoluene	ND	0.20	0.024	ppbv		ND	0.98	ug/m3
76-13-1	187.4	Freon 113	ND	0.20	0.034	ppbv		ND	1.5	ug/m3
76-14-2	170.9	Freon 114	ND	0.20	0.031	ppbv		ND	1.4	ug/m3
142-82-5	100.2	Heptane	0.10	0.20	0.033	ppbv	J	0.41	0.82	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.20	0.046	ppbv		ND	2.1	ug/m3
110-54-3	86.17	Hexane	0.62	0.20	0.044	ppbv		2.2	0.70	ug/m3
591-78-6	100	2-Hexanone	ND	0.20	0.043	ppbv		ND	0.82	ug/m3
67-63-0	60.1	Isopropyl Alcohol	1.3	0.20	0.059	ppbv		3.2	0.49	ug/m3
75-09-2	84.94	Methylene chloride	0.35	0.20	0.027	ppbv		1.2	0.69	ug/m3
78-93-3	72.11	Methyl ethyl ketone	0.90	0.20	0.048	ppbv		2.7	0.59	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	0.24	0.20	0.036	ppbv		0.98	0.82	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.20	0.027	ppbv		ND	0.72	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.20	0.043	ppbv		ND	0.82	ug/m3
115-07-1	42	Propylene	ND	0.50	0.070	ppbv		ND	0.86	ug/m3
100-42-5	104.1	Styrene	ND	0.20	0.027	ppbv		ND	0.85	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.20	0.022	ppbv		ND	1.1	ug/m3
79-34-5	167.9	1,1,2,2-Tetrachloroethane	ND	0.20	0.030	ppbv		ND	1.4	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.20	0.030	ppbv		ND	1.1	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.20	0.051	ppbv		ND	1.5	ug/m3
95-63-6	120.2	1,2,4-Trimethylbenzene	0.12	0.20	0.024	ppbv	J	0.59	0.98	ug/m3
108-67-8	120.2	1,3,5-Trimethylbenzene	ND	0.20	0.028	ppbv		ND	0.98	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	ND	0.20	0.028	ppbv		ND	0.93	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	0.37	0.20	0.032	ppbv		1.1	0.61	ug/m3
127-18-4	165.8	Tetrachloroethylene	ND	0.040	0.028	ppbv		ND	0.27	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	0.20	0.047	ppbv		ND	0.59	ug/m3
108-88-3	92.14	Toluene	1.6	0.20	0.040	ppbv		6.0	0.75	ug/m3
79-01-6	131.4	Trichloroethylene	ND	0.040	0.033	ppbv		ND	0.21	ug/m3
75-69-4	137.4	Trichlorofluoromethane	0.41	0.20	0.042	ppbv		2.3	1.1	ug/m3
75-01-4	62.5	Vinyl chloride	ND	0.20	0.032	ppbv		ND	0.51	ug/m3
108-05-4	86	Vinyl Acetate	ND	0.20	0.057	ppbv		ND	0.70	ug/m3
	106.2	m,p-Xylene	0.32	0.20	0.031	ppbv		1.4	0.87	ug/m3
95-47-6	106.2	o-Xylene	0.13	0.20	0.031	ppbv	J	0.56	0.87	ug/m3
1330-20-7	106.2	Xylenes (total)	0.45	0.20	0.031	ppbv		2.0	0.87	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	98%		65-128%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Misc. Forms

---

### Custody Documents and Other Forms

---

**Includes the following where applicable:**

- Chain of Custody
- Summa Canister and Flow Controller Log

Air

# CHAIN OF CUSTODY

## Air Sampling Field Data Sheet



2235 US Highway 130, Dayton, NJ 08810  
V: 732.329.0200 F: 732.329.3499 www.accutest.com

FED-EX Tracking # 8768-3959-2702  
Lab Quote #  
Bottle Order Control #  
Lab Job # JB4471

PAGE 1 OF 1

Client / Reporting Information				Project Information				Weather Parameters				Requested Analysis			
Company Name: Providence Engr				Project Name: Valero Refinery				Temperature (Fahrenheit)				Requested Analysis			
Address: 1201 main st				Street				Start: Maximum:		Stop: Minimum:					
City: BR State: LA Zip: 70802				City: Chalmette State: LA				Atmospheric Pressure (inches of Hg)							
Project Contact: Paul Hollis@providenceeng.com				Project #: 712-001				Start: Maximum:				Requested Analysis			
Phone #: 225 766 7400 Fax #: 7448				Client Purchase Order #				Stop: Minimum:							
Sampler(s) Name(s): K. Hudson				Other weather comment:											
Lab Sample #	Field ID / Point of Collection	Air Type		Sampling Equipment Info			Start Sampling Information				Stop Sampling Information				
		Indoor(I) Soil Vap(SV) Ambient(A)	Canister Serial #	Canister Size #L or 1L	Flow Controller Serial #	Date	Time (24hr clock)	Canister Pressure (Hg)	Interior Temp (F)	Sampler Init.	Date	Time (24hr clock)	Canister Pressure (Hg)	Interior Temp (F)	Sampler Init.
1	CAMS 040	A	A219	6L	-	4-11	1300	0.08	75	IC#	4-12	1300	11.79	75	IC#
Sample Custody must be documented below each time samples change possession, including courier delivery.															
Turnaround Time (Business days)		Approved By: _____				Data Deliverable Information				Comments / Remarks					
Standard - 15 Days 10 Day 5 Day 3 Day 2 Day 1 Day Other		Date: _____				All NJDEP TO-15 is mandatory Full T1 Comm A Comm B Reduced T2 Full T1 Other: _____				Summa					
Relinquished by Laboratory:		Date Time:		Received By:		Relinquished By:		Date Time:		Received By:					
1				[Signature]		[Signature]		4/19/12 2:02		2 [Signature]					
Relinquished by:		Date Time:		Received By:		Relinquished By:		Date Time:		Received By:					
3 [Signature]		4/19/12		[Signature]		[Signature]		4-19-12 8:30		4 [Signature]					
Relinquished by:		Date Time:		Received By:		Custody Seal #									
5				[Signature]											

31  
3

JB4471: Chain of Custody

Page 1 of 2



## Accutest Laboratories Sample Receipt Summary

**Accutest Job Number:** JB4471      **Client:** \_\_\_\_\_      **Project:** \_\_\_\_\_  
**Date / Time Received:** 4/19/2012      **Delivery Method:** \_\_\_\_\_      **Airbill #'s:** \_\_\_\_\_

**Cooler Temps (Initial/Adjusted):**

<u>Cooler Security</u>	<u>Y</u>	<u>or</u>	<u>N</u>		<u>Y</u>	<u>or</u>	<u>N</u>
1. Custody Seals Present:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	3. COC Present:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. Custody Seals Intact:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	4. SmpI Dates/Time OK	<input checked="" type="checkbox"/>		<input type="checkbox"/>

<u>Cooler Temperature</u>	<u>Y</u>	<u>or</u>	<u>N</u>
1. Temp criteria achieved:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. Cooler temp verification:	_____		
3. Cooler media:	_____		
4. No. Coolers:	0		

<u>Quality Control Preservation</u>	<u>Y</u>	<u>or</u>	<u>N</u>	<u>N/A</u>
1. Trip Blank present / cooler:	<input type="checkbox"/>		<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. Trip Blank listed on COC:	<input type="checkbox"/>		<input checked="" type="checkbox"/>	<input type="checkbox"/>
3. Samples preserved properly:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
4. VOCs headspace free:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>

<u>Sample Integrity - Documentation</u>	<u>Y</u>	<u>or</u>	<u>N</u>
1. Sample labels present on bottles:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. Container labeling complete:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
3. Sample container label / COC agree:	<input checked="" type="checkbox"/>		<input type="checkbox"/>

<u>Sample Integrity - Condition</u>	<u>Y</u>	<u>or</u>	<u>N</u>
1. Sample recvd within HT:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. All containers accounted for:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
3. Condition of sample:	Intact		

<u>Sample Integrity - Instructions</u>	<u>Y</u>	<u>or</u>	<u>N</u>	<u>N/A</u>
1. Analysis requested is clear:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
2. Bottles received for unspecified tests	<input type="checkbox"/>		<input checked="" type="checkbox"/>	
3. Sufficient volume recvd for analysis:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
4. Compositing instructions clear:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>
5. Filtering instructions clear:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>

Comments

# Summa Canister and Flow Controller Log

**Job Number:** JB4471  
**Account:** PROVLABR Providence Engineering  
**Project:** Valero-CAMS, Baton Rouge, LA  
**Received:** 04/19/12

32  
3

SUMMA CANISTERS													
Shipping							Receiving						
Summa ID	Vac L	Date " Hg	Date Out	By	SCC Batch	SCC FileID	Sample Number	Date In	By	Vac " Hg	Pres psig	Final psig	Dil Fact
A219	6	29.4	03/20/12	YMH	CP5307	3W26767.D	JB4471-1	04/20/12	RC	5			1

**Accutest Bottle Order(s):**  
 KM-3/20/2012-22

**Prep Date**      **Room Temp(F)**      **Bar Pres "Hg**  
 03/20/12          70                                  29.92