

The results set forth herein are provided by SGS North America Inc.

*e-Hardcopy 2.0*  
*Automated Report*

## Technical Report for

### Providence Engineering

Valero Refining Meraux, LA

0712-001

SGS Job Number: JE31813

Sampling Date: 04/03/26

#### Report to:

Providence Engineering

1201 Main Street

Baton Rouge, LA 70802

brandonkilpatrick@providenceeng.com; daylansenecal@providenceeng.com

ATTN: Brandon Kilpatrick

Total number of pages in report: 37



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable unless noted in the narrative, comments or footnotes.

**Olga Azarian**  
Technical Director

**Client Service contact: Brittany Stacks 732-329-0200**

Certifications: NJ(12129), NY(10983), CA, CO, CT, FL, HI, IL, IN, KY, LA (120428), MA, MD, ME, MN, NC, NH, NV, AK (UST-103), AZ (AZ0786), PA(68-00408), RI, SC, TX (T104704234), UT, VA, WA, WV

This report shall not be reproduced, except in its entirety, without the written approval of SGS.  
Test results relate only to samples analyzed.

#### How did we do today?

Your feedback helps us improve our service and takes less than a minute to complete.

**START SURVEY**

# Table of Contents

-1-

<b>Section 1: Sample Summary .....</b>	<b>3</b>
<b>Section 2: Sample Results .....</b>	<b>4</b>
<b>2.1: JE31813-1: CAMS 919 .....</b>	<b>5</b>
<b>Section 3: Misc. Forms .....</b>	<b>8</b>
<b>3.1: Chain of Custody .....</b>	<b>9</b>
<b>3.2: Summa Canister and Flow Controller Log .....</b>	<b>11</b>
<b>Section 4: MS Volatiles - QC Data Summaries .....</b>	<b>12</b>
<b>4.1: Method Blank Summary .....</b>	<b>13</b>
<b>4.2: Blank Spike/Blank Spike Duplicate Summary .....</b>	<b>19</b>
<b>4.3: Duplicate Summary .....</b>	<b>25</b>
<b>4.4: Summa Cleaning Certification .....</b>	<b>28</b>
<b>4.5: Instrument Performance Checks (BFB) .....</b>	<b>31</b>
<b>4.6: Surrogate Recovery Summaries .....</b>	<b>37</b>



## Sample Summary

Providence Engineering

Job No: JE31813

Valero Refining Meraux, LA  
Project No: 0712-001

Sample Number	Collected Date	Time By	Received	Matrix Code Type	Client Sample ID
---------------	----------------	---------	----------	------------------	------------------

This report contains results reported as ND = Not detected. The following applies:  
Organics ND = Not detected above the MDL

---

JE31813-1	04/03/26	07:30 JD	04/09/26	AIR Ambient Air Comp.	CAMS 919
-----------	----------	----------	----------	-----------------------	----------

**Sample Results**

---

**Report of Analysis**

---

# Report of Analysis

<b>Client Sample ID:</b> CAMS 919		
<b>Lab Sample ID:</b> JE31813-1		<b>Date Sampled:</b> 04/03/26
<b>Matrix:</b> AIR - Ambient Air Comp.	<b>Summa ID:</b> A1052	<b>Date Received:</b> 04/09/26
<b>Method:</b> TO-15		<b>Percent Solids:</b> n/a
<b>Project:</b> Valero Refining Meraux, LA		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	7W20646.D	1	04/10/26 17:50	WC	n/a	n/a	V7W721
Run #2							

Run #	Initial Volume
Run #1	400 ml
Run #2	

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone (2-Propanone)	3.5	0.20	0.15	ppbv		8.3	0.48	0.36	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	0.20	0.084	ppbv		ND	0.44	0.19	ug/m3
71-43-2	78.11	Benzene	0.41	0.20	0.047	ppbv		1.3	0.64	0.15	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	0.20	0.030	ppbv		ND	1.3	0.20	ug/m3
75-25-2	252.8	Bromoform <sup>a</sup>	ND	0.20	0.071	ppbv		ND	2.1	0.73	ug/m3
74-83-9	94.94	Bromomethane	ND	0.20	0.069	ppbv		ND	0.78	0.27	ug/m3
593-60-2	106.9	Bromoethene	ND	0.20	0.061	ppbv		ND	0.87	0.27	ug/m3
100-44-7	126	Benzyl Chloride	ND	0.20	0.13	ppbv		ND	1.0	0.67	ug/m3
75-15-0	76.14	Carbon disulfide	ND	0.20	0.11	ppbv		ND	0.62	0.34	ug/m3
108-90-7	112.6	Chlorobenzene	ND	0.20	0.074	ppbv		ND	0.92	0.34	ug/m3
75-00-3	64.52	Chloroethane	ND	0.20	0.068	ppbv		ND	0.53	0.18	ug/m3
67-66-3	119.4	Chloroform	ND	0.20	0.037	ppbv		ND	0.98	0.18	ug/m3
74-87-3	50.49	Chloromethane	0.53	0.20	0.090	ppbv		1.1	0.41	0.19	ug/m3
107-05-1	76.53	3-Chloropropene	ND	0.20	0.083	ppbv		ND	0.63	0.26	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	0.20	0.072	ppbv		ND	1.0	0.37	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	0.20	0.040	ppbv		ND	1.3	0.25	ug/m3
110-82-7	84.16	Cyclohexane	0.77	0.20	0.045	ppbv		2.7	0.69	0.15	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.20	0.057	ppbv		ND	0.81	0.23	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	ND	0.20	0.059	ppbv		ND	0.79	0.23	ug/m3
106-93-4	187.9	1,2-Dibromoethane (EDB)	ND	0.20	0.030	ppbv		ND	1.5	0.23	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	0.20	0.070	ppbv		ND	0.81	0.28	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	0.20	0.062	ppbv		ND	0.92	0.29	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	0.20	0.048	ppbv		ND	0.72	0.17	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	0.37	0.20	0.10	ppbv		1.8	0.99	0.49	ug/m3
124-48-1	208.3	Dibromochloromethane <sup>a</sup>	ND	0.20	0.12	ppbv		ND	1.7	1.0	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.20	0.069	ppbv		ND	0.79	0.27	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	ND	0.20	0.030	ppbv		ND	0.79	0.12	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.20	0.062	ppbv		ND	0.91	0.28	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	0.20	0.028	ppbv		ND	1.2	0.17	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.20	0.069	ppbv		ND	1.2	0.41	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	0.20	0.079	ppbv		ND	1.2	0.47	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.20	0.10	ppbv		ND	0.91	0.45	ug/m3

ND = Not detected      MDL = Method Detection Limit      J = Indicates an estimated value  
 RL = Reporting Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound

# Report of Analysis

<b>Client Sample ID:</b>	CAMS 919	<b>Date Sampled:</b>	04/03/26
<b>Lab Sample ID:</b>	JE31813-1	<b>Date Received:</b>	04/09/26
<b>Matrix:</b>	AIR - Ambient Air Comp. Summa ID: A1052	<b>Percent Solids:</b>	n/a
<b>Method:</b>	TO-15		
<b>Project:</b>	Valero Refining Meraux, LA		

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	2.0	0.50	0.39	ppbv		3.8	0.94	0.73	ug/m3
100-41-4	106.2	Ethylbenzene	0.17	0.20	0.061	ppbv	J	0.74	0.87	0.26	ug/m3
141-78-6	88	Ethyl Acetate	ND	0.20	0.10	ppbv		ND	0.72	0.36	ug/m3
622-96-8	120.19	4-Ethyltoluene	ND	0.20	0.095	ppbv		ND	0.98	0.47	ug/m3
76-13-1	187.4	Freon 113	ND	0.20	0.031	ppbv		ND	1.5	0.24	ug/m3
76-14-2	170.9	Freon 114	ND	0.20	0.050	ppbv		ND	1.4	0.35	ug/m3
142-82-5	100.2	Heptane	0.87	0.20	0.091	ppbv		3.6	0.82	0.37	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.20	0.062	ppbv		ND	2.1	0.66	ug/m3
110-54-3	86.18	Hexane	1.4	0.20	0.052	ppbv		4.9	0.70	0.18	ug/m3
591-78-6	100	2-Hexanone	ND	0.20	0.15	ppbv		ND	0.82	0.61	ug/m3
67-63-0	60.1	Isopropyl Alcohol	0.18	0.20	0.14	ppbv	J	0.44	0.49	0.34	ug/m3
75-09-2	84.94	Methylene chloride	0.30	0.20	0.13	ppbv		1.0	0.69	0.45	ug/m3
78-93-3	72.11	Methyl ethyl ketone	0.30	0.20	0.052	ppbv		0.88	0.59	0.15	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	ND	0.20	0.073	ppbv		ND	0.82	0.30	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.20	0.080	ppbv		ND	0.72	0.29	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.20	0.070	ppbv		ND	0.82	0.29	ug/m3
115-07-1	42	Propylene	ND	0.50	0.048	ppbv		ND	0.86	0.082	ug/m3
100-42-5	104.1	Styrene	ND	0.20	0.053	ppbv		ND	0.85	0.23	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.20	0.078	ppbv		ND	1.1	0.43	ug/m3
79-34-5	167.85	1,1,2,2-Tetrachloroethane	ND	0.20	0.048	ppbv		ND	1.4	0.33	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.20	0.038	ppbv		ND	1.1	0.21	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.20	0.12	ppbv		ND	1.5	0.89	ug/m3
95-63-6	120.19	1,2,4-Trimethylbenzene	0.17	0.20	0.087	ppbv	J	0.84	0.98	0.43	ug/m3
108-67-8	120.19	1,3,5-Trimethylbenzene	ND	0.20	0.080	ppbv		ND	0.98	0.39	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	0.97	0.20	0.040	ppbv		4.5	0.93	0.19	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	ND	0.20	0.093	ppbv		ND	0.61	0.28	ug/m3
127-18-4	165.8	Tetrachloroethylene	ND	0.040	0.030	ppbv		ND	0.27	0.20	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	0.20	0.090	ppbv		ND	0.59	0.27	ug/m3
108-88-3	92.14	Toluene	1.0	0.20	0.057	ppbv		3.8	0.75	0.21	ug/m3
79-01-6	131.4	Trichloroethylene	ND	0.040	0.019	ppbv		ND	0.21	0.10	ug/m3
75-69-4	137.4	Trichlorofluoromethane	0.17	0.20	0.057	ppbv	J	0.96	1.1	0.32	ug/m3
75-01-4	62.5	Vinyl chloride	ND	0.20	0.069	ppbv		ND	0.51	0.18	ug/m3
108-05-4	86	Vinyl Acetate	ND	0.20	0.11	ppbv		ND	0.70	0.39	ug/m3
	106.2	m,p-Xylene	0.56	0.20	0.14	ppbv		2.4	0.87	0.61	ug/m3
95-47-6	106.2	o-Xylene	0.25	0.20	0.077	ppbv		1.1	0.87	0.33	ug/m3
1330-20-7	106.2	Xylenes (total)	0.81	0.20	0.077	ppbv		3.5	0.87	0.33	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	90%		65-128%

ND = Not detected      MDL = Method Detection Limit      J = Indicates an estimated value  
 RL = Reporting Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> CAMS 919		
<b>Lab Sample ID:</b> JE31813-1		<b>Date Sampled:</b> 04/03/26
<b>Matrix:</b> AIR - Ambient Air Comp.	<b>Summa ID:</b> A1052	<b>Date Received:</b> 04/09/26
<b>Method:</b> TO-15		<b>Percent Solids:</b> n/a
<b>Project:</b> Valero Refining Meraux, LA		

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
---------	----	----------	--------	----	-----	-------	---	--------	----	-----	-------

(a) Associated CCV outside of control limits high, sample was ND. This compound in blank spike is outside in house QC limits bias high.

---

ND = Not detected      MDL = Method Detection Limit      J = Indicates an estimated value  
 RL = Reporting Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound

## Misc. Forms

---

### Custody Documents and Other Forms

---

**Includes the following where applicable:**

- Chain of Custody
- Summa Canister and Flow Controller Log

SGS North America Inc. - Dayton  
 2235 Route 130, Dayton, NJ 08810  
 TEL: 732-329-0200 FAX: 732-329-3499  
 www.sgs.com/ehsusa

SGS Quote # **67055164807** Boiler Order Control # **JS-122721-18**  
 SGS Job # **JE31813**

Client / Reporting Information		Project Information		Weather Parameters		Requested Analysis
Company Name: <b>Providence Engineering</b>		Project Name: <b>Valero refining</b>		Temperature (Fahrenheit)		
Address: <b>1201 Main Street</b>		Street:		Start: Maximum:		
City: <b>Barton Rouge</b> State: <b>LA</b> Zip: <b>70802</b>		City: <b>Meraux</b> State: <b>LA</b>		Stop: Minimum:		
Project Contact: <b>Brendan Lepatrick</b> E-mail: <b>brendan.lepatrick@providenceeng.com</b>		Project #: <b>712-001</b>		Atmospheric Pressure (inches of Hg)		
Phone #: <b>225-766-7105</b> Fax #:		Client Purchase Order #:		Start: Maximum:		
Sampler(s) Name(s): <b>Jeremy Bunn / Graeme Clark</b>				Stop: Minimum:		
				Other weather comment:		

Lab Sample #	Field ID / Point of Collection	Air Type			Sampling Equipment Info					Start Sampling Information					Stop Sampling Information				
		Indoor (I)	Soil Vap (SV)	Ambient (A)	Canister Serial #	Canister Size 6L or 1L	Flow Controller Serial #	Date	Time (24hr clock)	Canister Pressure (Hg)	Interior Temp (F)	Sampler Init.	Date	Time (24hr clock)	Canister Pressure (Hg)	Interior Temp (F)	Sampler Init.		
1	Cams 919			A	A1052	6L	687	4/12	7:30am	30	71	GC	4/13	7:30am	12	60	JD		

Turnaround Time (Business days)	Approved By: _____	Date: _____	Data Deliverable Information	Comments / Remarks
<input checked="" type="checkbox"/> Standard - 15 Days <input type="checkbox"/> 10 Day <input type="checkbox"/> 5 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> 2 Day <input type="checkbox"/> 1 Day <input type="checkbox"/> Other			All NJDEP TO-15 is mandatory Full T1 Comm A _____ Comm B _____ Reduced T2 _____ Full T1 _____ Other: _____ DKQP reporting: _____	Initial Assessment <b>60-715</b> Label Verification _____

Relinquished by Laboratory:				Relinquished By:				Date Time:		Received By:	
3				Fedex				4-26-13 7:21		[Signature]	
Relinquished by:				Relinquished By:				Date Time:		Received By:	
5				Fedex				7/19/26 10:25		[Signature]	

31  
3